Appendix B01 CLIN 001

Cogent, Inc. Proposal Response Technical Requirements Matrix

P-542 (5-09) **10 September 2010**



TECHNICAL PROPOSAL
Technical and Functional Requirements Matrix
Appendix D

San Francisco Police Department Forensic Services Division Automated Biometric Identification System

Due Date/Time: May 29, 2009, 12:00pm

Submitted to: Cydne Holt, Dir. ,Forensic Services Division San Francisco Police Department 850 Bryant Street, Room 400 San Francisco, CA 94103

Submitted by Cogent, Inc., doing business as:



639 N. Rosemead Blvd.
Pasadena, CA 91107
626.325.9600 (tel); 626.325.9700 (fax)
Contact Person: Steve Nash

This proposal contains confidential and trade secret information proprietary to Cogent, Inc., that is made available to the San Francisco Police Department Forensic Services Division solely for the purpose of evaluating this proposal. These materials are not to be disclosed to any person or entity not directly involved in the evaluation of this proposal or an award of a contract related thereto, and shall not be duplicated, used, or disclosed-in whole or in part-for any purpose other than to evaluate this proposal or award a contract. In the event that a contract is awarded to Cogent, Inc., as a result of this proposal, then the aforesaid agency may make such disclosure as is required by law, consistent with the terms of such contract, the federal Freedom of Information Act, and any applicable state or local law regarding the disclosure of public information. The information which is subject to this disclosure restriction is contained on sheets bearing a designation as confidential, proprietary or trade secret information.



Appendix D – SFPD ABIS Technical and Functional Requirements Matrix

Introduction:

This requirements matrix is provided to assist the Offerors with the best possible understanding of the Mandatory (Required) and Desired (Optional) characteristics of the multiple components of the SFPD Identity Solution Vision. SFPD is aware that requirements duplicate and in some cases overlap, including compound requirements. SFPD has attempted to provide a basis rich enough to allow vendors to highlight the advantages of their product by identifying performance across a broad spectrum of what is available. SFPD is also aware that some solution approaches may obviate the need for a particular requirement. Offerors are welcome to document comments or recommended changes to these requirements through the Question & Answer process.

For each of the Mandatory (designated by the Letter M) and Desired (Designated by the letter D) capability requirements specified in this section Offerors shall follow the instruction as outlined in the first section and respond whether the proposed ABIS solution meets the identified requirement and the corresponding CLIN for which the Offeror proposes to deliver the functionality.

The SFPD ABIS RFP supports the ability for Offerors to propose a 'baseline' solution for a specific function and identify the additional cost and schedule for the delivery of additional (Desired) functionality via the 'Enhancement, Optional, Expansion CLINs. This approach provides Offerors the advantage of bidding only Mandatory Requirements for the 'baseline' solution thereby promoting a fair competition. Offerors may elect to include additional Desired Requirements in their 'baseline' proposal and receive additional score in the evaluation process.

	Response Code	Definition									
Re	SFPD	\mathbf{M} = Mandatory Requirement; 100% compliance will be given the highest evaluation score. \mathbf{D} = Desirable requirements, the more									
	Requirement	% compliance will be given higher evaluation score, or a number of them may be bundled into the optional upgrade CLIN									
		increments.									
	Y (Yes)	Requirement will be met 'out of the box' without configuration, customizations or modifications (see definitions below) to the									
		existing application or report. The functionality must be installed and operational at other sites and can be demonstrated to the SFPD-FSD.									
	N (No)	The functionality identified in the requirement will not be provided.									
	G	The requirement will be met by Configuration, Customization or Modification:									
	(Configuration)	G = Configuration - The requirement will be met through changes to setting of tables, switches, and rules without modification to									
		the source code. Include any changes to the existing or 'out of the box' workflow functionality.									
	C	C = Customization - The requirement will be met through changes to the existing reports or programs. This would include custom									
	(Customization)	code developed to perform specific functions or validations outside the standard code. Include the creation of a new report, query									
		or workflow that does not exist within the current application.									
	M (Modification)	M = Modification - The requirement will be met through changes to the source code which would require analysis and re-									
		application during updates, upgrades, or when applying software patches.									
		Note: For each of the codes G , C , and M in the comments column next to this response, you must indicate the following:									
		- Description of customization									
		- Party who will perform the work (Agency or Proposer)									
		- Estimated level of effort involved in hours									
-	2 (C	- Estimated level of complexity (High, Medium, Low) Requirement will be met by third-party software package and is included in this proposal.									
	3 (Supplied by Third Party)	Requirement will be met by third-party software package and is included in this proposal.									
	Timu Tarty)	Note: In the Comments column, indicate the name of the proposed third-party software package and indicate the									
		interface/integration services being proposed.									
ŀ	F (Future)	Requirement will be met by packaged software that is currently under development, in Beta test, or not yet released.									
	i (i utuic)	requirement will be thet by packaged software that is currently under development, in Beta test, or not yet released.									
		Note: In the Comments column next to this response, indicate the date when requirement will be available for implementation. If									
		possible, also indicate any additional costs.									

Proposer Response Instructions

Please follow the instructions below to allow a uniform evaluation of the proposals. In responding to the requirements located in the section 2 tables, the following columns' labeled codes must be used. Please place one "X" under the appropriate response code column for each of the requirements



Note:

- 1. An omitted response will be assumed to be the same as a response code of "N".
- 2. Only one (1) response per requirement will be accepted. Multiple responses will be re-coded at the discretion of the Agency
- 3. Any deviation from the response codes will be re-coded at the discretion of the Agency.
- 4. Due to the large number of requirements, and dividing the entries into various categories/CLINS there exists a possibility of repeated, similar, or closely similar requirements. The evaluation score will be on the all the responses to all entry including these possible duplicates.



1.1 Technical and Functional Requirements Matrix

Cogent's Resopnse: Requirements related to Item #1 and "All" have been highlighted in yellow for ease in evaluation.

			SF PD Re q	Re	One Response Per Requirement (Vendor Use Only)			t	
Item #	CLIN #	Requirement	M D	Y	N	G C M	3	F	Comments
	Requi	rement Type – Systems Requirements							
1.	1/2	The ABIS workflow and business rules shall be flexible to fully support SFPD' legal and/or policy requirements, which may change, as well as the expansion and/or changes to SFPD' identification workflow and business rules. San Francisco and CAL/DOJ's legal and/or policy requirements require the suppression of some records from search results, and also the expiration of Latent cases due to the respective crime's statute of limitations. Not crisp enough.	D	X					This is a COTS feature of the proposed Cogent ABIS.
2.	1/2	Privilege capability which specifies user privileges including configuration parameter change authority a. Privileges for system operator with authority to change configuration parameters b. Privileges for Supervisors to change operational parameters etc	D	X					Privileges and authorities to change configuration and/or operational parameters are included on individual work stations
3.	1/2	The vendor shall provide an ABIS solution with configuration items that may be changed by SFPD operators to cause a respective system change without a system downtime, or emptying of queues. Configuration items shall include, but not be limited to, the following system parameters or settings that have modifiable value to allow respective processing or related edits to change without the requirement for a software/code change. There shall be at minimum a parameter for each of the following items: a. whether or not a technician must review/confirm all automatic system determination for fingerprint patterns b. whether or not a technician must assign fingerprint patterns to fingerprints for a transaction before a Tenprint search c. whether or not a technician must review/confirm all system	D	X					Although the Cogent ABIS does not utilize fingerprint patterns for processing, the configuration items described in items "a" through "m" can be changed as described. The configuration items preferred by the SFPD will be configured as default settings which can be modified by users with appropriate authorities. Refer to Technical Description for CLIN 1 and 2, included in this document, for more detailed discussions.



	determined/suggested composite target image substitution d. whether or not a technician must review/confirm all automatic image quality ratings other than that of a good print e. whether or not a technician must assign image quality rating for each finger for a transaction before a Tenprint search f. for whether or not images are automatically sent for quality review after image coding g. for any threshold(s) used in searching h. the maximum number of candidates to be returned in a candidate list for verification, with unique parameters for Tenprint searches utilizing a system threshold, i. the maximum number of candidates to be returned in a candidate list for verification, with unique parameters for Tenprint searches performed without a system threshold, j. the maximum number of candidates to be returned in a candidate list for verification, with unique parameters for Latent fingerprint, k. the maximum number of candidates to be returned in a candidate list for verification, with unique parameters for Latent palm print searches l. the number (1 or 2) of verifications required to finalize a Tenprint search that has at least one suspect that has been identified as a hit by a verification operator m. The number (1 or 2) of verifications required to finalize a Tenprint search				
4. 1/2	that has no suspects identified as a hit by a verification operator. The ABIS shall support separate Latent fingerprint and Latent palm print processing configuration parameters defined by the latent print examiner or the supervisor. Items shall include, but not be limited to, the following: a. Threshold Activation: The ability to turn off the ABIS scoring threshold to allow a configurable number of top candidates to return in the search	D	X		The Latent fingerprint and Latent palmprint configuration parameters described are current Cogent COTS features and will be included in the SFPD ABIS.
	 result candidate list. b. Maximum Number of Candidates to be returned for comparison on a Latent search. c. Number of Latent Print Examiner verifications required to finalize the results of an evaluated Latent print search. d. A default setting for the city or county (San Francisco or the San Mateo County) search filter. 				

5. 1/2	The ABIS shall include an audit capability. This audit system will store the associated data for both Latent (both fingerprint and Palmprint) and Tenprint processing for periodic reports, adhoc reports and analysis needs. This capability shall have a configurable retention period with an initial retention of 50 years. The audit capability and production of auditing reports shall not degrade identification system performance. Not at all clear. It has to use resources, so it has to degrade. Audit information shall include processing information, as noted below, and appropriate dates and times involving: a. Transaction identification (IP address of source, transaction/case/SF#, any search id) b. Modifications (field identifier, before and after values, technician id), c. Error/rejection (types, values, technician id), d. Searches (types, such as auto process/ technician request; parameters used; technician id), e. Purge requests (TCN or SF#, technician id), f. Transaction Processing Times for all stages/queues (stage/queue name, date started/ended, time(hour/minutes/second) started/ended, time elapsed for each stage), g. Search results (candidates, ranking/scoring information, Name Search/Tech Search/Both Search indicators), h. Technician determinations (manual patterns/quality, plain to roll/palm to palm/roll to roll substitution, technician id), i. System Processing, including Actions, Technician ID, Parameters and Results for: • sequence check results, • segmentation results, • rejections, • auto patterns/quality/topological assignment, • minutiae assignment, • fingers used for a search, • sure hit determination, • candidate elimination,	D	X		The Cogent ABIS proposed for SFPD includes audit capabilities which can be configured by users with appropriate authority using routine Windows commands. H and I would need minor configuration setting changes to comply with SFPD request. It can be completed in 10 hours.
	 candidate elimination, SF#/image verification and validation results, 				
	 composite substitution, multiple incident record creation, 				



6 .	AII	 multiple incident record modification, multiple incident record substitution, Individual fingerprint quality rating score (if applicable) Automatic pattern updating, manual pattern updating User Administration System creations, deletions, modifications (userid of administrator, userid of subject, before and after values), CCH/CABLE reject request. The Offeror's/Prime Offeror's software solution shall support SFPD' need to retain audit records for periods no longer than 50 years. 	D	X	The retention of Cogent Audit records is configurable and can be set to any period of time.
7.	AII	The offeror shall provide hardware and software products that will automatically handle the transition for Daylight Savings Times and any legislated changes to Daylight Savings Times.	D	X	This is a COTS feature of the proposed Cogent ABIS.
8.	All	The Offeror shall encrypt all SFPD data, residing or in communication outside the SFPD internal network, with a minimum 128 AES encryption. This includes backup media, file transfers and external sites. SFPD shall be given all cryptographic keys used involving SFPD data and systems.	D	X	Cogent will encrypt all SFPD data as described, however, SFPD should be aware that Cal-DOJ transactions are not encrypted currently because the transactions are sent over a secure DOJ network.
9.	1/2	ABIS shall process TP/ULF searches without affecting the processing of the related Tenprint transaction in the following way? The SF# associated with the TP record shall not be blocked from other Tenprint processing while the TP/ULF search results are awaiting completion of verification. This requirement shall be incorporated in the interface to the SFPD CCH/CABLE where the SF# is generated.	D	X	The Cogent ABIS uses parallel processing thereby allowing multiple transactions during tenprint searching. Several users may view or review a transaction as there is no blocking associated with the transaction while search results are awaiting verification.
10.	All	ABIS shall have the capability to reconcile sub-systems for data integrity purposes. In other words, and for example, the same target SF#s shall be in all related databases and files and such key data shall be consistently maintained. Separate these things like all data integrity together	D	X	This is a current Cogent feature.
11.	1/2	The ABIS workstation and user interface shall allow for use of bar code readers to eliminate redundant data entry for processing, where appropriate. Examples include, but are not limited to: SF# and TCN.	D	X	This is a current Cogent ABIS capability.



12 .	1/2	The ABIS shall provide for the addition of new demographic and biographic identifiers to the ABIS for candidates and search filter criteria.	D	X	Cogent meets this requirement. This requirement will be implemented system wide
13 .	1/2	The ABIS solution shall provide for minutia editing of images to improve search accuracy.	M	X	This is a COTS feature of the proposed Cogent ABIS.
14.	1	The Identification Technician shall have the ability to re-launch a sequence check after an error has been resolved. An error is resolved with a correction made by the Identification Technician at the ABIS workstation. That correction will place images in their proper sequence.	D	X	Whenever a Cogent ABIS user resolves a sequence error, Cogent logic automatically re-launches a sequence check to validate the user's correction(s). Therefore, it is not necessary that the user initiates the relaunch of the sequence check, although it is possible if desired.
1 5.	1/2	Identification Technicians and Latent Print Examiners shall have the ability to print, to a printer, a candidate search list. This print capability shall be incorporated in the Offeror software.	M	X	This is a COTS feature of the proposed Cogent ABIS.
16 .	AII	The ABIS hardware shall be network enabled at a minimum speed of 1 Gbps Fibre Channel for servers and a minimum speed of 1 Gbps Ethernet for workstations.	D	X	Cogent ABIS servers are configurable and allow for the speeds requested.
17.	1	The ABIS shall be capable of holding at least 1000 work-in-process Tenprint transactions. Each transaction may have text and image data such as, but not limited to, 10 rolled finger image records, 4 plain finger image records prior to segmentation and 10 image records after segmentation, and up to 8 palm print image records.	D	X	Current Cogent AFIS installations (like LASD) exceed this requirement.
18 .	1/2	System alerts shall be generated as held work-in process transactions approach 80% capacity.	D	X	Alert generation can be configured to occur at any capacity level designated by SFPD.
19.	1/2	The ABIS shall be capable of preserving records and all associated data for work-in- process transactions in the event that Tenprint and/or Latent workstation operations, database, or other related functions/services are down or unconnected to SFPD or within ABIS, for a specific time period. These records shall then be automatically available for continued processing when service is restored.	D	X	Records and all associated data for work-in-process transactions are maintained on the server side of the Cogent ABIS, and therefore available for continued processing as desired.
20.	AII	After any break in processing, resumed processing shall automatically work on transactions in an order selectable by priority.	D	X	This is a COTS feature of the proposed Cogent ABIS.
21.	1/2	The ABIS shall be capable of holding at least 1000 work-in-process Latent transactions.	D	X	This is a feature currently available and in use by the LAPD, where in

					excess of 1000 work-in-process Latent transactions have been held pending review by users.
<mark>22.</mark>	1	ABIS shall retain for each individual in the target database a composite record of the best images for each of the twenty fingerprint images (ten rolled and ten plain).	M	X	This is a COTS feature of the proposed Cogent ABIS.
23.	1	ABIS shall retain for each image, a TCN, transaction source type and plain /roll indicator associated with each image. This composite record is to be continually evaluated and updated as necessary when new transactions are identified against an SF#. When a SF# has only one event, the images for that event will be contained in the composite record.	M	X	This is a COTS feature of the proposed Cogent ABIS.
24.	1	The ABIS shall retain for each individual in the target Tenprint database, the three most recent transactions' fingerprints (plain and rolled). These are referred to as Multiple Incident Records (MIR) in this RFP. A MIR record will not exist when a SF# has only one event, as the images for a single event will reside in the composite record.	M	X	This is a COTS feature of the proposed Cogent ABIS, and is configurable according to Agency requirements.
25.	2	The palm print record shall include up to 8 palm print images. Palm print records received or existing at SFPD, come from various original sources and each may have a different number of images per record.	M	X	This is a COTS feature of the proposed Cogent ABIS.
26.	1/2	The ULF File shall include the following, at a minimum: Latent Case Number; Latent Search ID; Latent Print Characteristics; Latent Print Image ID; Image Quality; Race; Sex; Pattern; Age; Age Difference/Tolerance; Crime Type; Crime Date; Expiration Date; Tickler Date;	D	X	ULF file data is configurable according to an Agency's requirements. The described data fields are currently being used by many Cogent customers.



		 Contributor ORI (San Francisco or San Mateo, or other agencies allowed to submit to SFPD ABIS); Original Examiner ID (of examiner that added the entry); Assigned Examiner ID (of examiner that owns the UL Case); and search filters. Physical Address of Latent Item from which Latent recovered Latent of Patent If Patent, what substance 				
		 Technique(s) used to develop latent When any data is deleted from any database or file, the space shall be 	D	X		This is a COTS feature of the
27 .	All	automatically available for reuse.				proposed Cogent ABIS.
28.	All	A GUI monitoring system (System Administration Application) that displays all transaction information shall be available for all Identification Technician and Latent Print Examiner Supervisors over a secure TCP/IP thin client. This service shall be available from SFPD and San Mateo supervisors' personal computers and easily accessible. These monitoring screens shall auto refresh at specified intervals and refresh by request.	D	X		The ABIS proposed for SFPD complies with this requirement. Views are limited to authorized SFPD and San Mateo monitors.
29.	AII	The GUI monitoring system shall be accessible from SFPD and other supervisors' personal computers that shall provide information that includes, but is not limited to: A one page view of transaction counts for all queues; From the one page view, the ability to select a specific queue to display TCNs for all transactions in process, and status and historical information for an individual transaction, when selected; This historical information shall include, but not be limited to: Identification Technicians' userids; Contributor ORI; Total elased time for each queue; Total time idle in each queue; Total time spent working on an individual transaction in a particular activity	D	X		This is a COTS feature of the proposed Cogent ABIS, and is currently being used by the State of Maryland and City of Montreal.
30.	All	The GUI monitoring system shall have user selected or designated filtering and or sorting capability for displaying transactions, based on, but not limited to these transaction data fields:	D	X		This is a COTS feature of the proposed Cogent ABIS. Filtering capability can be set to any available



		 Identification Technician, Status, Work Queue, Priority (by one or more selectable priorities), Creation Date/Time, Contributor ORI, Transaction Identifier (TCN). 				transaction parameter, including these listed standard data fields.
31.	All	The system shall have the ability to purge transaction(s) in work queues based on Identification Technician, Status, Work Queue, Priority (by one or more selectable priorities), Creation Date/Time, Contributor ORI, Transaction Identifier (TCN).	D	X		Purging is a manual process based on user access privileges.
32.	<mark>1/2</mark>	The Offeror shall propose an ABIS capable of direct communication with the SFPD Computerized Criminal History (CCH)CABLE system	M	X		The ABIS proposed in this RFP response will be capable of direct communication as requested.
33.	All	The Offeror shall provide the following user interface features and functions for Work Queue information: Adjust the column widths; Hide columns; Sort ascending or descending on any of the columns; Filter a column based on a specific value or range of values; Remove transactions from present display based on group selection; Refresh the display of the Work Queue per selectable time limit; Filter the Work Queue using wildcard and character substrings; Cancel filtered ranges; and The ability to find a specific transaction in the work queue by Latent File Number, Latent Search ID, TCN/SF#, Contributor ORI, or other work queue parameters	D	X		This is a COTS feature of the proposed Cogent ABIS.
34.	All	ABIS workflow shall include the sending and receiving of messages meeting NIST standards between ABIS and SFPD Store and Forward and the CCH/CABLE. If NIEM XML standards are defined and approved for the FBI/CJIS EBTS V8 Part 2 at contract time, the use of NIEM XML will require the approval of SFPD.	D	X		Cogent understands the requirement and will not use the NIEM XML standards, or any other standards not specifically approved for use by

					SFPD.
35.	3	A one, two or four finger flat verification function and device is required. This functionality shall support wired applications, and shall include verification confinement/custodial control (i.e. correctional institutions). This device shall be capable of inputting a SF# number which will then retrieve from the ABIS the images and minutiae to be compared to up to two input images collected at the remote site. This device shall also be capable of performing an image quality check prior to submission to determine if quality is too low for search and require Identification Technician to do manual checking with SFPD. This function shall return and display a comparison result of either a "yes", "no" or "inconclusive". (See Sections on DRI)	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>36.</mark>	All	The Offeror proposed solution shall include a product, package or other means for the Offeror to produce configurable reports. Also, this solution will allow for SFPD' ad hoc reporting.	D	X	This typical request is a COTS feature of the proposed Cogent ABIS.
37.	All	With the proposed solution, all images and associated data shall be the property of SFPD. The Offeror solution shall provide a means for direct access to all images and associated data in non-proprietary format for use.	M	X	All images and data created for the SFPD will be NIST compliant and the property of SFPD. Access to all images and data is non-proprietary and therefore accessable to SFPD and any user the SFPD may choose to share the data with.
38.	AII	The Offeror shall provide an ABIS solution that allows for updates to critical parameters / values without system downtime. The parameter / value update solution may be used for Tenprint and / or Latent processing and shall include, but is not limited to, the following: - Add, modify or delete parameters / values - Respective Pattern comparison values - Error values/reasons which can be selected by the automatic and/or manual processes for a transaction in Tenprint processing - Specific automatic sequence errors, denoted by SFPD, which would require workstation review in Tenprint processing. Such errors may include transposed fingers, transposed hands, and duplicate rolled fingers.	D	X	The Cogent COTS ABIS provides for updates to parameters and values in both the Tenprint and Latent processing. However, the features as described in this requirement need additional information before an accurate evaluation can be made to determine the degree of customization or modification needed, if any. Cogent will meet with SFPD personnel during the detailed design phase of the project to clarify the requirements herein, and then will provide those requirements, as agreed upon, at no additional cost to SFPD.



39.	1/2	For 500 ppi fingerprint and palm print images, the Offeror shall comply with FBI-EBTS image quality specifications and shall maintain images compressed to a maximum average ratio of 15:1 using Wavelet/Scalar Quantization (WSQ) algorithm. For 1000 ppi fingerprint and palm print images, the Offeror shall comply with FBI-EBTS image quality specifications and shall maintain images compressed to a maximum average ratio of 15:1 using JPEG 2000 algorithm.	M	X		This is a COTS feature of the proposed Cogent ABIS.
40.	AII	The system shall provide an error response to the user if the user inputs a number larger than the system is configured to accept for priority.	D	X		The ABIS proposed for the SFPD currently uses a drop down list from which the user selects the priority for the transaction being generated, thereby not allowing for the user to input a non-compliant system priority number.
41.	AII	The error response for priority shall provide the user an indication of the allowable values for priority	D		X	G – Configuration. Since the Cogent COTS ABIS does not allow non-compliant priority transactions (see #40 above) this feature is not currently used by Cogent AFIS installations. Cogent's COTS product currently generates other types of error messages from tables created, therefore, providing this feature will only require some minor changes to the tables which will be implemented by a Cogent Technician. This effort is estimated to require less than 10 hours to complete. The level of complexity for this effort is Low.
42.	All	The system shall send an error message to the AFIS Administrator when an error occurs during search processing	D	X		This is currently done primarily through e-mail messages using SMTP communications protocol.
43.	All	The system shall provide an indication of what stage of processing the error occurred in	D	X		The wording in messages used to communicate information to users is created by Cogent customers, and since the messages are table generated they can provide the indication as



					requested.
	System	m Configurability			
<mark>44.</mark>	All	The system shall provide the capability to configure a workstation into a default condition that places the image being searched on the same side of a split screen for each search	D	X	This is a user-defined option for Cogent ABIS users. The default can be set as requested.
<mark>45.</mark>	All	The system shall provide the capability to allow Properly Permitted Users to override the default setting and allow Permitted Users to select which side of the screen to use for displaying the search image	D	X	This is a user defined option for Cogent ABIS users.
<mark>46.</mark>	All	The system shall provide the capability to configure workstations into specific classes with specific capabilities.	D	X	This is a COTS feature of the proposed Cogent ABIS.
47.	All	The system shall provide the capability to allow the following classes of workstations: Ten Print Verification, Ten Print Search, Latent Encoding, Latent Verification, Image Quality Checking, Exception Handling, Authentication, Livescan Submission.	M	X	Each work station proposed for the SFPD ABIS will be a multi-functional work station, with effective functionality dictated by individual user access privileges.
<mark>48.</mark>	All	The system shall provide the capability to configure a workstations into a default class.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>49.</mark>	All	The system shall provide the capability to allow each workstations to be capable of performing all functions in any of the workstation classes.	D	X	Each work station proposed for the SFPD ABIS will be a multi-functional work station, containing all software modules for each workstation class.
5 0.	All	The system shall provide the capability to allow a workstation to perform functions outside of its default class when and only when a Permitted User logs on the workstation.	D	X	Each work station proposed for the SFPD ABIS will be a multi-functional work station, with functionality determined by user access privileges.
<mark>51.</mark>	All	The system shall provide the capability to automatically allow a Permitted User to perform any function that is permitted to the user after completion of logging onto the workstation.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>52.</mark>	All	The system shall provide the capability to allow Properly Permitted Users to create lists of Permitted users for individual workstations and classes of workstations.	D	X	This COTS function is typically reserved for system managers or supervisors.
<mark>53.</mark>	All	The system shall provide the capability to allow Properly Permitted Users to modify, add, or delete lists of Permitted users for individual/classes of workstations.	D	X	This COTS function is typically reserved for system managers or supervisors.
<mark>54.</mark>	All	All workstations and the system shall provide the capability to maintain a list of Permitted users for each class of workstation.	D	X	This is a COTS feature of the proposed Cogent ABIS.



55.	AII	The system shall provide the capability to authenticate users at logon.	D	X	This COTS feature allows the user to select from any combination of name and password, name and fingerprint, fingerprint and password, or name, password, and fingerprint.
<mark>56.</mark>	All	The system shall provide the capability to link user ID, date, and time of entry to any data saved for the user.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>57.</mark>	1/2	The system shall provide the capability to allow Permitted Users to display any type of print (finger, palm, latent) at any workstation	D	X	This COTS feature can be linked to user defined rights and privileges.
<mark>58.</mark>	All	The system shall provide the capability to allow Permitted Users to display images from the ABIS Database image storage at any workstation.	D	X	This COTS feature can be linked to user defined rights and privileges.
<mark>59.</mark>	1	The workstation shall provide the capability to allow Permitted users to display any fingerprint card at its original scale.	D	X	This is a COTS feature for the ABIS proposed for SFPD.
<mark>60.</mark>	All	All workstation shall provide the capability to display, receive and send images in the following formats: WSQ, TIF, GIF, JPEG AND JPEG 2000	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>61.</mark>	All	For the images at 500ppi the WSQ default compression ratio shall be a configurable parameter.	D	X	Cogent's WSQ compression ratio is configurable with the default set at 15:1
<mark>62.</mark>	All	For the 500ppi images the system shall provide the capability to automatically recognize WSQ compression ratio on images and automatically decompress WSQ compressed images at the correct ratio.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>63.</mark>	All	The system shall provide the capability to allow Permitted Users to print any information displayable at any workstation.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>64.</mark>	All	The system shall provide the capability to print any image at its original scale.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>65.</mark>	All	The system shall provide the capability to allow Permitted users to select a specific printer for output.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>66.</mark>	All	The system shall provide the capability to log all actions performed at a workstation.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>67.</mark>	All	Each workstation shall allow the operator to control the time to screen saver initiation.	D	X	This Windows feature is included in the ABIS workstations proposed for SFPD.
<mark>68.</mark>	All	Time to screen saver initiation shall not be permitted to exceed Maximum Screen Saver Initiation Time.	D	X	Screen saver initiation time is set by operators using the Windows Screen Saver, a COTS feature which will be included in the ABIS proposed for



						SFPD.
		Maximum Screen Saver Initiation Time shall be a configurable parameter.	D	X		Screen saver initiation time is a
<mark>69.</mark>	All					component of the Windows Screen
						Saver used by COTS and is
						configurable.
70	A 11	Each workstation shall allow the operator to control the time to automatic log	D	X		This is a COTS feature of the Cogent
<mark>70.</mark>	All	out.				Active Directory currently in use by Cogent ABIS customers.
		Automatic log out time shall not be permitted to exceed Maximum Logout Time.	D	X		This is a COTS feature of the Cogent
<mark>71.</mark>	All	Automatic log out time shall not be permitted to exceed Maximum Logodt Time.		Λ		Active Directory System.
		Maximum Logout Time shall be a configurable parameter.	D	X		The maximum logout time is
<mark>72.</mark>	All		_			configurable using Cogent's COTS
						Active Directory System.
		All workstation shall collect performance data on users.	D	X		This data is retained in the Cogent
<mark>73.</mark>	All					ABIS log files and can be included in
						management reports for system users
		Deufe was a set of the liber of the set of t	<u> </u>	T 7		and/or administrators.
<mark>74.</mark>	All	Performance data shall be configurable.	D	X		Cogent ABIS performance reports can be customized to include data
/4.	All					required by users.
		The system shall provide the capability to include print quality, number of	D	X		System performance data reports can
<mark>75.</mark>	All	submissions, number of identifications, as performance data.	_			easily be customized by users
		,				selecting the data fields listed,
						including many others not listed.
		All workstation shall provide the capability to report user performance data to	D	X		This is a COTS feature of the
<mark>76.</mark>	All	system.			Ш	proposed Cogent ABIS.
	Requ	irement Type – Tenprint Requirements				
77	0.11		D	X		This is a COTS feature of the
<mark>77.</mark>	All	priority of the transaction for processing.	_		+	proposed Cogent ABIS.
<mark>78.</mark>	All		D	X		The ability to modify the priority of
78.	All	for one or more transactions to meet the service delivery objectives.				one or more incoming transactions is a COTS feature of the ABIS
						proposed for SFPD.
		The Offeror shall maintain an ongoing conversion function as part of the	M	X		The File Import function of the
<mark>79.</mark>	<mark>1/2</mark>	Production system for batch updating of electronic fingerprint images, palm	- • •			Cogent COTS ABIS enables users to
	<u>/7</u>	print images and associated data for an existing SF#. Batches may contain only				import fingerprint, palmprint, and
		fingerprint images; palm print images, or facial mugshot images with the				mugshot images as well as



80.	All	associated data. This shall include batch processing for additional conversion after the initial conversion phase has been concluded and the ABIS is in Production. The ABIS shall enable an Identification Technician to reject a transaction at any time during the pre-search process. A message shall be sent back to the supervisor at SFPD with, at a minimum, the following information: Rejection reason(s) Date/time of rejection TCN	D	X		associataed demographic data and either record, add or replace to the existing database files in batch mode. This is a COTS feature of the proposed Cogent ABIS. Users are able to reject or delete transactions during the pre-search process. The notification message as described will be configured using the COTS Active Directory process.
82.	AII	The ABIS shall accept a purge request at anytime throughout the process. At the time of the purge request, all processing of the transaction shall conclude. The SABIS shall enable an Identification Technician to modify a transaction during the pre-search process. These modifications shall include, at a minimum, the following information: Manually assigned patterns Selection/De-selection of Rejection reason(s) Visual /coder qualities Minutiae editing Plain to roll or roll to roll replacement Comment	D	X	X	This is a COTS feature of the proposed Cogent ABIS. G – Configuration. The ability to modify a transaction is a COTS feature of the proposed Cogent ABIS. Manually assigning patterns or editing minutiae is not required with the Cogent ABIS as these are automatic functions in the normal COTS work flow. However, the ABIS can be configured to require that these tasks be handled manually through changes to settings and tables which would be made by qualified Cogent Technicians. This is a minor effort requiring less than 15 hours to complete. The level of complexity for this effort is Low
83.	1	The Offeror shall propose a ABIS capable of performing different types of Tenprint to Tenprint searches using from 1 to 10 fingers, such as, system initiated transaction searches; Identification technician initiated searches; self searches; and off-line searches. The number of fingers for system initiated transaction searches would be based on the Offeror's/Prime Offeror's requirement to attain the stated accuracy rates. Identification Technician initiated searches would be based on the Identification Technician's selection of any finger and any number of fingers. In an off-line search, the acquisition may be from 1 to 10 fingerprint images.	M	X		The search functionalities as described herein are current Cogent ABIS COTS capabilities. The Royal Canadian Mounted Police (RCMP) uses this feature to allow an operator to select certain parameters including which finger images to search on all transactions received from remote locations.



84.	1	The Tenprint identification process shall initially search, at a minimum, the rolled composite images.	M	X		nis is part of the Cogent Tenprint OTS identification process.
<mark>85.</mark>	1	ABIS shall be able to process and identify Tenprint transactions that are ABIS Update Ineligible. These transactions shall not add the fingerprints to the Tenprint database or update to a composite record.	M	X	Co tra	ne COTS functionalities of the ogent ABIS allow for search only ansactions which do not add to or odate the ABIS composite record.
86.	1	The ABIS shall have the ability to mark fingerprint images from the current Identified transaction as potential substitution in the composite record for the individual. The ability shall be provided both automatically by the ABIS and manually by an Identification Technician. A selectable option for transactions automatically marked by the ABIS shall allow an Identification Technician to confirm the substitution and possibly switch individual rolled or plain fingerprint identification images before confirmation. This confirmation shall take place at the end of the identification process before an update takes place.	D	X	a pr se ur	ne desired capability as described is COTS feature provided by the oposed Cogent ABIS. The NIST rver component of the ABIS odates records, including composite cords within the ABIS.
87.	All	ABIS shall support image resolutions of both 500 and 1,000 ppi in all aspects of capture, processing and archiving, both internally (in-house capture equipment) and externally (contributor Livescan devices).	M	X	pr in Co	nis is a COTS feature of the oposed Cogent ABIS, as first stalled and used by Los Angeles ounty.
88.	All	In the event that industry trends move beyond 1,000 ppi, the system shall be able to be upgraded to accept greater than 1,000 ppi images.	D	X	sta N fu Co im 10	ogent is an active participant in andards setting workgroups such as IST, and is committed to providing ture image requirements to all ogent ABIS users. In the event mage requirements move beyond 200 ppi, an upgrade will be revided to SFPD at no cost.
89.	All	The ABIS shall have the ability to present side by side view of acquired fingerprint image(s) and the images for an entered target SF#.	M	X	The fee Training further training furthe	nis is a current Cogent COTS ature available when using the enprint and Latent Verification ansactions. Using the side-by-side anction, operators are able to select cords from the search cue and ompare them with records in the atabase.
90.	1	The ABIS shall have the ability to search the target Tenprint database based on image(s) acquired by an Identification Technician. This transaction will not result in an update to the target database.	D	X	<mark>C</mark> e	ne Search Only transaction is a ogent COTS feature. It does not odate any databases unless

					specifically designated to do so in the work flow.
91.	0	The ABIS shall have the ability to process hard copy cards. This scenario shall include FBI certified equipment that allows for the manual capture of fingerprint images, palm print images, and appropriate data. The manual capture device shall allow for the capture of fingerprint images and palm print images with no degradation of the images. This capture shall conform to the IAFIS Image Quality Specifications provided in Appendix F of the CJIS Electronic Biometric Transmission Specification, which can be found on the FBI web site at: http://www.fbibiospecs.org/fbibiometric/docs/EBTS%20V8.002%2010-24-07.pdf	D	X	The ABIS will process hard copy cards submitted for the original conversion, in addition to incremental DOJ and FBI formatted cards submitted after initial conversion. Submissions from the original conversion and subsequently will impose no degradation of image quality and shall conform to the IAFIS image Quality Specifications in Appendix F of the CJIS Electronic Biometric Transmission Specification. Cogent shall utilize scanning hardware and software that is approved and listed on the master listing of certified scanning systems/devices. This includes the Improvision IS510-Ik highspeed scanner which operates with a batch feed and converts images at either 500 ppi or 1000 ppi. This proven scanner was first certified by the FBI February 11, 2003 in compliance with IAFIS Image Quality Standards under Appendix F.
92.	0	Hard copy acquired fingerprint transactions must be formatted in the specified format that will be required by SFPD NIST record format. (Should the XML NIEM message format for this type of message be defined and agreeable to both SFPD and the Offeror, then that format may be applied for this message.	D	X	The hard copy acquired fingerprint transactions will be formatted in the specified format required by SFPD NIST record format. If the XML NIEM message format is defined, that format may be applied for messaging, upon mutual agreement between SFPD and Cogent.
93.	2	The ABIS shall have the ability to acquire and update SF# associated hard copy palm print images at 1,000 PPI which are not associated with a Tenprint Identification transaction.	D	X	Palmprint only database records are acceptable in the Cogent COTS ABIS.

94.	1/2	ABIS shall not automatically reject the Tenprint transaction if the related Palm Print images are designated as poor quality.	M	X		The Cogent ABIS can be configured to automatically allow a Tenprint transaction, which contains poor quality palmprint images, to proceed, or to automatically reject the entire identification transaction pending a resubmission of the record with acceptable quality Palmprint images. The Cogent COTS ABIS can also be configured to automatically request a new palmprint record while allowing the Tenprint transaction to proceed, or to accept the poor quality record.
95.	1	ABIS shall store for Tenprint transaction processing the following results, which will be available via an immediate TCN inquiry through a GUI: Pattern and quality assignment values(manual and automatic), date/time, and Identification Technician userid Topological mapping, if used in the Offeror's/Prime Offeror's solution Automatic sequence check information Encoding information, such as scores (if used) Errors detected during automatic system checks (i.e. pattern mismatches, segmentation/sequence errors, quality problems) Identification Technician's problem resolution information (i.e. pattern changes, image manipulation such as roll to roll or slap to roll image switch, and minutiae editing, as well as date/time of resolution and Identification Technician userid)	D		X	C – Customization. The Cogent COTS ABIS proposed for SFPD currently logs all of the data requested, except Automatic Sequence Check and Pattern, a Assignment Value information. Since current Cogent ABIS users have not required the use of Pattern Assignments nor the reporting of Automatic Sequence check information, providing those components will necessitate the creation of minor work flow and reporting changes. These changes will be performed by a qualified Cogent Technician. It is estimated that the time needed to accomplish this will be less than 20 hours. The level of complexity for this effort is Low
<mark>96.</mark>	1	The ABIS shall perform auto-class pattern classification. The system shall compare auto-class patterns with manually assigned patterns to determine mismatches.	D		X	C – Customization. This functionality is not a current Cogent ABIS COTS process, since the Cogent COTS ABIS performs 100% penetration for every search transaction and does not

					7		rely on pattern classification, The desired requirement as defined can be developed with minimum effort by a Cogent Technician, and will require less than 20 hours to complete. The level of complexity for this effort is Low . However, it will not increase the accuracy but will have an impact on the workload of the operator This is a COTS feature of the
<mark>97.</mark>	1	The ABIS shall automatically code and flag poor quality fingerprint images.	M	X			proposed Cogent ABIS.
98.	2	The ABIS shall automatically code and flag poor quality palm print images.	D			X	G – Configuration. Although this is not a current Cogent COTS functionality, it can be developed. This is a minor effort which will be accomplished in less than 15 hours by a qualified Cogent Technician. This does not require modification to the Cogent source code. The level of complexity for this effort is Low.
<mark>99.</mark>	1	The ABIS shall automatically segment plain fingerprint images.	M	X			This is a COTS feature of the proposed Cogent ABIS.
100.	1	The ABIS shall automatically perform fingerprint sequence checking.	M	X			This is a COTS feature of the proposed Cogent ABIS.
101.	2	Palm print encoding, quality checking, and sequence checking shall be performed and noted in the ABIS results on all palm prints, where applicable. Automatic sequence checking shall ensure that palm prints are in the proper position (i.e. the left palm in the left palm capture box) and associated with the correct hand (i.e. using a finger for verification, when available). Fingerprint transactions shall not be forced for manual review/ Post Encoding/Quality Control for problems detected solely with palm print images.	M	X			The requirements as listed are current Cogent COTS ABIS functionalities.
102.	All	The ABIS shall accept SFPD Transaction Requests identified by TCN, sent via SFPD (CCH)CABLE.	D	X			The desired requirement as defined will be included in the work flow of the ABIS proposed for the SFPD. The requested details and format will be established during detail design

				phase.
	The ABIS shall process and merge candidates for Tenprint verification as follows:	D	X	C – Customization. Processesing
103. <mark>1</mark>	 Name search candidate SF# numbers, submitted from the SFPD 			and merging of candidates for
	(CCH)CABLE System, with a name search score below a SFPD defined			Tenprint verification will be provided
	high name search score, shall be eliminated by ABIS based on a			as described in the desired
	comparison of the candidate's fingerprint patterns with a corresponding			requirement. The following
	transaction's assigned pattern classification.			responses correspond to the
	 Any name search candidate whose fingerprint patterns are not 			appropriate bullet in the requirement:
	considered a match with the transaction's patterns will not be sent for			Since the Cogent COTS ABIS does
	verification.			not use pattern classification for
	 A technical search is launched by the ABIS and the suspects returned for 			filtering or classification, complying
	verification are merged with the suspect list resulting from the name			with the requirements described in
	search candidate/transaction pattern comparison, plus field hit and			the first and second bullets will
	number hit SF# candidates.			necessitate some minor changes to
	 Name search candidates with a name search score that is equal to or 			exisiting tables and work flows.
	greater than a SFPD defined high name search score; field hit; and			Modifications to the Cogent ABIS
	number hits are SF# candidates that are all submitted from the			source code will NOT be required.
	(CCH)CABLE and are included in the candidate list for verification but are			
	NOT subject to pattern comparison.			Third Bullet – The Cogent ABIS
	 This merged candidate list is sent for verification. The merged candidate 			COTS work flow includes merging
	list shall be displayed for verification in the order of most likely to least			name search results (1:1) with
	likely match, with duplicate candidates only appearing once.			standard open search results (1:N) to
	 The most likely candidate matches are where a candidate is from both 			form one candidate list.
	the technical search (above threshold) and any other type list.			Fourth Bullet – This requirement
	 A name search candidate whose name search score is below a SFPD 			appears to be an exception to the
	defined high name search score, is considered a potential match to an			aforenoted third item. Since the
	input fingerprint transaction when there is a match of fingerprint			Cogent ABIS work flow uses 100%
	patterns to nine of ten respective fingers between the name search			database penetration as a default, the
	candidate and the input fingerprint transaction. This potential match			Cogent COTS ABIS complies with
	scenario described above results in a filtered name search candidate.			this requirement.
	Fingerprint patterns are considered a match when;			1
	 the fingerprint patterns are an exact match, or 			Fifth Bullet - Cogent ABIS COTS
	 any primary pattern or reference pattern of a search candidate finger 			candidate lists displayed for
	matches any primary pattern or reference pattern of an input finger, or			verification show candidates most
	 a search candidate fingerprint pattern or an input fingerprint pattern is 			likely to match in the top position
	equal to the value of a missing finger, or			and duplicate candidates appear only

 A search candidate fingerprint pattern or an input fingerprint pattern is indeterminable. 	once as required.
	Sixth Bullet – This requirement is not entirely clear as "any other type list" is not sufficiently defined to clearly indicate Cogent's ABIS compliance. Cogent is confident that the Cogent COTS "Fusion Matching" will be able to merge candidate information from several lists and combine the results to form a single candidate list with the highest scoring candidate in the number one position.
	Seventh Bullet – Even though the Cogent ABIS COTS workflow does not place emphasis on patterns, a name search candidate with a low score, but with nine out of ten finger patterns that match can be included in a candidate list for latent examiners. This will require some minor changes to the COTS work flow.
	Bullets Eight through Eleven – The Cogent COTS ABIS proposed for the SFPD complies with all fingerprint matching rules as defined.
	The changes needed to comply will all the noted desired requirements will require less that 20 hours of development by a qualified Cogent Technician.
	Cogent's level of complexity for this

						effort is low.
104.	1	If a Name search candidate is eliminated based on the pattern comparison rules, results of the eliminated candidate returned to SFPD are, at least: TCN SF# Pattern Eliminated Indicator	D		X	G – Configuration. Current Cogent ABIS work flow allows for the elimination of name search candidates for rules other than pattern comparison (not currently used by Cogent customers), however, this desired requirement can be provided with minor changes to the work flow without modification to the Cogent Source Code. This change would be incorporated when the changes made to comply with requirement #103 above are developed. Cogent's level of complexity for this effort is therefore Low.
105.	1	The ABIS shall have a technical search with thresholding. This search matches the characteristics of the incoming fingerprint images to those on the target database and when the images of a target database SF# match the input image above a predefined SFPD threshold, the associated SF# is produced as a candidate.	D	X		This is a COTS feature of the proposed Cogent ABIS.
106.	1/2	If an identification is a "Sure Hit", the identification results of the candidate returned to SFPD are, at least: TCN SF# Sure Hit Indicator ABIS score	M	X		The identification results requested as well as others SFPD may select to be included in the identification return will be provided and are a component of the Cogent COTS ABIS.
107.	1	The ABIS shall allow for one or more additional technical searches of the composites and MREs for a Tenprint transaction when no identification is made from the results of the first search. If technical searching has filtering of any type, then non-identifications shall undergo a more penetrating system driven no threshold search using selectable parameters. Such parameters will consist of the number of search candidates, gender, and the use of additional and/or different fingers from the initial search.	D	X		Since the Cogent COTS ABIS does not use filtering, allowing for one or more additional technical searches as described will be provided in the ABIS proposed for the SFPD.



108.	1	After the ABIS identification process is initially completed, a Transaction Response is sent from the ABIS to the SFPD (CCH)CABLE. In the case where this Transaction Response includes identification, the SFPD (CCH)CABLE may subsequently respond to the ABIS with another Transaction Request for that transaction. This Transaction Request indicates that SFPD invalidated any Hit/Identification from SAFIS. The ABIS shall act on the request as follows: A single no threshold search is launched to produce another candidate for verification. No repeat candidates from prior search(es) for this fingerprint transaction TCN will be sent to verification or returned in the subsequent SFPD response. After searching and subsequent verification (if necessary) is completed, another Transaction Response message is returned to the SFPD (CCH)CABLE from the ABIS with any new candidate's Candidate Identification Indicator.	D	X		This work flow is a readily available COTS feature of the proposed Cogent ABIS.
109.	1	After the ABIS identification process is initially completed, a Transaction Response is sent from the ABIS to the SFPD (CCH)CABLE. In the case where this Transaction Response includes no identification, the SFPD (CCH)CABLE may subsequently respond to the ABIS with a single additional Transaction Request for that transaction. This Transaction Request indicates that SFPD has another name search candidate for verification on the ABIS. The ABIS shall edit and act on the request as follows: 1. ABIS pattern comparison will be performed between that name search candidate's SF# pattern on the target database and the transaction fingers' patterns 2. If the name search candidate's fingerprint patterns are pattern eliminated, then the Transaction Response message is returned to the SFPD (CCH)CABLE with that new name search candidate's Candidate Identification Indicator of "Pattern Eliminated". 3. If the name search candidate's fingerprint pattern is not pattern eliminated, then the candidate is sent for workstation verification and when subsequent verification is completed, another Transaction Response message is returned to the SFPD (CCH)CABLE from the ABIS with the new candidate's Candidate Identification Indicator.	D		X	requirement will be included in the work flow for the Cogent ABIS proposed for the SFPD. As previously noted, fingerprint pattern comparison and/or pattern filtering is not a current Cogent COTS configuration, however, it can be provided for the SFPD ABIS after some minor changes to the work flow are implemented. This change would be incorporated when the changes made to comply with requirements #103 and #104 are developed. Modifications to the Cogent Source Code are not necessary to meet this desired requirement. Cogent's level of complexity for this effort is therefore Low.
110.	1	The ABIS shall process Final Identification Message from the SFPD (CCH)CABLE as follows: 1. If the TPULF-eligible is set, ABIS shall automatically initiate a TP/ULF search with the transaction's images.	D	X		The final identification messages as defined in the desired requirement will be provided in the proposed SFPD ABIS.



	 2. In addition, for all Final Identification messages a. If SF# is present in the message and the transaction is eligible for ABIS updating, perform the applicable target database update/modification process of the record and respond to SFPD (CCH)CABLE with the File Status Response message including the type of transaction (TOT) as TRANCLSD (tran closed). b. IF SF# is present in the message and the transaction is ABIS Update Ineligible, update the audit system and respond to SFPD (CCH)CABLE with the File Status Response message including the type of transaction (TOT) as TRANCLSD (tran closed). c. If SF# is not present in the message, update the audit system and respond to SFPD (CCH)CABLE with the File Status Response message including the type of transaction (TOT) as TRANCLSD (tran closed). 			
111. 1	Fingerprint acquisition and related ABIS Update Ineligible searches (inquiry transactions) shall be executed from remote sites without updating the permanent target ABIS database.	M	X	This is a COTS feature of the proposed Cogent ABIS.
112. 1	When the system is configured for one-step verification, the ABIS shall have another configurable capability for specific instances where exceptions exist that require a second step (or validation) to occur. These instances may consist of, but are not limited to: 1. A Dubious identification scenario — shall include such criteria as (a) Year of birth difference of seven years or more; or (b) low matching scores, or the equivalent. 2. There is no identification decision or there is an inconclusive decision for a suspect verification by the first verifier when performing one-step verification	D	X	The system configuration allowing for a second step validation (or more) as described in the desired requirement is currently available in Cogent ABIS work flows designed for existing Cogent ABIS users.
113. 1	If all twenty finger images (both the rolled images and the plain images) have been stored in the system, all twenty, are to be made available from tenprint target database for comparison purposes.	M	X	This workflow is a COTS feature of the proposed Cogent ABIS.
114. 1	During the initial verification and validation process, no scores or biographic data shall be displayed on the screen.	M	X	This is a COTS feature of the proposed Cogent ABIS.
115. <mark>1</mark>	All SF# candidates require a decision i.e. hit/no hit/inconclusive.	D	X	This is a COTS feature of the proposed Cogent ABIS.
116. <mark>1</mark>	Image clarification and orientation applied to the search image will be retained when progressing through the candidate search list. Identification Technicians	D	X	Any rotation, brightness, or contrast adjustments applied by an

117.	1	can return to the original fingerprint image and orientation by a single mouse click or key press throughout that identification transaction. At a minimum, Identification Technicians performing verification shall be able to view candidate rank, SF# number and TCN.	D	X		Identification Technician will be retained as the ID Tech views other candidates on the candidate list. The ability to view identification criteria is configurable with the Cogent COTS ABIS. The fields desired will be included in the proposed ABIS.
118.	1	The identification results of the candidate(s) returned after verification/validation are: TCN SF# Identification result ABIS score	D	X		The identification results requested as well as others SFPD may select to be included in the identification return will be provided and are a component of the Cogent COTS ABIS.
119.	1	For each search candidate in Validation, search scores, candidate rank, biographic data, candidate origin ((CCH)CABLE suspect or technical search suspect), and search type, will only be made available upon request for display purposes by accessing a popup window.	D		X	M — Modification. The data/information listed as being desired for display in a pop-up window for validators is presently displayed on the Cogent COTS validation screen, without the need for reviewing a pop-up window. This data/information can be displayed in a pop-up window, if that option is preferred by the SFPD, with minor modifications to the current Cogent work flow and tables. These modifications will be made by a Cogent Technician and will require less than 10 hours to complete. The level of complexity for this effort is Low.
120.	1/2/ 3	Validators shall be able to modify patterns and re-launch searches from the workstation.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>121.</mark>	1/2/	When transaction validation is complete, ABIS returns Transaction Response to SFPD (CCH)CABLE.	D	X		The desired requirement as defined will be included in the work flow of the ABIS proposed for the SFPD.



	<mark>3</mark>				
<mark>122.</mark>	AII	ABIS shall allow exception processing for both TCN-based search transactions and SF#-based search transactions.	D	X	Both desired requirements as defined will be included in the work flow of the ABIS proposed for the SFPD.
123.	AII	TCN-based transactions shall require exception processing when transactions declared non-identifications in Verification/Validation but could also be a hit based on: • high name search score, and/or • a candidate produced from both name search and technical search, and/or • a candidate produced from a contributor supplied number (field hit or number hit).	D	X	The Cogent COTS ABIS work flow proposed for SFPD will be configured to include the exception processing as defined.
124.	All	Search transactions requiring exception processing before final identification result is returned to the SFPD (CCH)CABLE include those where: • The verification and validation results do not match • Any SF# candidate is not present on the ABIS (if this is possible, such as completely bandaged hands)	D	X	The Cogent COTS ABIS work flow proposed for SFPD will be configured to include the exception processing as defined.
125.	1	ABIS shall allow for rechecking (additional review of transaction before final non-identification decision is made), from the workstation, on an as	D	X	This desired requirement as written is incomplete. The Cogent COTS ABIS does allow for rechecking a transaction before a final non-identification (or identification) decisions are made.
126.	1	Re-checkers shall have the capability to overwrite any part of the search criteria (patterns, search fingers	D	X	The work flow for the Cogent ABIS proposed for the SFPD allows an operator to overwrite any search criteria used in the initial search and relaunch the search using the new (rewritten) criteria.
127.	1	Re-checkers shall have the capability to change search criteria and subsequently launch searches that will retain original search transaction for updating the target database. These criteria shall include, but not be limited to: Selecting/deselecting fingers used in the search Patterns and pattern references Sex	D	X	The work flow for the Cogent ABIS proposed for the SFPD allows an operator to overwrite any search criteria used in the initial search and relaunch the search using the new criteria.

128.	ABIS shall trigger exception processing for SF#-based transactions that require pattern reconciliation for the incoming transaction versus the target record against which the transaction was identified. When the images for the transaction are identified to a SF#, but the related patterns are not similar per SFPD defined pattern comparison rules, the transaction will be placed in exception processing. An Identification Technician shall have the ability to view all images on an ABIS workstation and change the patterns on the composite record, if necessary.	D	X	requirement will be included in the work flow for the Cogent ABIS proposed for the SFPD. As previously noted, fingerprint pattern comparison and/or pattern filtering is not a current Cogent COTS configuration, however, it can be provided for the SFPD ABIS after some minor changes to the work flow are implemented. This change would be incorporated when the changes made to comply with requirements #103, #104, and #109 are implemented. Modifications to the Cogent Source Code are not necessary to meet this desired requirement. Cogent's level of complexity for this effort is Low.
129.	Upon receiving a Final Identification Message from SFPD for transactions that are identified to an existing SF# on the target database (SF# information will be updated), the ABIS shall compare the patterns from the transaction with the corresponding patterns on the target database and process according to the following: • If for all fingers each finger's patterns are identical or the pattern in the target database is a subset of the pattern in the transaction, no pattern updating is necessary and normal processing can continue. • With the exception of Unknown (?) and Missing (M) pattern types, if any finger's pattern comparison fails to meet the above comparison rule, the pattern for that finger from the transaction shall be merged with that finger's target database pattern, updated and the transaction shall be sent to exception processing for review. • For identified SF#s that have Unknown (?) or Missing (M) pattern types on the target database and the transaction has a pattern type of /, A and/or W, do not update the patterns from the transaction to the existing SF# and send the transaction to exception processing for review.	D	X	G – Configuration. The desired requirement will be included in the work flow for the Cogent ABIS proposed for the SFPD. As previously noted, fingerprint pattern comparison and/or pattern filtering is not a current Cogent COTS configuration, however, it will be provided for the SFPD ABIS after some minor changes to the work flow are implemented. This change would be incorporated when the changes made to comply with requirements #103, #104, #109, and #128 are developed. Modifications to the Cogent Source Code are not necessary to meet this desired requirement. Cogent's level of complexity for this effort is Low.



130.	1	 For identified SF#s that have Unknown (?) or Missing (M) pattern types on the transaction and the corresponding finger's patterns on the target database is /, A and/or W, do not update the patterns and send the transaction to exception processing for review. Any image or search data changes to a SF# record shall automatically launch TP/TP and TP/ULF searches. For any TP/TP searches that result in a hit, ABIS returns 'SF# search' Results message to SFPD (CCH)CABLE. 	D	X		The Cogent ABIS work flow automatically re-launches ABIS searches whenever the search criteriais changed. Identification messages (hits and/or no hits) will be transmitted as required.
131.	1	The ABIS shall be able to run SF#-based self-searches utilizing selectable search parameters and/or a SF# list supplied by SFPD and/or all records not searched or identified to in a previous timeframe. The ABIS must support this functionality without impacting priority work. For any searches that result in an identification(s), ABIS returns 'SF# search' Results message to SFPD (CCH)CABLE.	D	X		The Cogent COTS ABIS work flow proposed for SFPD will be configured to include the self-searches and return messages as described in the desired requirement.
132 .	<mark>1</mark>	ABIS shall provide a function to modify a composite and/or MRE in the event of an erroneous identification	D	X		This is a COTS feature of the proposed Cogent ABIS.
133.	1	ABIS shall receive and process 'SF# Status' messages from SFPD (CCH)CABLE, after SFPD processing has performed a record maintenance or other update upon a SF# number. If the message contains an event count field value of "0" for the SF#, then ABIS shall delete the SF# from the ABIS, and format and send SF# Status Response message to SFPD. If the SF# Status message contains an event count field value greater than "0", then SAFIS shall compare that data with the corresponding data on the target database for the SF#, and update ABIS appropriately, if necessary, to contain only the corresponding data that is in the SF# Status message. This is necessary because the SFPD (CCH)CABLE will determine the ABIS eligibility as well as the most current biographic and demographic data for the SF# numbers in the ABIS target database(s). ABIS returns a SF# Status Response message to SFPD (CCH)CABLE. See Appendix J, Tables 1a – 1e for message requirements.	D		X	C – Customization. The Cogent COTS ABIS proposed for SFPD can be configured to include the work flow as described in the desired requirement. This work flow customization will require minor changes to the current COTS work flow which will be accomplished by a qualified Cogent Technician. It is estimated that the time needed to accomplish this task will be less than 10 hours. The level of complexity for this effort is low.
134.	1	The ABIS shall send an ABIS FILE Maintenance Notice message. to SFPD (CCH)CABLE when information kept on the SFPD system is changed on the ABIS (i.e. patterns, quality of images).	D		X	G – Configuration. The ABIS Maintenance message as described is not currently a Cogent ABIS COTS functionality, however, it can be provided with relatively minor work flow changes. These changes will be

135. All	All ABIS data must be viewable, by SF# or TCN, via a user interface.	M	X		accomplished by a Cogent Technician and will require less than 20 hours to complete. The level of complexity for this effort is Low. The ability to view all data from the Cogent ABIS via a user interface is a COTS function.
136. All	User Interface screens shall be used by Identification Technicians and will display real-time transaction based information. The field information displayed should be selectable for a given transaction. This information should include, when present, but not be limited to: TCN; Current Status/Queue; Name; Contributor ORI; Type of transaction; Fax Number; CITN; Transaction Processing Times for all stages/queues (stage/queue name, date started/ended, time (hour/minutes/second) started/ended, time elapsed for each stage)); Pattern Assignments for each finger by stage/queue including Identification Technician userid and pattern (auto classification, manual, topological, if used); Quality Assignments for each finger (coder and manual, if used)by stage/queue including Identification Technician userid and score, if used; Rejection Reasons, both actual and tentative, and Identification Technician userid by stage/queue with date and time of rejection; Image Substitution Performed with Identification Technician userid and finger numbers by stage/queue; Exception Processing results; Verification/Validation results; and	D		X	G – Configuration. The Cogent COTS ABIS already displays most of the transaction based information defined in the desired requirement, however, minor work flow changes and changes to tables used by the ABIS will be necessary to present all the information and data defined. The ABIS proposed for the SFPD will include the information as requested in the requirement after the work flow and table changes have been made by a Cogent Technician. It is estimated that this effort will require less than 25 hours. The level of complexity for this effort is Low.



137.	AII	A user interface screen shall include Transaction source type for each image for an SF#.	D	X	M – Modification. Data pertaining to the source of ABIS transactions is currently logged but not displayed in the Cogent COTS application. Displaying this information on the Cogent ABIS interface will require minor table modifications, which will be completed by a Cogent Technician. The time estimated for completing this task is less than 20 hours. The level of complexity for this effort is Low.
138.	1	 A user interface screen shall include the following SF# information: Patterns – values on the system currently, manual and/or auto class indication for each finger. An indicator if the finger was captured from a rolled or a plain impression. The Quality for each finger, visual rating coder score and coder rating. Indication for each finger that has a scar (SR). The event count TCN's for latest five transactions associated to a SF#. A hyper-link for each TCN to the Audit information, when selected, will return all TCN information to the user interface. 	D	X	M – Modification. The Cogent ABIS COTS Verification screen currently displays pattern information beneath each side-by-side image, as well as an indicator whether the fingerprints are from rolled or plain impressions. The quality score for each finger is also displayed below each side-by-side image on the Verification screen. The remaining requirements will be included in the Cogent ABIS proposed for the SFPD, but will require minor modifications to existing COTS tables and the current work flow. This effort will require approximately 15 hours and will be completed by a Cogent Technician. The level of complexity for this effort is Low.
139.	1	 A user interface screen shall include the following TCN information: a hyper-link on the identified SF#, if applicable. When selected, the SF# link will return the SF# information to the user interface. Verification and Validation results on one screen. 	D	X	M – Modification. The Cogent COTS ABIS currently does not provide hyper-links as requested, Validation and Verification results are currently displayed on the COTS

140	-	The ABIS shall permit an Identification Technician to process through a range of	D	X	Verification screen. Providing hyperlinks will require changes to the current programs and some custom code development which will be completed by Cogent Engineers and Technicians. It is estimated that this effort will require less than 15 hours to develop. The level of complexity for this effort is Medium . This is a Cogent ABIS COTS
140 .	<u>1</u>	transactions or all transactions in a Work Queue, without having to return to the Work Queue to select the next item to be worked on. The next transaction shall automatically be made available upon completion of the current transaction.			functionality and will be included in the ABIS proposed for the SFPD.
141.	1	The system shall provide the capability to prevent users from altering any characteristics from non latent print automatically created by the AFIS system.	D	X	Maintaining the integrity of fingerprint images and data for non-latent print searches is a COTS functionality within the Cogent ABIS.
<mark>142.</mark>	<mark>1</mark>	The system shall provide the capability to accept fingerprint images of up to 1.5" x 1.6" in size	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>143.</mark>	1	The system shall provide the capability to accept fingerprint slap images of up to 1" x 1" in size	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>144.</mark>	1	The system shall provide the capability to utilize a multiple threshold scoring system.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>145.</mark>	1	The system shall provide the capability to represent distinct thresholds.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>146.</mark>	1	The system shall provide the capability to have a distinct threshold for Criminal, civil, authentication, Autoident criminal Autoident civil, Increase Confidence, and consolidation.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>147.</mark>	<u>1</u>	The system shall provide the capability to return no more than n matches to a search that exceed the Normal threshold	D	X	This is a configurable feature of the proposed Cogent ABIS.
148.	1	. The default value for n shall be configurable	D	X	This is a configurable feature of the proposed Cogent ABIS.
<mark>149.</mark>	1	The system shall provide the capability to allow Permitted Users to set n the number of matches for a particular search	D	X	Permitted users have this capability with the Cogent ABIS COTS product.



150.	1	The system shall provide the capability to provide list of matching prints that exceed a Normal threshold value to any of specified workstations not to exceed X.	D	X	Providing a candidate list of matching prints to any specified work station is a functionality of the Cogent COTS ABIS.
<mark>151.</mark>	<mark>1</mark>	The system shall provide the capability to identify any search print that had no match as a "no hit" and send the print to the no hit queue	D	X	The Cogent COTS ABIS identifies any search prints that do not match (no hits) and can send the search results to a no hit queue.
<mark>152.</mark>	<u>1</u>	The system shall provide the capability to compare a search print against any print or set of prints selected by the operator.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>153.</mark>	<u>1</u>	The system shall provide the capability to allow operators to be able to select prints by name, dle, obts, active/inactive	D	X	This is a COTS feature of the proposed Cogent ABIS.
154.	1	The system shall provide the capability to set thresholds for:	D	X	The threshold requirements described herein are all available as COTS features of the Cogent ABIS proposed for the SFPD.
155.	1	The system shall provide the capability to allow Permitted Users to set thresholds	D	X	This is a COTS feature of the proposed Cogent ABIS.
156 .	1	The system shall provide the capability to set the values for the number of match candidates returned for: • a particular tenprint search • an autoident search • all tenprint searches • a particular batch • a particular submitter • a submitter group	D	X	Setting values for the number of match candidates is a configurable capability included in the Cogent COTS ABIS.
157.	1	Default values for the number of match candidates returned shall be configurable	D	X	This is a COTS feature of the proposed Cogent ABIS.
158.	1	The system shall provide the capability to allow Permitted Users to set the number of match candidates returned	D	X	This is a COTS feature of the proposed Cogent ABIS.



159 .	1	The system shall add a print to the "no match auto ident queue" if it does not find a match during "auto ident" mode	D	X	This requirement is available in the Cogent ABIS COTS Workstation, however, the COTS queue will require renaming.
<mark>160.</mark>	1	The system shall provide the capability to automatically resubmit prints from the "no match auto ident queue" as regular ten print submissions, that is not resubmitted as an autoident	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>161.</mark>	1	The system shall provide the capability to allow Permitted Users to resubmit prints in the "no match auto ident queue" as non auto ident search	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>162.</mark>	1	The system shall provide the capability to allow Permitted Users to select any print image in the SFPD ABIS and enter the "visual quality" of that print	D	X	The capability to modify or enter data associated with a fingerprint file in the database is a current Cogent ABIS COTS capability.
<mark>163.</mark>	<u>1</u>	The system shall provide the capability to allow Permitted Users to select any Livescan submission for "visual quality"	D	X	This is a COTS feature of the proposed Cogent ABIS.
164.	1	The system shall provide the capability to allow Permitted Users to enhance the image	D	X	Enhancing an image using a variety of tools is a COTS feature of the Cogent ABIS. Images enhanced can be saved in the enhanced mode with the original being saved as a component of the original NIST transaction.
<mark>165.</mark>	<u>1</u>	The system shall provide the capability to allow Permitted Users to reset the "visual quality" of any print	D	X	This is a COTS feature of the proposed Cogent ABIS.
166.	1	The system shall provide the capability to allow Permitted Users to save enhanced image with new visual quality value	D	X	This is a COTS feature of the proposed Cogent ABIS, however, it is recommended that the original image as received from the source also be saved. This is also a Cogent COTS feature.
<mark>167.</mark>	1	The system shall provide the capability to save prints if there is at least one image in the print set	D	X	This is a COTS feature of the proposed Cogent ABIS.
168 .	1	The system shall provide the capability to search prints if there is at least one image in the print set	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>169.</mark>	<u>1</u>	The system shall provide the capability to set print "search quality" automatically	D	X	This is a COTS feature of the proposed Cogent ABIS.

170.	<u>1</u>	The system shall provide the capability to prevent users from modifying "search quality"	D	X		The ability to change or modify default search quality settings is configurable and controlled by permissions established by users and controlled through system log on.
171.	1	The system shall provide the capability to allow Permitted operators to set print "visual quality"	D		X	C – Customization. The Cogent COTS ABIS does not use "visual quality" as a standard feature, however, this can be provided through minor changes to existing programs and work flow accomplished by a Cogent Technician. It is estimated that this effort will require less than 20 hours. The level of complexity for this effort is Low.
<mark>172.</mark>	1	The system shall provide the capability to indicate which is the highest "visual quality" or "search quality" print from multiple prints from the same subject	D	X		This is a standard Cogent ABIS COTS capability indicated by a numeric score displayed to the operator.
173.	1	The system shall provide the capability to create and display a composite image made from the best "search quality" finger or palm print from multiple prints of the same subject	D	X		The Cogent ABIS proposed for the SFPD will have as a COTS feature the capability to create and display composite finger or palm print image records from multiple sets of prints of the same subject. This COTS feature was first implemented for the LASD AFIS.
174.	1	The system shall provide the capability to create and display a composite image made from the best "visual quality" finger or palm print from multiple prints of the same subject.	D		X	C – Customization. The Cogent COTS ABIS does not use "visual quality" as a standard component, however, the ability to create and display a composite image from the best "visual quality" images can be provided through minor changes to existing programs and work flow which will be accomplished by a Cogent Technician. This change

175.	1	The system shall provide the capability to send every nth print that is autoidented to a queue for human verification.	D		X	will be made in conjunction with the change for requirement #171. The level of complexity for this effort is Low . M - Modification. This feature is not currently part of the Cogent COTS ABIS. The requirement can be provided with minor work flow modifications made by a Cogent Technician. It is estimated that the time needed to make this modification will be less than 10 hours. The level of complexity for
176.	1	N shall be system configurable	D		X	this effort is Low . M – Modification. This requirement will be met once the work flow modifications required for the aforenoted (#175) requirement have been completed, and the time estimate for completing this requirement is included in the estimate above. Cogent's level of complexity for this effort is Low .
177.	1	The system shall provide the capability to submit prints for search from: • live-scan devices • photocopies • printed copies • photographs • group III or better facsimiles	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>178.</mark>	<mark>1</mark>	The system shall provide the capability to perform an automated "search quality" check on all print images received .	D	X		This COTS functionality is typically configured as a default for Cogent ABIS users.
179.	1	The system shall provide the capability to reject prints that fail the "search quality" check unless an override with a reason accompanies the prints	D	X		This capability is provided as a COTS feature. The ability to override the search quality reject is a configurable item which can be limited by permissions associated



					with user log-ons.
<mark>180.</mark>	1	The system shall provide the capability to reject prints for which an image is missing or blank and there is no indication that a finger is amputated or bandaged	D	X	This is a Cogent ABIS COTS component which is configurable according to users' requirements.
<mark>181.</mark>	1	The system shall provide the capability to reject prints if the images are in the wrong order and the machine cannot automatically reorder with 100% accuracy	D	X	This capability is available as a configurable setting provided in the Cogent ABIS COTS product.
182.	1	The system shall provide the capability to automatically reorder images on print sets	D	X	This functionality is provided through a key stroke or mouse click to a menu option in the current Cogent ABIS COTS Workstation.
<mark>183.</mark>	<mark>1</mark>	The system shall provide the capability to notify submitter of a rejection and the reason	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>184.</mark>	<mark>1</mark>	The system shall provide the capability to delete all images and text data for rejected prints	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>185.</mark>	1	The system shall provide the capability to prevent the acceptance of NIST packets that do not contain actual images of prints (have minutia or characteristics only).	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>186.</mark>	1	The system shall provide the capability to resubmit a subject with finger images different from those selected on the previous search	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>187.</mark>	<u>1</u>	The system shall provide the capability for Permitted Users to submit a print for comparison against a specific subject/subjects	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>188.</mark>	<u>1</u>	The system shall provide the capability to search new criminal prints automatically against non-criminal search spaces or special search spaces	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>189.</mark>	<mark>1</mark>	The default non-criminal search spaces or special search spaces shall be configurable	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>190.</mark>	1	The system shall provide the capability to allow Permitted users to select non- criminal search spaces or special search spaces	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>191.</mark>	1	The system shall provide the capability to submit a search for identification but not allow the print to be added to the database. This capability is called "Identify Only"	D	X	"Search Only" or "Identify Only" capabilities are features of the Cogent ABIS COTS product.
<mark>192.</mark>	1	The system shall provide the capability to add a print to the AFIS database if the print does not match any print in the database and the print is not "identify only".	D	X	This is a COTS feature of the proposed Cogent ABIS.



<mark>193.</mark>	1	The system shall provide the capability to automatically determine that a search results in an ident without human verification if its matching score is above an Autoident threshold. This capability is called Autoident Mode	D	X			This Cogent ABIS COTS capability is currently used by several Cogent users including the Los Angeles County Sheriff's Department and Fresno County Sheriff's Department.
<mark>194.</mark>	<mark>1</mark>	The system shall provide the capability to search the entire selected search space in Autoident Mode.	D	X			This is a COTS feature of the proposed Cogent ABIS.
<mark>195.</mark>	1	The system shall provide the capability to send matches to the verification queue if multiple matches are found in Autoident Mode.	D	X			This is a COTS feature of the proposed Cogent ABIS.
<mark>196.</mark>	<mark>1</mark>	The system shall provide the capability to select print types eligible for Autoident Mode	D	X			This is a COTS feature of the proposed Cogent ABIS.
197.	1	The system shall provide the capability to allow the following types of prints as eligible for Autoident Mode: • authentication • civil/print • criminal • specific • specific • specific agency	D	X			This is a COTS feature of the proposed Cogent ABIS.
198.	1	The system shall provide the capability to send every nth print that is Autoidented to a queue for human verification.	D		,	X	M – Modification. This requirement is not currently a Cogent COTS feature, but will be provided at the same time the modifications and changes are made for compliance with the aforenoted requirement #175. Cogent's level of complexity for this effort is Low.
199.	1	N shall be system configurable	D			X	C – Customization. This requirement will be met as the minor work flow modifications needed for compliance to requirements #175 and #198 are made by a Cogent Technician. The level of complexity for this effort is Low .
<mark>200.</mark>	<u>1</u>	The system shall provide the capability to automatically add more fingers to the search print until the fused score exceeds the match threshold or all finger images have been exhausted. This capability is called "Increased Confidence"	D			X	C – Customization. This feature as described is not currently a Cogent ABIS COTS component since the

		Mode.			Cogent ABIS automatically selects
					the best four fingers to search, adding additional fingers with lower quality
					would have little effect on improving
					the search results. Providing this
					feature will require custom code
					development and changes to current
					programs. Cogent engineers will meet with the SFPD during the detail
					design phase of the project in order
					to get a better understanding of the
					requirement and desired results. As
					currently understood, meeting this
					requirement has a medium level of
					complexity, requiring approximately 40 hours for development, testing
					and installation.
		The system shall provide the capability to automatically determine if prints are	D	X	This is a COTS feature of the
<mark>201.</mark>	<mark>1</mark>	out of order (e.g. finger order, hand order, palm order)			proposed Cogent ABIS.
	_	The system shall provide the capability to report to SFPD TBD when prints are	\mathbf{M}	X	Cogent ABIS COTS Mangement
<mark>202.</mark>	1	out of order.			reports provide the "Prints out of Order" data.
		The system shall provide the capability to calculate statistics for prints out of	D	X	Cogent ABIS COTS Mangement
<mark>203.</mark>	1	order (e.g. how many overall, which user)	<u>υ</u>	2 X	reports provide the ability to
		and (e.g. new many everally miles accept			calculate this data and report same to
					authorized requestors.
204	4	The system shall provide the capability to report statistics on prints out of order	D	X	Cogent ABIS COTS Mangement
<mark>204.</mark>	1				reports provide this data and report same to authorized requestors.
		The system shall provide the capability to allow Permitted Users to request	D	X	Cogent ABIS COTS Mangement
<mark>205</mark> .	1	reports on prints out of order	<u></u>		reports provide this data and report
					same to authorized requestors.
		The system shall provide the capability to check print order before submitting	D	X	This is an automatic function of the
<mark>206.</mark>	<mark>1</mark>	prints for search			proposed Cogent ABIS search
		The system shall provide the capability to automatically reject a search if the	<u> </u>	v	process. The Cogent COTS ABIS is
<mark>207.</mark>	1	prints are out of order	D	X	configurable so that incoming
207.	-	prints are out or order			configuration so that incoming

210.211.		prints The ABIS shall automatically refresh the Work Queues as transactions are completed from the queues.	D	X		proposed Cogent ABIS. The ability to refresh queues is configurable and can either be automatic or accomplished with a single mouse key stroke.
209.	1	The system shall provide the capability to allow Permitted Users to request a check of print order on a subjects prints The system shall provide the capability to allow Permitted Users to reorder	D	X		submitter, or sent to a problem resolution queue for an operator to correct and resubmit for search. The Cogent COTS ABIS automatically checks all incoming subject fingerprints to verify that the prints are in the proper order, and a COTS feature is the ability for an operator to relaunch the search including a recheck of the print order. This is a COTS feature of the
208.	1	The system shall provide the capability to automatically send rejected searches to an error resolution queue	D	X		transactions with prints out of order are either rejected and returned to the submitter, or sent to a problem resolution queue for an operator to correct and resubmit for search. The Cogent COTS ABIS is configurable so that incoming transactions with prints out of order are either rejected and returned to the

	Requi	rement Type – Latent Requirements				
		The system shall provide the capability to identify whether a latent is a "quality	D	X		The Cogent ABIS identifies the
<mark>212.</mark>	<mark>1/2</mark>	latent" or a non "quality latent"				latent quality and displays the
						quality as a numerical value to
						operators.
		A "quality latent" shall be a latent that has a better than average chance of	D	X		The Cogent ABIS designates
<mark>213.</mark>	<mark>1/2</mark>	finding a match if mate is in search space				quality through the use of numeric
						values displayed to the latent
						examiners.



<mark>214.</mark>	<mark>1/2</mark>	The system shall provide the capability to automatically calculate "quality latent" after minutia are entered on a latent	D	X	This is a COTS feature of the proposed Cogent ABIS.
215 .	1/2	The system shall provide the capability to allow a Permitted user to display the number of minutia on a latent	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>216.</mark>	1/2	The system shall provide the capability to allow a Permitted user to display whether a latent is a "quality latent" or a non "quality latent"	D	X	The Cogent ABIS provides this capability by displaying the numerical values as described in requirement 212 above.
<mark>217.</mark>	<mark>1/2</mark>	The system shall provide the capability to set the latent search space independent of other search spaces	D	X	This Cogent ABIS COTS function is provided through the use of a "Search Parameter" screen which permits operators to set the latent search space.
218.	1/2	The system shall provide the capability to set the latent search space independently for each latent submission	D	X	This capability is a Latent COTS function which allows operators to process a latent individually or in batch mode.
<mark>219.</mark>	1/2	The default latent search space shall be configurable	D	X	The Cogent COTS default for latent searching is 100% database penetration, with the option for users to configure the work flow so that only specific areas (spaces) within the database are searched.
220.	1/2	The system shall provide the capability to allow Permitted Users to specify the latent search space	D	X	The Cogent COTS default for latent searching is 100% database penetration, with the option for users to configure the work flow so that only specific areas (spaces) within the database are searched.
221.	1/2	The system shall provide the capability to return no more than n candidates for a latent search	M	X	This COTS capability is configurable. SFPD requirements will be used during system detail design to determine the default setting.



222.	1/2	The system shall provide the capability to return candidates in order of most	M	X		This is a COTS feature of the
223.		probable match The default value n for the number of candidates returned for latent search shall be a configurable item	D	X		proposed Cogent ABIS. This COTS capability is configurable. SFPD requirements will be defined during system detail design to determine the default setting.
224.	1/2	The system shall provide the capability to set n the number of candidates returned independently for each latent submission	D	X		This capability is provided to Cogent ABIS operators through use of a pop-up window which allows operators the option to set the number of candidates as described in the requirement.
225.	1/2	The system shall provide the capability to allow Permitted Users to specify n, the number of candidates returned	D	X		This capability is provided to Cogent ABIS operators through use of a pop-up window which allows operators the option to specify the number of candidates as described in the requirement.
226.	1/2	The system shall provide the capability to detect when a latent submission represents a crime whose statute of limitations is "imminent"	D		X	M – Modification. A latent functionality similar to this requirement is currently being used by Houston, Texas. Minor modifications to the existing tables because of different statute of limitations will be completed by Cogent Technicians will provide this desired requirement. It is estimated that the required modifications will be completed in less than 10 hours. The level of complexity for this effort is Low.
<mark>227.</mark>	1/2	The system shall provide the capability to determine if a latent is "imminent" by determining n, the number of days remaining before the statute of limitations expires	D		X	M – Modification. As noted in the answer for requirement number



					#226, this requirement will be met through minor modifications made by Cogent Technicians to existing tables. The time required for these modifications are included in the time allocated for modifications to requirement #226. The level of complexity for this effort is Low .
228.	1/2	n, the number of days remaining before the statute of limitations expires shall be configurable	D	X	M – Modification. As noted in the answer for requirement #226, this requirement will be met through minor modifications made by Cogent Technicians to existing tables. The time required for these modifications are included in the time allocated for modifications to requirement #226. The level of complexity for this effort is Low.
229.	1/2	The system shall provide the capability to calculate once per n days if a latent is "imminent"	D	X	M – Modification. As noted in the answer for requirement #226, this requirement will be met through minor modifications made by Cogent Technicians to existing tables. The time required for these modifications are included in the time allocated for modifications to requirement #226. The level of complexity for this effort is Low.
230.	1/2	n the number of days between calculating that a latent is imminent shall be configurable	D	X	M – Modification. As noted in the answer for requirement #226, this requirement will be met through minor modifications made by Cogent Technicians to existing tables. The time required for these modifications are included in the



231.	1/2	The system shall provide the capability to notify appropriate submitters when a latent submission represents a crime whose statute of limitations is "imminent"	D	X	time allocated for modifications to requirement #226. The level of complexity for this effort is Low . Messages as described herein, as well as other ABIS related messages, are processed using the Cogent COTS Active Directory function. Specific messge wording will be developed during the system detail design phase.
232.	1/2	The system shall provide the capability to notify appropriate submitters when a latent print or associated data is deleted	D	X	Messages as described herein, as well as other ABIS related messages, are processed using the Cogent COTS Active Directory function.
233.	1	Latent fingerprint processing shall search the entire target database consisting of the rolled and plain fingers from the composite and each Most Recent Entry (MRE).	M	X	The Cogent COTS ABIS fingerprint process uses 100% penetration of the entire ABIS database. There is no binning in the Cogent COTS solution, although this can be provided if desired.
234.	2	All known Palm Print submissions shall automatically be searched against the Unknown Latent Palm Print File (TPP/ULPP).	M	X	This is a COTS feature of the proposed Cogent ABIS.
235.	2	Palm Print submissions shall be updated to the corresponding target database.	M	X	The Cogent ABIS processes Palmprints into a Palmprint segment of the ABIS database.
<mark>236.</mark>	1/2	ABIS shall accept and store Latent print images in commonly accepted resolution at or above 500 ppi in accordance with the ANSI/NIST-ITL-1-2007.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>237.</mark>	1/2	ABIS shall provide encoding and searching of Latent print transactions at 500 ppi if received at 500 ppi against a target database which is mixture of 1000ppi and 500ppi.	M	X	This is a COTS feature of the proposed Cogent ABIS. This functionality is currently a component of the Cogent ABIS's installed in the State of Maryland, Kern County, CA., and Fresno



		ABIS shall accept and store Latent print images at 1000 ppi in accordance with the	M	X	County, CA. This is a COTS feature of the
<mark>238.</mark>	1/2	ANSI/NIST-ITL-1-2007.	IVI	A	proposed Cogent ABIS.
239.	1/2	ABIS shall store the latent (both fingerprint and Palmprint) minutiae data encoded manually and / or automatically in ANSI-NIST-ITL-2007 Type open standard format in INCIT 378 and the NIST CDEFFS (Committee on the Definition of Extended Fingerprint Features). The offeror shall outline all the specific CDEFFS data fields supported by their ABIS. The records will be verified during the acceptance plan for compliance and correctness. The stored NIST standard compliant fingerprint and Palmprint latent feature template records shall be accessible/readable by SFPD.	M	X	This is a COTS feature of the proposed Cogent ABIS. The following specific CDEFFS data fields are supported: 1) Minutia data 2) Core position 3) Delta position 4) Ridge Count data 5) Pattern Classification 6) Region of value polygon The stored NIST complaint fingerprint and palmprint latent feature records will be accessible and/or readable by SFPD.
<mark>240.</mark>	1/2	ABIS shall provide encoding and searching of Latent print transactions at 1000 ppi if received at 1000 ppi against a target database which is mixture of 1000ppi and 500ppi.	M	X	This is a COTS feature of the proposed Cogent ABIS.
241.	1/2	ABIS shall enable a Latent Print Examiner to launch a Latent print search from these images.	M	X	The Cogent ABIS processing enables Latent Print Examiners to launch latent prints at either 500 or 1000 ppi. It is assumed that the term "these images" refers to search images at either 500ppi or 1000ppi.
242.	1/2	ABIS shall accept at least one standard image file format such as bitmap and tiff. The image file must be a lossless format.	M	X	The Cogent ABIS "File Import" function enables Latent Print Examiners to import image files in all standard image file formats.
<mark>243.</mark>	1/2	ABIS shall create an FBI EBTS compliant Latent print feature search transactions file.	M	X	Cogent ABIS Latent Print Examiners are able to create FBI EBTS compliant latent features

244. 1/2	ABIS shall have an alpha numeric Latent print image identifier to be entered by the Latent Print Examiner. The Latent print image identifier will be the same for each unique Latent print image across all searches of that image in the case.	M	X		using the ULW command. During the Cogent ABIS Latent work flow Alpha numeric Latent print identifiers are entered at the same time latent demographic information is entered, and these identifiers become a part of the image file.
245. 1/2	The Latent Search ID shall allow up to ten characters and be fully editable by the Latent Print Examiner. The Latent Search Id must be unique within a Latent Case Number. ABIS shall maintain the original and clarified version of a Latent print image and	D	X		The data field length for a latent search ID is configurable and will allow for 10 or more characters, and is unique within a Latent Case number as desired. This is a COTS feature of the proposed Cogent ABIS
246. 1/3 247. 1/3	allow both to be used when making comparisons to candidates. The search filters shall at a minimum include options on finger number or palm position, segmented palm areas (if applicable), sex, race, county, region, crime type and Latent search eligible civil records. If the Prime/Prime Offeror's system uses fingerprint patterns then there shall be the option to include fingerprint pattern as a filter.	M		X	proposed Cogent ABIS. G - Configuration. The search filters mandated by this requirement, as well as Manual or Automatic Core placement, are all available in the Cogent ABIS being proposed for the SFPD. Since the Cogent COTS ABIS uses 100% penetration as a default, which has shown during industry tests and benchmarks in various locations including, RCMP, Maryland, and Spain and demonstrations that this results in increased hits and accuracy. Cogent has continually placed number 1 in these benchmark tests Cogent does not recommend the use of any filtering. Likewise, the Cogent COTS ABIS does not require/use fingerprint patterns in



					the search process. Should the SFPD desire the option to use filtering in the ABIS search process, this can be provided and would only require minor changes to settings and tables by Cogent Technicians. It is estimated that this effort will require less than 30 hours to implement. The level of complexity for this effort is Low.
<mark>248.</mark>	<mark>1/2</mark>	ABIS shall allow a Latent Print Examiner to search unsolved Latent fingerprint images against the Unsolved Latent Fingerprint Database. LFP/ULFD	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>249.</mark>	<mark>1/2</mark>	ABIS shall allow a Latent Print Examiner to search unsolved Latent palm print images against the Unsolved Latent Palm Database. LPP/ULPD	M	X	This is a COTS feature of the proposed Cogent ABIS.
250.	1/2	ABIS shall allow the Latent Print Examiner to mark a Latent print image as either finger or palm. ABIS shall use this designation to search the appropriate target database.	M	X	The mandated requirement to mark a Latent print as either a palm or finger and to use the designation to search the appropriate database is available as a COTS feature of the Cogent ABIS proposed for the SFPD.
<mark>251.</mark>	1/2	ABIS shall enable a Latent Print Examiner to select a 360 degree orientation search.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>252.</mark>	1/2	ABIS shall enable a Latent Print Examiner to segment individual finger print images from a cluster and individually encode one or more Latent print images.	M	X	This is a COTS feature of the proposed Cogent ABIS.
253.	1/2	The Latent Print Examiner shall be able to indicate the pattern of each individual image in the cluster whether or not the individual Latent print image is used in the search. ABIS shall allow for automatic and manual encoding of Latent print image	M M	X	Indicating pattern types of individual latent print images as described is a COTS feature. This is a COTS feature of the
<mark>254.</mark>	<mark>1/2</mark>	features and the retention of such image features.			proposed Cogent ABIS.
<mark>255.</mark>	<mark>1/2</mark>	ABIS shall allow a Latent Print Examiner the option to reuse the encoding from one search when additional searches of the same image are performed using different search parameters.	M	X	This is accomplished in the Cogent COTS ABIS without the need to rescan the images.



<mark>256.</mark>	1/2	ABIS shall automatically assign to each Latent print image search a search creation date equal to the present date.	M	X	This is a COTS feature of the proposed Cogent ABIS.
257.	1/2	ABIS shall enable the Latent Print Examiner performing the encoding to change the parameters of a search, add a new search, and delete a specific search.	M	X	The Cogent COTS ABIS displays a pop up window containing a check list of search parameters which latent print examiners check prior to launching the latent for search.
<mark>258.</mark>	<mark>1/2</mark>	ABIS shall provide a single entry screen to support modification of descriptors, data fields, and parameters for search.	D	X	These features are also provided for in the Cogent ABIS through use of a pop up window.
<mark>259.</mark>	<mark>1/2</mark>	ABIS shall enable a Latent Print Examiner to add, edit, and delete automatically or manually encoded features from Latent print images.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>260.</mark>	<mark>1/2</mark>	ABIS shall enable the Latent Print Examiner the option to save any Latent search to the ULFD/ULPD or to discard the Latent print image search.	D	X	This is a COTS feature of the proposed Cogent ABIS.
261.	1/2	ABIS Latent search results shall not include a candidate marked as Latent Search Ineligible (information supplied from SFPD (CCH)CABLE), Need Message Format Table, from CABLE here).	M	X	The ability to block certain search responses is an option available to Cogent ABIS operators. Information describing the messge format table from the SFPD CABLE will need to be provided during the detail design phase of the SFPD ABIS project.
<mark>262.</mark>	1/2	ABIS shall enable a Latent Print Examiner to perform at the workstation a side by side evaluation of a Latent print image record and an image of a known suspect by entering the suspect SF# as the candidate.	M	X	The Cogent COTS ABIS latent work flow provides operators the option to enter demographic data which the ABIS uses to display database file prints.
<mark>263.</mark>	1/2	The Latent Print Examiner shall have the option to perform a TP/ULFD or a PP/ULPD search with the suspect image(s.) This search is performed when a suspect name and/or SF# is provided by the submitting agency and the SF# Tenprint or Palm print record is searched against the appropriate target database.	M	X	The Cogent COTS ABIS latent work flow provides operators the option to enter demographic data which the ABIS uses to display database file prints.



<mark>264.</mark>	1/2	ABIS shall perform the selection of Latent print candidates above the site's Candidate Threshold.	D	X	The Cogent ABIS uses a configurable default threshold setting which is established by the users for selecting Latent print candidates.
<mark>265.</mark>	<mark>1/2</mark>	Post search, when a Latent Print Examiner is reviewing search results, ABIS shall enable the Latent print examiner to select a view of a top number of candidates.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>266.</mark>	1/2	The candidate list shall display, at a minimum, the Latent print Case Number, Latent print image identifier, search parameters, and each candidate SF#.	D	X	The data fields desired, as well as others from a predetermined list, which may be defined during the detail design phase of the project, will be displayed to the latent print examiners.
<mark>267.</mark>	1/2	ABIS shall rank and display the candidate list in the order of most likely to least likely match.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>268.</mark>	1/2	When performing side by side image comparison in both the Evaluation and Verification process, ABIS shall provide the Latent Print Examiner the ability to print the biographic data of an individual candidate who appears in the search result candidate list.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>269.</mark>	1/2	ABIS shall not display any biographic data on a candidate, such as name. The candidate shall be specified to the Latent Print Examiner only by the SF# number and any search parameter data.	D	X	This is a configurable Cogent ABIS COTS feature, allowing the user to define which biographic data (if any) will be displayed to latent print examiners, as well as any search parameters used.
<mark>270.</mark>	1/2	ABIS shall include on the candidate list the matching finger number.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>271.</mark>	1/2	ABIS shall not display the ABIS score on the evaluation user interface.	M	X	While most current Cogent ABIS users have elected to display the ABIS score, this option can be blocked from view of the operator.
<mark>272.</mark>	1/2	ABIS shall return the search results automatically to the same Latent Print Examiner that initiated and launched the search unless the Latent Print Examiner has specified otherwise	M	X	This requirement is met through the use of permissions established during operator log on to the



					ABIS.
273.	1/2	ABIS shall inform each verifier when their indications are not all the same and allow each to reevaluate their indication. The process will not be completed until all indications agree. ABIS shall enable a verifier to forward a Latent print to a supervisor or to another Latent Print Examiner when the verification cannot be confirmed. The supervisor will have the final determination.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>274.</mark>	<mark>1/2</mark>	ABIS shall provide a side by side view of the Latent print image along with the corresponding search candidate's fingerprint or palm print image area to support evaluation.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>275.</mark>	1/2	ABIS shall display the Latent print image beside the candidate image at the same size and scale.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>276.</mark>	<mark>1/2</mark>	ABIS shall enable the display of the Latent and candidate images at the same orientation based on ABIS's correlation of print image features.	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>277.</mark>	1/2	ABIS shall enable the toggling on and off of the display of minutiae for the Latent and candidate print images.	M	X	This is a COTS feature of the proposed Cogent ABIS.
278.	1/2	ABIS shall enable the Latent Print Examiner to place their own markers on the Latent and candidate images. Markers shall be editable (placed or removed) with the ability to be toggled on and off.	M	X	Latent Print Examiners using the Cogent COTS ABIS are able to highlight minutia, or place or remove markers on either search or file print images and have the minutia or marker be displayed or removed on the corresponding file or search print.
<mark>279.</mark>	1/2	ABIS shall forward all Latent print searches that have been evaluated to the Latent Print Examiner assigned to a verifier role for further processing.	D	X	The Cogent COTS ABIS allows print search result to be evaluated by more than one verifier for further processing.
280.	1/2	ABIS shall provide a means for the verifying Latent Print Examiner to indicate an identification, non-identification, or inconclusive result to a search candidate by a single action with a confirmation step.	M	X	This functionality is a Cogent ABIS COTS feature, although Cogent uses the letter "U" which stands for "unknown". This is the same meaning as the word "inconclusive" in the requirement
<mark>281.</mark>	<mark>1/2</mark>	Upon a verifying Latent Print Examiner indicating identification, ABIS shall automatically create a printable "screen image" as a locked comparison quality	M	X	This is a COTS feature of the proposed Cogent ABIS.



		image that combines the submission Latent search image and corresponding candidate search image as viewed at the time of verification.				
282.	1/2	The printable screen image from a verifying Latent Print Examiner's identification, will contain, in addition to the images, the following information: the user ID of the verifying Latent Print Examiner, device on which the verification took place, verified SF#, Latent case number, submission Latent print image, Tenprint file fingerprint image, palm hand or specific palm area, image name, date and time verification occurred.	M	X		The printable screen image component of the Cogent COTS ABIS provides for all the required data fields as well as others, including agency name.
283.	1/2	ABIS shall enable a Latent Print Examiner to print the evaluation or verification side by side comparison screen image. This shall be printed at the highest resolution available for the printer. See http://www.fbibiospecs.org/fbibiometric/docs/EBTS%20V8.002%2010-24-07.pdf	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>284.</mark>	<mark>1/2</mark>	When a TP/ULFD search result is being viewed, ABIS shall display at workstation evaluation verification time, all Latent case numbers related to the same search.	M	X		This is a COTS feature of the proposed Cogent ABIS.
285.	1/2	When a Palm print transaction is tentatively identified to a Latent Palm print image(s) stored in the Unsolved Latent Palm print database as a result of a PP/ULPD search, ABIS shall display all Latent case numbers related to the same search.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>286.</mark>	1/2	When a Latent print search results in non-identification and the Latent Print Examiner has indicated the search retention Expiration Date, ABIS shall automatically retain the image on the ULFD or ULPD with the Expiration Date.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>287.</mark>	1/2	ABIS shall allow a single case to be searched autonomously by multiple Latent Print Examiners. Each search shall be saved separately with the same case number but distinguished by differing originating Latent Print Examiner.	D	X		The described work flow is a COTS feature of the proposed Cogent ABIS.
288.	1	When saving a Latent Fingerprint (LFP) image to the Unsolved Latent Fingerprint Database (ULFD,) ABIS shall allow a Latent Print Examiner to select which future Non-Identified Tenprint (TP) transactions shall trigger searches against the saved Latent Fingerprint image (TP/ULFD.) These search filters may include but not be limited to crime type, county, region, sex, race and can be changed by the initiating/owning Latent Print Examiner at anytime.	D		X	C – Customization. The desired requirement as listed will necessitate minor modifications made to COTS tables and the COTS work flow. These changes will be made by a qualified Cogent Technician. The time needed to accomplish these changes is estimated to be less than 15 hours. Changes to the

						Cogent ABIS source code are NOT necessary to meet this requirement. The level of complexity for this effort is Low .
289.	2	When saving a Latent Palm print (LPP) image to the Unsolved Latent Palm print Database (ULPD,) ABIS shall allow a Latent Print Examiner to select which future Non-Identified Palm print (PP) transactions shall trigger searches against the saved Latent Palm print image (PP/ULPD.) These search filters may include but not be limited to crime type, county, region, sex and can be changed by the initiating/owning Latent Print Examiner at anytime.	D		X	C – Customization. As stated in the comments to requirement #288 above, the desired requirement as listed will necessitate some minor changes made to COTS tables and the COTS work flow. These changes will be made by a qualified Cogent Technician. The time needed to accomplish these modifications is estimated to be less than 15 hours. Changes to the Cogent ABIS source code are NOT necessary to meet this requirement. The level of complexity for this effort is Low.
290.	1/2	When saving the latent fingerprint and Palmprint images to the ULFD and ULPD, the images shall be compressed by lossless compression only. The images in the ULFD and ULPD shall be accessible by SFPD.	M	X		This is a configurable option available with the Cogent COTS ABIS. Although most Cogent ABIS user agencies have chosen not to compress images saved in the Unsolved Latent and Unsolved Palm databases, compression using lossless WSQ can be provided with minor modifications to the default COTS work flow. Images saved and/or stored in the ABIS will be in NIST format and accessible to the SFPD, and/or any other authorized agencies.
<mark>291.</mark>	<mark>1</mark>	ABIS shall perform the selection of TP/ULFD search candidates above a selectable Candidate Score Threshold or other search System Hit Parameters.	D	X		Candidate score threshold and/or other system hit parameters are



						configurable and established during system detail design.
<mark>292.</mark>	<mark>1</mark>	The verification process of a Tenprint image searched against the Unsolved Latent Fingerprint Database (TP/ULFD) shall be uniform with the verification process of a Latent Print Fingerprint image searched against the Tenprint Database (LFP/TPDB).	D	X		The Cogent ABIS COTS search results screen are identical for both types of searches.
293.	1/2	ABIS shall not automatically determine identification or non-identification on a TP/ULFD search candidate.	M	X		Although the ability for the Cogent COTS ABIS to automatically identify (or non-identify) tenprint to unsolved latent print searches exists, and is a feature being contemplated for use by some Cogent ABIS users, this would not be an automatic feature of the SFPD ABIS unless so requested at some future date.
<mark>294.</mark>	1/2	Upon receipt of a Latent print search cancellation request, ABIS shall cancel the search request and delete the search details from ABIS.	D	X		The ability to delete search details from a Cogent ABIS is typically only provided to users with delete permissions.
<mark>295.</mark>	1/2	Prior to purging an image from the ULFD or ULPD, whether by expiration date or a request to purge, a purge request confirmation message must be sent to and acknowledged by the case owner before purge completion. Once the purge has been completed, an additional acknowledgement narrative message shall be displayed.	M	X		Messages as described herein, as well as other ABIS related messages, are processed using the Cogent COTS Active Directory function.
<mark>296.</mark>	1/2	ABIS shall enable a site to purge only those searches in the ULFD/ULPD that were added by Latent Print Examiners within their responsibility.	M	X		This Cogent ABIS COTS function is provided for through the use of permissions established during operator log on to the system.
297.	1/2	ABIS shall ensure each new ULFP/ULPD image be registered with an Expiration Date.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>298.</mark>	1/2	ABIS shall use an indefinite retention — expiration date of 9999-99-99 or other specific setting to indicate that the entry shall not be automatically purged.	D	X		The specific setting requested by the SFPD will be determined during system detail design and is a configurable feature of the



					Cogent COTS ABIS.
<mark>299.</mark>	1/2	The expiration date shall only be amendable by the Latent print case owner.	D	X	This is a COTS feature of the proposed Cogent ABIS.
300.	1/2	ABIS shall provide a process for batch updating of electronic Latent fingerprint and/or palm print images to the appropriate Unsolved Latent file/database after the initial conversion phase has been concluded and the ABIS is in production.	D	X	The Cogent COTS ABIS will provide for the updating of data and images (in NIST format) to the appropriate database as requested.
	Requi	rement Type – Xeneral Workstation Functionality			
<mark>301.</mark>	1/2	All workstations shall be equipped with a color display screen, mouse and standard keyboard	M	X	Color display monitors, mouse and standard keyboards are all included with Cogent COTS workstations
302.	1/2	All workstations shall be equipped with the appropriate Network Interface Card to allow them to connect to the SFPD LAN	M	X	This is a COTS feature of the proposed Cogent ABIS.
303.	1/2	All workstations shall be equipped with a suite of Office Productivity software such as Microsoft Office or Corel Office suite to be determined during phase 2	M	X	Either the Microsoft Office suite or the Corel Office suite may be installed on Cogent ABIS workstations, depending on agency preference.
304.	1/2	All workstations shall provide access to a printer	M	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>305.</mark>	1/2	Workstations shall allow selection of the next available transaction in a queue with a single mouse click or key press.	D	X	The Cogent Transaction Queue Management COTS component provides for this requirement with a single mouse click or key press.
306.	1/2	Workstations shall display counters listing the number of transactions by priority in all queues.	D	X	This capability is available for all queues displayed, including number of transactions by priority, as a COTS capability of the Cogent ABIS.
<mark>307.</mark>	1/2	Workstations shall have selection filter options for each queue based on, but not limited to: Identification Technician/Latent Print Examiner; Processing Status; Transaction Priority (by one or more selectable priorities); Receipt Date/Time;	D	X	Cogent COTS Workstations can be configured with selection filters on each queue. The desired filter



		TCN/Case Identifier; Latent Print Image Identifier.			options listed in the requirement are current standard filter options.
308.	1/2	Workstations shall have a sort functionality for each queue based on, but not limited to: Identification Technician/Latent Print Examiner, Processing Status; Transaction Priority (by one or more selectable priorities); Receipt Date/Time; TCN/Case Identifier.	D	X	Cogent COTS Workstations provide sort functionalities for each queue as listed in the requirement, as well as other categories such as Transaction Type, AFIS Number, and Subject Number.
309.	1/2	The workstation shall enable an examiner to scroll forward and backward through the search result candidate list.	D	X	This is a COTS feature of the proposed Cogent ABIS.
310.	1/2	The Identification Technician\Latent Examiner shall have image clarification and feature tools available on each screen, where applicable. They shall include, but not be limited to: Adjustable minutiae quality threshold, remove minutiae, add/remove scaling, restore enhanced image, reverse video, gradient ridge detection— including a minimum of four directional angles to select, save image enhancement, undo, zoom, axis, add minutiae, auto enhancement, automatic coding, brightness, contrast, change scale, create area (select an area to enlarge), delete all minutiae, delete minutiae in a selected area, display original image, history of changes made, and hide/display minutiae toggle, auto position, double cursor, erase mark, add mark, image flip, histogram view, associated minutiae matching, rotation of search and candidate images.	D	X	The Image Clarification and feature tools listed in the desired requirements are all available on the Cogent ABIS Workstation as COTS.
311.	<mark>1/2</mark>	A print function, using a single mouse click or key press for all screens, shall be provided by the Offeror.	M	X	This is a COTS feature of the proposed Cogent ABIS.
312.	1/2	Image override indicators passed to the ABIS system from SFPD shall be displayed to Identification Technicians on all screens where the image is displayed. These overrides shall include, but not be limited to: Amputated, Sequence, Best, and Bandaged.	D	X	Image overrides as defined and received by the Cogent COTS ABIS are available for display to Identification Techs.
313.	1/2	Non-Rejectable indicator, as determined by SFPD, shall be displayed per transaction to the Identification Technician throughout the pre search process.	D	X	While it is not entirely clear what SFPD is referring to as "Non-Rejectable Indicators", however, the Cogent COTS ABIS Workstations currently display Type II NIST data. The assumption is made herein that



					SFPD "Non-Rejectable Indicators"
		The Identification Technician shall have the ability to select or deselect a finger as	D	X	refer to Type II NIST Data. This is a COTS feature of the
<mark>314.</mark>	<u>1/2</u>	missing throughout the pre search process.			proposed Cogent ABIS.
315.	1/2	The Identification Technician shall have the ability to select multiple reject reasons throughout the process. SFPD will define the reject reasons.	D	X	This is a COTS feature of the proposed Cogent ABIS, although it may be necessary for a Cogent Technician to add SFPD specified reject reasons or to remove default COTS reasons to/from exsiting tables. Making these table changes is a minor effort routinely accomplished by Cogent Technicians.
316.	1/2	An Identification Technician shall have the option to reject a transaction at any point during the pre search processing. A reason(s) for this rejection must be selected by the Identification Technician.	D	X	Compliance with this requirement is met through ID Techs selecting the rejection reason from on screen menu options.
<mark>317.</mark>	1/2	An Identification Technician\Latent Print Examiner shall have the option to undo work performed on any transaction, with a confirmation step, without saving changes.	D	X	This is a COTS feature of the proposed Cogent ABIS.
318.	1/2	Several views shall be available for Identification Technicians for each transaction throughout the pre search process. These views shall include, but not be limited to: All plain fingerprint images and rolled fingerprint images on one screen, all rolled fingerprint images on one screen, all plain fingerprint images on one screen, individual rolled fingerprint image and the corresponding plain fingerprint image on one screen, enlarged individual rolled fingerprint image on one screen, biographic data and signature on one screen.	D	X	The desired views as described herein are available to Identification Technicians in several Pre-process screens (views) including the "Manual Cut", "Out of Sequence" and "Quality Assurance" screens.
319.	All	The workstation shall include a high-resolution color screen with a minimum resolution of 1000ppi	D	X	High resolution workstation color monitors with minimum resolution of 1000ppi will be provided to the



					SFPD.
320.	All	The size of the workstation screen shall be no less than 21 inches	D	X	Work station monitors provided to the SFPD by Cogent will have a screen image area larger than 21 inches.
<mark>321.</mark>	<mark>1/2</mark>	The workstation shall include or provide access to a digital camera administered by the SFPD latent section with a minimum resolution of 1000ppi and 256 levels of grayscale	M	X	This will be provided as required.
322.	1/2	All workstation shall provide the capability to accept input from SFPD latent administered digital cameras	D	X	This capability will be provided as required.
<mark>323.</mark>	<mark>1/2</mark>	The workstation shall include or provide access to a flatbed scanner administered by the SFPD latent section with a minimum resolution of 1000dpi and 256 levels of grayscale	M	X	Cogent will provide FBI Certified flatbed scanners with a resolution as required.
<mark>324.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to accept input from SFPD latent flatbed scanners.	M	X	The ABIS proposed by Cogent for the SFPD will accept input from SFPD latent flatbed scanners.
325.	1/2	The workstation shall include or provide access to a printer administered by the SFPD latent section with a minimum resolution of 1000dpi and 256 levels of grayscale.	M	X	FBI certified printers will be provided with resolution of 1000dpi and 256 levels of grayscale.
<mark>326.</mark>	1/2	The workstation shall include a drawing tablet and stylus	D	X	The Cogent ABIS proposed for the SFPD will include a drawing tablet and stylus as requested.
327.	1/2	All workstation shall provide the capability to accept input from included drawing tablet and stylus	D	X	All workstations provided in this procurement will have the capability to accept input from various sources including drawing tablet and stylus.
328.	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted users the ability to request all image changes to a latent and their associated history.	D	X	This is a COTS feature of the proposed Cogent ABIS available through the audit trail log files maintained by the ABIS.



329.	All	The workstation shall provide the capability to allow split screen usage with side by side viewing of user selected images on the same screen	D	X	This is a COTS feature of the proposed Cogent ABIS.
330.	All	The workstation shall provide the capability to allow Permitted users the ability to read and display any ANSI/NIST transaction, including ten-print search records with mug shots	D	X	This is a COTS feature of the proposed Cogent ABIS.
331.	1/2	The workstation shall provide the capability to allow Direct Latent capture, photographs, copies, and direct Latent Lifts as acceptable inputs to the scanner and digital camera	M	X	The Cogent ABIS Latent Workstation provides for Direct Latent Capture as a COTS capability.
332.	1/2	The mechanisms for placing, holding and removing the inputs to the scanner and digital camera shall not damage the original	M	X	This is a COTS feature of the proposed Cogent ABIS.
333.	All	The workstation shall provide the capability to allow Permitted users to set the priority of a latent search	D	X	This Cogent COTS capability is provided through use of a drop down menu in the "Latent Search Parameter" screen.
334.	1/2	The workstation shall provide the capability to provide a drop down list with the permitted values for a latent search priority	M	X	This Cogent COTS capability is provided through use of a drop down menu in the "Latent Search Parameter" screen.
335.	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted users to enter the priority of FBI latent submission	M	X	This is a COTS feature of the proposed Cogent ABIS, and is currently being used by the Royal Canadian Mounted Police.
<mark>336.</mark>	1/2	The workstation shall support the FBI ULW application.	M	X	The Cogent Latent Workstation supports this application.
337.	All	The workstation shall provide the capability to allow Permitted users to collaborate with sites outside of SFPD.	D	X	Current Cogent ABIS users export images and/or data to sites outside of the SFPD through use of Email.
338.	1/2	The workstation shall provide the capability to allow Permitted users to view, edit and share fingerprint images with others on the SFPD LAN	D	X	This is a COTS feature of the proposed Cogent ABIS.
339.	<mark>1/2</mark>	The workstation shall be Interoperable with desktop tools, allowing the workstation reads and writes to the clip board	D	X	The Cogent workstation provides this functionality through the COTS cut, paste and export



					function.
340.	1/2	The workstation shall be Interoperable with file formats utilized in at least the following desktop tools: MoreHits, Media Cybernetics' ImagePro, Adobe PhotoShop, and IISI's "Latent Pro" software;	D	X	Images and data processed on Cogent COTS Workstations can be saved in all standard formats, and are therefore interoperable with the software programs listed in this requirement.
341.	1/2	The workstation shall provide the capability to automatically encode all manually adjustable characteristics	M	X	This is a COTS feature of the proposed Cogent ABIS.
342.	1/2	The workstation shall provide the capability to include minutia, minutia type, core, ridge count, ridge direction, and quality as automatically encoded characteristics	M	X	The requirement as described herein is provided as a COTS feature of the Cogent ABIS.
<mark>343.</mark>	AII	The workstation shall not mark more than 10% of all the automatically encoded characteristics incorrectly	M	X	The automatic encoding provided by the Cogent COTS workstation will comply with this requirement.
344.	AII	The system shall provide the user an indication of the allowable values for priority either as a drop down menu or upon help request	D	X	Depending on the preference selected, latent technicians have the option of viewing priority values in either a pop-up window or a drop down window, associated with the workstation job queue.
345.	1 & 3	The system shall provide the user an indication of which fingers are permitted in the Authentication search space either as a drop down menu or upon help request	D	X	The Cogent "Latent Search Parameter" window displays this information without having to use either a drop down window or help request.
346.	AII	The system shall provide the user an indication of their allowable search spaces either as a drop down menu or upon help request.	D	X	This information is presented in a drop down menu displayed on the "Latent Search Parameter" window.
<mark>347.</mark>	<mark>1 &</mark> 3	The system shall provide the capability to provide Permitted users the ability to request the number of fingers required or the specific fingers required to pass the image quality test before requesting rescan	D	X	Cogent currently has a COTS capability which we believe meets this requirement as we understand



					it, however, if after meeting with the SFPD it is determined that our COTS capability the does not meet the requirement exactly as desired by the SFPD, Cogent will provide any changes to work flow and/or configuration without any cost increases to SFPD.
<mark>348.</mark>	All	Permitted users shall be able to request images or data to their individual queues or workstations.	M	X	This is a COTS feature of the proposed Cogent ABIS.
349.	1/2/ 3	The system shall provide the capability to accept inputs from Livescan devices	M	X	This is a standard Cogent ABIS COTS capability. Cogent is able to accept inputs from FBI certified livescans that export NIST compliant images and data.
350.	AII	The system shall provide open APIs for interface to other agencies	D	X	The Cogent COTS ABIS has provided open API's for interfacing the following agencies: 1) Fresno CA Sheriff to Los Angeles County Sheriff 2) Local and Provincial Canadian Police to the RCMP 3) European agencies to EURODAC
<mark>351.</mark>	1/2	The Permitted User of a workstation shall be provided the capability to indicate multiple areas of interest on a print	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>352.</mark>	1/2	The Permitted User of a workstation shall be provided the capability to indicate multiple area of non interest on a print	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>353.</mark>	1/2	The Permitted User of a workstation shall be provided the capability to obtain automatically encoded characteristics of areas of interest	D	X	This is a COTS feature of the proposed Cogent ABIS.
354.	<mark>1/2</mark>	The Permitted User of a workstation shall be provided the capability to delete encoded characteristics of areas of non interest	D	X	The capability of deleting encoded chareteristics of areas of non-interest is provided as a standard



					feature of the Cogent ABIS workstations.
<mark>355.</mark>	1/2	The workstation shall provide the capability to allow Permitted Users to save encoded characteristics at any time	D	X	This is a standard capability provided on Cogent ABIS workstations for those users with appropriate permissions.
<mark>356.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted Users to display sets of saved characteristics	D	X	This is a COTS feature of the proposed Cogent ABIS.
357.	1/2	The workstation shall provide the capability to allow Permitted Users to display a list of sets of saved characteristics	D	X	Fingerprint, Palmprint and Latent Print characteristics and edits made to the images can be viewed by authorized users once the characteristics and edits have been saved.
358.	1/2	The workstation shall provide the capability to allow Permitted Users to sort the list of saved characteristics by User ID/Time characteristic was saved.	D	X	The Cogent COTS ABIS tracks all users by log-on and tracks all saved characteristics and edits made for audit purposes. The data is available for viewing as well as to create management reports.
<mark>359.</mark>	1/2	The workstation shall provide the capability to allow Permitted Users to select a set of saved characteristics from the list of available sets	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>360.</mark>	1/2	The system shall provide the capability to associate saved characteristics with User ID, date and time characteristic was saved	D	X	The Cogent ABIS logs characteristics (minutia) created, and/or saved, by permitted users as a COTS feature.
361.	1/2	The Permitted User of a workstation shall be provided the capability to request saved characteristics	D	X	All images saved in the database, including those characteristics that were defined and saved, may be retrieved from the database and viewed by Permitted Users. This is a COTS feature of the proposed Cogent ABIS.
<mark>362.</mark>	1/2	The workstation shall provide the capability to allow Permitted Users to edit any of these saved characteristics	D	X	This is a Cogent ABIS COTS capability usually reserved for



363.	1/2	The Permitted User of a workstation shall be provided the capability to align the image by rotation in any direction	D	X	permitted users like reviewers or supervisors, and is a configurable item. This is a COTS feature of the proposed Cogent ABIS. The rotation can be up to 180 degrees in either direction.
<mark>364.</mark>	<mark>1/2</mark>	The Permitted User of a workstation shall be provided the capability to move the image with the cursor	D	X	This is a COTS feature of the proposed Cogent ABIS.
365.	1/2	The Permitted User of a workstation shall be provided the capability to Zoom in and out on an image with a minimum power from 1 to 20	D	X	The Cogent ABIS COTS workstation is configured to allow zoom in and out through the use of an on screen slide bar.
366.	1/2	The Permitted User of a workstation shall be provided the capability to specify a magnification parameter to enlarge images.	D	X	The Cogent ABIS COTS workstation includes the ability to enlarge or magnify an image with a slide bar allowing users to select the magnification parameter they desire.
367.	1/2	The Permitted User of a workstation shall be provided the capability to perform all image manipulation and enhancement functions that are contained in the most recent versions of Adobe Photoshop, IISI's "Latent Pro", or More Hits	D	X	The capability to use image manipulation and enhancement tools such as Adobe Photoshop, Latent Pro and Foray (formerly MoreHits) is available and being used by many Cogent ABIS latent examiners. SFPD will likewise be able to use any of the tools listed in the requirement.
<mark>368.</mark>	1/2	The workstation shall provide the capability to allow a Permitted User to perform all image manipulation and enhancement operations on each of the images in split screen mode independently	D	X	Cogent ABIS Workstation users area able to perform image manipulations and enhancements as requested herein.
<mark>369.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to automatically separate overlaid latent	D	X	This is a Cogent ABIS Workstation COTS feature

370.	1/2	The Permitted User of a workstation shall be provided the capability to Zoom in and out on split screen images independently	D	X		automatically enacted once the appropriate command is activated through a mouse click. The capability to zoom in and out on split screens independently or together is a configurable feature in the Cogent COTS ABIS.
371.	1/2	The Permitted User of a workstation shall be provided the capability to coordinate split images so that zoom on one zooms the other at same point and power	D	X		The capability to zoom in and out on split screens independently or together is a configurable feature in the Cogent COTS ABIS.
<mark>372.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to allow a Permitted User to adjust the height/width of the image.	D	X		This is a COTS feature of the proposed Cogent ABIS.
373.	1/2	The Permitted User of a workstation shall be provided the capability to position the image on the left or right side of the split screen	D		X	M – Modification. This feature is not currently available as COTS, however, it can be provided to the SFPD with minimal modification effort from Cogent Technicians through changes to tables and configurations. It is estimated that the time needed to accomplish this modification will be less than 20 hours. The level of complexity for this effort is Low.
374.	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted users the ability to view any image on a full screen or a split screen	D	X		This is a COTS feature of the proposed Cogent ABIS.
375 .	1/2	The workstation shall provide the capability to perform interactive contrast variations, image sharpening, and "Fast Fourier Transform" routines	D	X		This is a COTS feature of the proposed Cogent ABIS.
376.	1/2	The workstation shall provide the capability to automatically enhance ridges	D	X		This is a COTS feature of the proposed Cogent ABIS. The ability to "Extract" and "Enhance" ridges is accomplished with a click of the mouse or key stroke.



377 .	1/2	The workstation shall provide the capability to allow a Permitted User to mark artifacts	D	X		This is a COTS feature of the proposed Cogent ABIS.
378.		The workstation shall provide the capability to allow a Permitted User to remove artifacts	D	X		This is a COTS feature of the proposed Cogent ABIS.
379.		The workstation shall provide the capability to allow a Permitted User to modify the gray scale.	D	X		The ability to adjust or modify the grayscale of an image is provided with a slider bar the user simply moves left or right to obtain the desired maximum or minimum grayscale. This is a COTS feature of the proposed Cogent ABIS.
380.	<mark>1/2</mark>	The Permitted User of a workstation shall be provided the capability to invertimages.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>381.</mark>	<mark>1/2</mark>	The Permitted User of a workstation shall be provided the capability to display images in user selected color	D	X		The Cogent COTS ABIS Workstation provides a list of color options the user can select from for displaying images.
382.	1/2	The Permitted User of a workstation shall be provided the capability to display characteristics in user selected color	D	X		Users of the Cogent COTS ABIS Workstation are able to select colors for display of characteristics (minutia) from a palette provided on screen.
383.	1/2	The Permitted User of a workstation shall be provided the capability to select display colors	D	X		The Cogent COTS ABIS Workstation gives users the option to select a background and/or foreground color from a palette provided on screen.
384.	1/2	The Permitted User of a workstation shall be provided the capability to superimpose one image on another	D		X	M - Modification. This desired functionality is currently not available in the Cogent ABIS, primarily because current Cogent ABIS user agencies have not previously requested this option as a tool or option to use for latent image processing. The option of



						overlaying latent images with file images has been previously discussed among the Cogent Latent User groups, however, the option has not been seen as providing significant value for latent print comparison. This option can be developed by Cogent Systems, but will require significant development time for coding, engineering, development, testing and installation. Cogent recommends that feasibility studies involving agency and vendor staff be completed before decisions to proceed with developing this option are made. This will ensure that the functionality as desired by the SFPD is understood prior to development. The level of complexity for this effort is medium
<mark>385.</mark>	1/2	The workstation shall save the characteristics of each latent submitted along with the ID of the operator who created the data, date of creation, and dates of modifications.	D	X		The Cogent COTS ABIS save the listed data as well as other data for audit trail purposes.
386.	1/2	The workstation shall provide the saved latent data to the SFPD ABIS system	D	X		This is a COTS feature of the proposed Cogent ABIS.
387.	1/2	The Permitted User of a workstation shall be provided the capability to fuse previously saved characteristics into a single set of characteristics	D		X	C – Customization. (?) This desired requirement "fusing saved characteristics into a single set of characteristics" is not clearly understood, therefore, Cogent is not able to determine whether or not this is a COTS feature. Cogent



					recommends that this requirement be the subject of additional discussion during the detail design phase of this project. It appears to be a work flow issue and Cogent is confident that only minor work flow modifications, if any, will be needed to provide this requirement to the SFPD. Cogent 's level of complexity for this effort is Low .
388.	1/2	The Permitted User of a workstation shall be provided the capability to automatically count minutia and indicate to the operator whether it is a "Quality Latent". That is, it has at least n minutia where the default value for n is 14.	D	X	This is a Cogent ABIS COTS capability. The default value for determining "Quality Latents" is a configurable item.
389.	1/2	The n to determine "Quality Latent" shall be system configurable	D	X	As previously noted in #388 above, this is a COTS configurable item.
<mark>390.</mark>	<mark>1/2</mark>	The Permitted User of a workstation shall be provided the capability to compress and decompress images using the WSQ algorithm.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>391.</mark>	1/2	For images captured at 500ppi, the default value for the WSQ compression/decompression ratio shall be 15:1	D	X	The WSQ Compression ratio included in the Cogent ABIS COTS workstation is 15:1.
392.	1/2	For images captured at 500ppi, the default value for the WSQ compression/decompression ratio shall be system configurable	D	X	While the Cogent COTS Workstation technically complies with this requirement for compression of images (may not be greater than 15:1), the decompression of images cannot be configurable as that is dependant on the ratio used at time of compression.
393.	1/2	For images captured at 500ppi, the system shall provide the capability to allow Permitted Users to select any valid WSQ compression or decompression ratio	D	X	The Cogent COTS Workstation allows users to select any valid WSQ compression ratio, however,



39/	1/2	For images captured at 1000ppi, the default value for the JPEG2000	D	X		as stated in the response to requirement #392, decompression of images cannot be configurable as that is dependant on the ratio used at time of compression. The accepted ANSI/NIST industry standard compression ratio is 15:1. This is a COTS feature of the proposed Cogent ABIS.
395.	1/2	compression/decompression ratio shall be 15:1 For images captured at 1000ppi the default value for the JPEG200K compression/decompression ratio shall be system configurable	D	X		Both the FBI and NIST recommend that fingerprint images captured at 1000ppi should be compressed using the JPEG2000 algorithm, which the Cogent COTS ABIS Workstations are configured to do. Cogent Engineers are not aware that JPEG200K is as a valid fingerprint compression algorithm, and suspect that the requirement as stated herein may be a typo error, and that the requirement should correctly list the algorithm as JPEG2000.
396.	1/2	For images captured at 1000ppi the system shall provide the capability to allow Permitted Users to select any valid JPEG2000 compression or decompression ratio	D	X		The Cogent COTS Workstation allows users to select any valid JPEG2000 compression ratio, however, decompression of JPEG2000 images cannot be configurable as that is dependant on the ratio used at time of compression.
<mark>397.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow only Properly Privileged users to change automatically extracted characteristics	D	X		A feature of the Cogent COTS ABIS is the capability for minutia that has been marked to only be



398.	1/2	The workstation shall provide the capability to allow a Permitted User of a workstation to the capability to submit a print for a search against selected prints without manually extracting characteristics	D	X		changed by system authorized users with the specific authority to change or modify previously marked minutis. A COTS feature of the Cogent ABIS being proposed for the SFPD is the ability to set "Auto Minutia Marking". The system then automatically launches a latent search without the need to mark any minutia manually.
<mark>399.</mark>	1/2	The workstation shall provide the capability to search with automatically extracted characteristics when a print is submitted without manual extraction of characteristics or selecting a previously stored set of characteristics	D	X		This is a standard Cogent ABIS COTS capability as described in the aforenoted requirement #398.
400.	1/2	The workstation shall provide the capability to use the currently open set of extracted characteristics when a print is submitted for search	D	X		The Cogent ABIS COTS Workstation automatically uses the extracted characteristics as selected/identified by a latent examiner when processing a latent transaction.
401.	1/2	A Permitted User of a workstation shall be provided the capability to submit latent searches directly to the FBI or other agency	D	X		The ability to submit latent searches directly to other agencies or the FBI is configurable; however, sending latent prints directly to the FBI is currently not permitted by the State.
402.	1/2	A Permitted User of a workstation shall be provided the capability to create "special" search spaces	D		X	M – Modification. The Cogent COTS ABIS provides for the capability to preconfigure "special" search spaces in the ABIS database such as criminal, civilian, age, sex, etc., however, the ability to create search spaces is currently not available to



					"permitted users" or any other Agency personnel. Creating search spaces in the COTS ABIS database must currently be performed by qualified Cogent technicians. The capability as requested can be provided, by a qualified Cogent Technician who would write customized scripts to perform the tasks and provide the necessary documentation. Cogent recommends that feasibility studies involving agency and vendor staff be completed before decisions to proceed with developing this option are made. The total vendor effort in hours to implement this option is estimated to be less than 30 hours. Cogent's level of complexity for this effort is low.
403.	1/2	The workstation shall provide the capability to allow Permitted users to add prints to "special" search spaces	D	X	Once "special" search spaces have been created in the Cogent COTS ABIS database, permitted users will be able to add prints to those special search spaces.
<mark>404.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted users to specify search space	D	X	This option is an available COTS feature of the proposed Cogent ABIS.
<mark>405.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted users to specify finger number	D	X	This option is available to users when opening the "Latent Search Parameter" window.
<mark>406.</mark>	1/2	The workstation shall provide the capability to allow Permitted users to specify if print is a finger or a palm	D	X	When using the Cogent COTS ABIS for latent processing, operators scan the latent they are processing, then save the latent as

					either a finger or palm latent.
	. /0	The workstation shall provide the capability to allow Permitted users to specify	D	X	This capability is provided for in
<mark>407.</mark>	<mark>1/2</mark>	finger position or palm type			the "Latent Search Parameter"
					window of the Cogent COTS
			1	T 7	ABIS.
408.	1/2	The workstation shall provide the capability to allow Permitted users to retrieve	D	X	All data and images may be
400.	1/2	demographics and criminal history of any candidate			retrieved from the ABIS database by authorized users.
		A Permitted User of a workstation shall be provided the capability to get the next	D	X	After confirming a Latent
<mark>409.</mark>	1/2	candidate automatically	<u>υ</u>	Λ	Identification, the next case in the
		curididate dutomatically			queue is automatically provided to
					the user.
		The system shall provide the capability to return the top n candidates to the	D	X	This is a COTS feature of the
<mark>410.</mark>	<mark>1/2</mark>	submitting users results Queue			proposed Cogent ABIS.
		The system shall provide the capability to notify submitters that a search has	D	X	The workstation "Job Status"
<mark>411.</mark>	<mark>1/2</mark>	been completed			view, available on both Tenprint
					Search and Latent Search views,
					displays the transactions in queue
					and the status of each transaction,
					i.e. "Processing", "Database Searching", "Updating Database"
					"Completed", "Wait 4 LT Edit",
					etc.
		The notification shall identify which search has been completed	D	X	This is provided as described in
<mark>412.</mark>	<mark>1/2</mark>	,			the aforementioned response to
					item #411.
		A Permitted User of a workstation shall be provided the capability to display a	D	X	This is a COTS feature of the
<mark>413.</mark>	<mark>1/2</mark>	resulting candidates prints and demographics			proposed Cogent ABIS.
		A Permitted User of a workstation shall be provided the capability to display	D	X	This is a COTS feature of the
<mark>414.</mark>	<mark>1/2</mark>	resulting candidates on a split screen with one screen containing the submitted			proposed Cogent ABIS.
		print		<u>.</u>	TILL COTTO C
415.	1/2	The image shall highlight all characteristics encoded on displayed prints	D	X	This is a COTS feature of the proposed Cogent ABIS.
413.	1/2				proposed Cogent ADIS.

416.	1/2	The image shall indicate all characteristics that matched submission on displayed prints and submission if displayed	D	X		Fingerprint characteristics that are indicated on a print submitted for search (i.e. minutia points) are displayed on corresponding file prints which have been returned to the user for verification. Search print minutiae that match file print minutia are displayed in a contrasting color.
417.	1/2	A Permitted User of a workstation shall be provided the capability to overlay submitted image over candidate image and recognize each	D		X	M – Modification. This desired functionality is currently not available in the Cogent ABIS, primarily because current Cogent ABIS user agencies have not previously requested this option as a tool or option to use for latent image processing. The option of overlaying latent images with file images has been previously discussed among the Cogent Latent User groups, however, the option has not been seen as providing significant value for latent print comparison. This option can be developed by Cogent Systems, but will require significant development time for coding, engineering, development, testing and installation. Cogent recommends that feasibility studies involving agency and vendor staff be completed before decisions to proceed with developing this option are made. It is estimated that the total effort



418.	1/2	A Permitted User of a workstation shall be provided the capability to indicate a candidate is a match	D	X	to provide this will require a total of 80 hours. Cogent 's level of complexity for this effort is Medium . This is a COTS feature of the proposed Cogent ABIS.
<mark>419.</mark>	1/2	The system shall provide the capability to send submission and match to Verification Queue	D	X	This Cogent ABIS COTS capability is currently being used by the Los Angeles County AFIS for LAPD latent verifications as well as the RCMP.
420.	1/2	A Permitted User of a workstation shall be provided the capability of printing images and data with a resolution of 1000dpi	D	X	Images captured at 1000ppi or greater, and/or datababase images which are 1000ppi can be printed with resolution of 1000ppi.
<mark>421.</mark>	1/2	A Permitted User of a workstation shall be provided the capability of creating latent characteristics matching charts to present images for submission and explanation in court	D	X	The capabilities described are all available as COTS features of the proposed Cogent ABIS.
<mark>422.</mark>	<mark>1/2</mark>	A Permitted User of a workstation shall be provided the capability of displaying any image at the size of the original image	D	X	This is a COTS feature of the proposed Cogent ABIS.
423.	1/2	The Identification Technician\Latent Print Examiner shall be able to save a transaction in the state one was working on it	D	X	Transactions can be saved in two configurable modes. They can be locked so that only the user saving the transaction can open them, or be saved so that any authorized user can open the transaction and continue working on it.
<mark>424.</mark>	1/2	The Identification Technician\Latent Print Examiner shall be able to view biographic data and image for the subjects of input transactions and for search candidates.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>425.</mark>	1/2	The Identification Technician\Latent Print Examiner shall be able to search for a specific transaction by SF#	D	X	Cogent ABIS users are able to search for specific tansaction by agency number in both the transaction queue and/or the ABIS



					database.
426.	1/2	The Identification Technician shall be able to view reasons that a transaction was sent for post encoding review. These reasons shall include, but not be limited to: Pattern mismatch, poor coder scores, plain image segmentation errors, sequence errors, and prior Identification Technicians' selected reasons. Reasons shall be as specific as possible.	D	X	The Cogent ABIS COTS workflow enables users who forward a transaction for post encoding review to specify, in free form or from a pull down menu, the reason for the transaction having been forwarded and ID Technicians receiving the forwarded transaction are able to read the reason for the forward.
427.	1/2	The Identification Technician shall have the ability to move plain image segmentation boxes and re-launch a sequence check once this has been done.	D	X	Using the Cogent ABIS COTS workflow, ID Technicians are able to cut and paste images. Once the cut and paste has been saved the ABIS automatically relaunches the transaction and completes all quality checks including sequence checks.
<mark>428.</mark>	1/2	The system shall display all 14 images (ten rolls and four plain boxes) at the initial acquisition screen, when applicable.	D	X	This is a COTS feature of the proposed Cogent ABIS.
429.	1/2	Segmentation boxes shall be displayed based on the systems best attempt at segmentation. Identification Technicians shall have the ability to move and/or rotate all segmentation boxes and to resize the plain image boxes, when applicable.	D	X	These capabilities are COTS features of the proposed Cogent ABIS.
<mark>430.</mark>	1/2	The Identification Technicians shall have the ability to input fingerprint patterns and visual quality assessments throughout the acquisition process.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>431.</mark>	1/2	The Identification Technicians shall have the ability to send a transaction to an "acquisition supervisor queue" with a required selected reason. The reasons will be provided in a list from SFPD.	D	X	The Cogent ABIS COTS workflow enables users who forward a transaction for review to specify, in free form or from a pull down menu, the reason for the transaction having been forwarded and ID Technicians receiving the forwarded transaction are able to



						ead the reason for the forward.
432.	1/2	Identification Technicians have the same functionality from the "acquisition supervisor queue" as the acquisition examination queue.	D	X		The Cogent COTS ABIS provides configurable acquisition options which comply with this request.
433.	1/2	The Identification Technicians shall have the option to view specific biographic data on a separate screen. These fields shall include but not be limited to: TCN, image override indicators from contributors, Contributor ORI, Date Received, Name, Date of Birth, Sex, Resubmission Indicator, Signature image.	D	X	t t c	Using the Cogent COTS ABIS workstation ID Technicians have the option of viewing the entire biographic record (like the RCMP) or a portion of the record (like the LASD). The option is configurable.
<mark>434.</mark>	<mark>1/2</mark>	The Latent Print Examiner shall have the option to view specific data. These fields shall include but not be limited to: Case Identifier and Original Latent Print Examiner ID.	D	X		Viewing the described data as well as other data fields used for Latent Case definition is available for viewing by a Latent Print Examiner.
435.	1/2	Latent Examiners shall have the ability to view all or selected portions of a Latent print.	M	X	1 I I I I I	This is a COTS feature of the proposed Cogent ABIS.
<mark>436.</mark>		Latent Examiners shall have 360 degree image orientation capability.	M	X		While 180 degrees is the default setting for most currently installed Cogent ABIS's, the system can be configured to perform a 360 degree search.
	Priorit					
437. 438.	_	The system shall provide the capability for the users to set priorities on print searches. The system shall provide the capability to prioritize all print searches with a prioritization of the system.	M M	X		This capability is a COTS feature of the proposed Cogent ABIS. The capability to prioritize all print
430.	<u>1</u>	priority that has a minimum numerical range of from 1-10				earches is provided in the Cogent ABIS COTS workstation "Print Process" window, which allows

					users to enter numberical ranges as defined.
<mark>439.</mark>	1/2	The system shall provide the capability to permit the following types of searches to have priorities: latent search, civil/applicant search, authentication search, and criminal search. (A single priority field may be used for all priorities if the system can allow the user the capability and flexibility to set the individual priorities independent of the general priority and to be able to have an individual priority greater than or equal to other print priorities in system at that time).	M	X	The Cogent COTS ABIS workstation allows users the capability and flexibility to set individual priorities as defined in the requirement.
440.	1/2	The system shall provide the capability to provide priority for FBI latent submission.	M	X	Cogent was the first commercial manufacturer to fully embrace the FBI data format standards that are the basis of the ULW. Cogent understands and complies with the FBI standards and requirements for setting latent priorities which are currently limited to three settings in the ULW. Cogent's priority settings are configurable with a default of one through ten and are set while the user is working in the Cogent COTS "Latent Search Parameters" window. The FBI ULW priority is set once the transaction has been exported to the ULW software via the "Ready to Insert" window, running on the Cogent COTS workstation. At that time the option to select one of the three priority settings permitted by the FBI are offered to the user.
441.	1/2	The FBI Latent priority shall not be the same field as Search Priority.	M	X	As explained in the answer to requirement #440 above, Cogent complies with this requirement by offering configurable Cogent



442.	1/2	This FBI Latent priority shall comply with the FBI standards for latent Priority.	M	X	COTS priority settings, and separate and different FBI ULW compliant priority settings. The Cogent ABIS COTS workstation includes the FBI
142.	1,2				ULW software as COTS. Cogent complies with the current FBI priority standards as explained in the answer to requirement #440 (above). Should the standard be changed by the FBI in the future, Cogent will provide the necessary upgrades/changes to the SFPD without cost.
<mark>443.</mark>	1/2	The system shall provide the capability to prioritize all batches of print searches with a single priority which has a minimum numerical range from 1 to 10	M	X	This capability is a COTS feature of the proposed Cogent ABIS.
<mark>444.</mark>	1/2	The system shall select the next print to search based upon its priority and the oldest time of arrival	M	X	This is the default work flow for both Tenprint and Latent Print searches provided with the Cogent COTS Workstation.
445.	1/2	The system shall provide the capability for Permitted Users to set priorities on print searches.	M	X	This is a COTS feature that is accomplished by the user entering a value into an on-screen window and a simple mouse click or key stroke.
<mark>446.</mark>	1/2	The system shall provide the capability for the default values of the priority field to be system configurable	D	X	This capability is a COTS feature of the proposed Cogent ABIS as a configurable item.
<mark>447.</mark>	AII	The system shall provide the capability for Permitted Users to modify the default values of Priority	D	X	This is currenly provided in the COTS workstation and usually reserved for senior level Permitted Users, Supervisors or Administrators.
<mark>448.</mark>	AII	The AFIS Administrator/Permitted User shall be capable of extending individual users the privilege of setting the priority field for searches	D	X	Extending the privilege of setting



449.	All	Permitted Users may set the priorities available to individual users i.e. the range permitted for one user may be different from another	D	X	an individual users search priorities is a COTS feature provided through Cogent's Account Manager Setting priorities for individual users different from one another is easily accomplished in the COTS Account Manager.
<mark>450.</mark>	1/2	If the priority is not set for a print search, the system shall search the print at the lowest priority and prioritized by time of arrival	D	X	This is a configurable feature that can be set to search at the lowest priority or some other default priority setting in the Cogent COTS workstation.
<mark>451.</mark>	1/2	The system shall provide the capability to independently prioritize latent prints with an AFIS search priority that has a minimum numerical range from 1 to 50. The range shall be configurable by the AFIS Administrator. This priority shall be independent of the priority for other types of print searches. (A single priority field may be used for latent and other prints if system can allow the user the capability to set the latent priority independent of the general priority and to be able to have latent priority greater than or equal to other print priorities.)	D	X	The Cogent COTS ABIS workstation allows users the capability and flexibility to set individual priorities as described in the aforenoted response to requirement #445.
<mark>452.</mark>	1/2	The system shall provide the capability to independently prioritize civil/applicant prints with a priority that has a minimum numerical range from 1 to 10. (As in the case of other priorities, a single priority field may be used for applicant and other prints if system can allow the user the capability to set the applicant priority independent of the general priority and to be able to have applicant priority greater than or equal to other print priorities running at that time.)	D	X	The Cogent COTS ABIS workstation allows users the capability and flexibility to set individual priorities as described in the aforenoted response to requirement #445. The capability is provided for civil/applicant prints as well as Tenprint and Latent transactions.
<mark>453.</mark>	1/2	The system shall provide the capability to independently prioritize criminal 10print prints with a priority that has a minimum numerical range from 1 to 20. (As in the case of other priorities, a single priority field may be used for criminal and other prints if system can allow the user the capability to set the criminal priority independent of the general priority and to be able to have criminal priority greater than or equal to other print priorities running at that time)	D	X	The Cogent ABIS COTS workstation provides users the capability to prioritize criminal Tenprint transactions as described in the requirement. The numerical range is a configurable setting.



454. 455.	1/2	The system shall provide the capability to independently prioritize authentication prints with a priority that has a minimum numerical range from 1 to 5. (As in the case of other priorities, single priority field may be used for authentication and other prints if system can allow the user the capability to set the authentication priority independent of the general priority and to be able to have authentication priority greater than or equal to other print priorities running at that time) The system shall provide the capability to independently prioritize the following classes of prints for searching as a class:	D	X		The Cogent ABIS COTS workstation provides users the capability to prioritize criminal Tenprint transactions as described in the requirement. The numerical range is a configurable setting. This desired requirement is incomplete as stated and appears to be a part of the following requirement, number 456.
456.	1/2	latent search, civil/applicant search, authentication search, training and criminal search.	D	X		The Cogent ABIS COTS workstation provides users the capability to independently prioritize the search transactions as defined when combining #455 and 456 as a single requirement.
<mark>457.</mark>	1/2	The system shall provide the capability for the AFIS Administrator/Permitted User to change the priority of those prints or batches that are in the In process Queues	D	X		Managing Transaction settings, including priority settings, are accomplished from the "Print Process" window, and achieved by merely clicking on the transaction to be changed and entering a new priority or other setting.
<mark>458.</mark>	1/2	The system shall provide the capability for the AFIS Administrator/Permitted User to change only the priority of those prints or batches that are in the In process Queues	D	X		This capability is a COTS feature of the proposed Cogent ABIS as a configurable item, based on permissions of the Administrator and/or permitted user.
<mark>459.</mark>	1/2 Work	The system shall provide the capability to independently prioritize Training prints with a priority that has a minimum numerical range from 1 to 5. (As in the case of other priorities, single priority field may be used for Training and other prints) flow	D	X		This capability is a COTS feature of the proposed Cogent ABIS.
<mark>460.</mark>	All	The system shall provide the capability to automatically manage workflow	M	X		The Cogent COTS ABIS has default workflows which are configurable. The workflow for

		The system shall provide the capability of running searches unattended and	M	X	SFPD will be customized during the detail design phase of the project. Once implemented, the workflows are automatically managed by the System. This is a COTS feature of the
<mark>461.</mark>	All	<mark>automatically</mark>			proposed Cogent ABIS.
462.	AII	The system shall provide the capability to automatically extract characteristics from rolled images	M	X	This is a Cogent ABIS COTS capability. Once a tenprint transaction is entered either by scanner or livescan submission, the characteristics (minutia) are automatically extracted from the rolled images.
<mark>463.</mark>	All	The system shall provide the capability to automatically extract characteristics from flat images	M	X	This is a Cogent ABIS COTS capability. Once a tenprint transaction is entered either by scanner or livescan submission, the characteristics (minutia) are automatically extracted from the flats images.
<mark>464.</mark>	All	The system shall provide the capability to automatically extract characteristics from palm images	M	X	This is a Cogent ABIS COTS capability. Once a palm print transaction is entered either by scanner or livescan submission, the characteristics (minutia) are automatically extracted from the palm print images.
<mark>465.</mark>	AII	The system shall provide the capability to automatically store characteristics from rolled images	M	X	Characteristics extracted from rolled images are automatically saved in the transaction file at the time the transaction is enrolled in the database. This is a Cogent COTS ABIS capability.



<mark>466.</mark>	All	The system shall provide the capability to automatically store characteristics from flat images The system shall provide the capability to automatically store characteristics from	M	X	Characteristics extracted from flats images are automatically saved in the transaction file at the time the transaction is enrolled in the database. This is a Cogent COTS ABIS capability. Characteristics extracted from
<mark>467.</mark>	All	palm images			palm print images are automatically saved in the transaction file at the time the transaction is enrolled in the database. This is a Cogent COTS ABIS capability.
468.	All	The system shall provide the capability to automatically submit Tenprint searches	M	X	Once the automatic characteristics extraction, quality check, and sequence check for tenprint transactions have been completed, the Cogent ABIS COTS workflow automatically initiates search of the database.
<mark>469.</mark>	All	The system shall provide the capability to automatically determine the number of prints from one subject to use for a search	M	X	The Cogent COTS ABIS automatically selects the best quality images for searching tenprint transactions, typically four fingers for a tenprint identification search and two fingers for rapid (mobile) identification searches.
<mark>470.</mark>	AII	The system shall provide the capability to automatically determine which prints from one subject to use for a search	M	X	The Cogent COTS ABIS automatically selects the best quality images for searching tenprint transactions, typically four fingers for a tenprint identification search and two fingers for a rapid (mobile) identification searches

	1				
4=4		The system shall provide the capability to automatically determine the order in	M	X	This is a COTS feature of the
<mark>471.</mark>	AII	which to search a subjects prints			proposed Cogent ABIS, and does
					not require any operator
					intervention.
		The system shall provide the capability to automatically move print to the next	M	X	This is a COTS feature of the
<mark>472.</mark>	All	stage of processing			proposed Cogent ABIS, not
					requiring any operator intervention
					once the images and data have
					passed the quality control phase of
					the work flow.
		The system shall provide the capability to automatically include all associated	M	X	All associated items, including
<mark>473.</mark>	All	items necessary for the next stage processing of the print			extracted characteristics, become a
		. ,			component of each individual
					transaction and move to each
					successive stage of the work flow
		The second of th	_	T 7	process.
<mark>474.</mark>	All	The system shall provide the capability to automatically skip the verification stage	D	X	One of the major goals of this
4/4.	All	of processing for prints identified as autoident			ABIS initiative is to establish a
					tenprint identification environment
					in which substantially all incoming
					tenprint transactions can be
					searched without manual
					intervention, including
					automatically skipping the
					verification stage for prints
					identified as "autohit". Cogent's
					capability to provide highly
					accurate, lights out tenprint
					identification, was proven in the
					acceptance test for the Royal
					Canadian Mounted Police Real
					Time ID (RTID) system, where
					the Cogent system scored the
					highest accuracy acceptance test
					results possible (100%).
<u> </u>					results possible (100%).



<mark>475.</mark>	AII	The system shall provide the capability to automatically skip the verification stage of processing when the system is in autoident mode	D	X		This is a COTS feature of the proposed Cogent ABIS; please refer to the detailed response to the aforenoted requirement number 474 for additional details.
<mark>476.</mark>	All	The system shall provide the capability to automatically allow training prints submitted for search to search on the training search space	D	X		The Cogent COTS workflows are configurable; therefore, the work flow for training transactions (inclduing prints) will automatically be submitted to the "training search space" in the ABIS database.
<mark>477.</mark>	All	The system shall provide the capability to automatically prevent training prints submitted for search to search on non training search spaces	D	X		The ability to prevent searches of specific "search spaces" within the ABIS is a configurable feature of COTS and will be provided as requested herein.
<mark>478.</mark>	AII	The system shall provide the capability to automatically search the next preferred Search space until either a match is found or the entire criminal submission search space has been searched if the selected search space does not yield a match	D	X		This is a configurable COTS capability which will be refined during the detailed design phase of the project. At that time all SFPD work flow requirements will be incorporated in the ABIS design.
479.	All	The system shall provide the capability to determine whether a print has been submitted for search	M	X		The status of each transaction being processed by the Cogent COTS ABIS is displayed for users in an onscreen window; this includes the status of when a print has been submitted to the ABIS for search.
<mark>480.</mark>	AII	The system shall provide the capability to determine whether a submitted print has begun the search process	D	X		The status of each transaction being processed by the Cogent COTS ABIS is displayed for users in an onscreen window; this includes the status of when a print



					has begun the search process in the ABIS.
481.	All	The system shall provide the capability to determine whether a submitted print has completed its search process	M	X	The status of each transaction being processed by the Cogent COTS ABIS is displayed for users in an onscreen window; this includes the status of when a print has completed the search process in the ABIS.
482.	All	The system shall provide the capability to determine whether a print has been submitted for Verification	M	X	The status of each transaction being processed by the Cogent COTS ABIS is displayed for users in an onscreen window; this includes the status of when a print has been submitted for verification in the ABIS.
483.	All	The system shall provide the capability to determine whether a submitted print has begun the Verification process	M	X	The status of transactions, including those requiring verification, can be viewed as described in the aforementioned responses to requirements #479-482.
<mark>484.</mark>	All	The system shall provide the capability to determine whether a submitted print has completed its Verification process	M	X	The status of transactions, including those that have completed verification, can be viewed as described in the aforementioned responses to requirements #479-482.
<mark>485.</mark>	AII	The system shall provide the capability to report to Permitted Users which of the six stages (submitted, begun search, completed search, submitted to verification, begun verification, or completed verification) a submission is in	D	X	The Cogent ABIS Workstation COTS job status messages provide the requested stages and several additional stages. The COTS Job Status Messages are as follows; Processing, Database Searching,



						TP/Wait 4 Verify, UL/Wait 4 Verify, PL/Wait 4 Verify, Inserting Sib (flats), Updating Database, Update Completed, and Completed.
<mark>486.</mark>	AII	The system shall provide the capability to search prints automatically against full specified (default or Permitted User specified) search space	M	X		The Cogent COTS ABIS proposed for the SFPD features 100% database penetration for tenprint, latent, and palm print searches. As with systems previously developed for law enforcement agencies around the world, the ABIS work flow will be configurable so that certain specified or user defined searches can be limited to specific search spaces.
487.	AII	The system shall provide the capability to control the submissions to the matchers to balance the load such that the average load over 20 minutes on a search engine segment is not greater than 50% of load on other segments	D	X		Cogent provides more flexibility than any biometric identification technology supplier when it comes to the design of large scale biometric identification systems. All of our matchers run in a Linux or Unix environment, are platform-independent, and provide unlimited scalability.
488.	All	The system shall provide the capability to allow permitted users to determine/set which fingers will be used for tenprint searching	D	X		While the Cogent ABIS COTS workflow automatically selects the best quality images for searching, the system can be configured to allow user determined fingers to be searched.
<mark>489.</mark>	All	The system shall provide the capability to allow Permitted Users to move work in Users' Work Queues to other Users' Work Queues	D	X		This is a Cogent ABIS COTS functionality that is usually reserved for users with supervisory or trainor permissions.



<mark>490.</mark>	All	The system shall provide the capability to allow Permitted Users to specify which type of print (civil/applicant or criminal) shall be processed without verification	D	X		This is a configurable COTS feature of the proposed Cogent ABIS.
491.	AII	The system shall provide the capability to allow Permitted Users to specify a percentage of fingerprints/fingerprint types that may be processed without verification	D		X	C – Customization. This feature is currently not available and will require modifications to existing COTS tables and Work Flows. Providing this feature will be accomplished by Cogent Technicians. It is estimated that this effort will require approximately 20 hours to complete. The level of complexity for this effort is Low.
492.	All	The system shall provide the capability to automatically indicate which prints need verification based upon a percentage of fingerprints/fingerprint types that may be processed without verification	D		X	C – Customization. As noted in the response to requirement #491, which is related to this requirement, this feature is currently not available, but will be provided to the SFPD. The modifications needed to provide this requirement are included in the estimate for the aforementioned response. Cogent's level of complexity for this effort is Low.
<mark>493.</mark>	All	The system shall provide the capability to automatically forward notifications and messages to designated individuals currently logged into the system	D	X		The ability to provide and/or forward specific messages as described herein is provided for in the Cogent COTS Active Directory.
<mark>494.</mark>	All	The system shall provide the capability to automatically queue notifications and messages to designated individuals currently not logged into the	D	X		This capability is a configurable feature of the Cogent COTS Active Directory.

495. 496.		The system shall provide the capability to locate work in progress based on System ID number or Subject name, DOB, sex The system shall provide the capability to provide the ability for Permitted Users to view any work in progress	D	X	Transactions in the "Work In Progress" cueue may be located by any of the requested identifiers as a COTS function of the Cogent ABIS Workstation. This is a COTS feature of the proposed Cogent ABIS.
497.		The system shall provide the capability to provide the ability for Permitted Users to view the complete history of a work item including but not limited to: the date of arrival of the work item, all individuals who worked on the item, their role, the task they performed, their Service, the start and end time the item was assigned to them, the total actual time spent working on the item, the status changes of the work item and their associated dates and time	D	X	The complete history of a transaction, including the stages described, is currently logged by the Cogent COTS ABIS for audit trail purposes, and can be viewed, or included in reports, requested by permitted users.
<mark>498.</mark>	AII	The system shall provide the capability to direct all errors to an error resolution workstation	D	X	This capability is a COTS feature of the proposed Cogent ABIS Error and/or problem resolution is provided for transactions in either (or both) the pre-processing and post-processing stages.
499.	All	The system shall provide the capability to automatically deliver information requested by Permitted Users directly to the user	D	X	This capability is a COTS feature of the proposed Cogent ABIS. However, the requirement description needs additional clarification prior to system work flow designs. Since the capability to provide information to permitted user is configurable, these clarifications can be provided during the detail design phase of this project.

Search Spaces

This section deals with that portion of the print database that is searchable and under what conditions. A search space is a general term independent of how data is stored, organized etc. That is the reason the section uses the term search space rather than a more concrete term. It details what can be in a search space, how it can be subdivided, who can operate with it and under what conditions.

	Gener	ral			
500.		The system shall provide the capability to allow multiple search spaces The system shall provide the capability to allow individual search spaces to be joined by the equivalent of database Union or Join	M D	X	The Cogent COTS ABIS proposed for the SFPD features 100% database penetration for tenprint, latent, and palm print searches. As with systems previously developed for law enforcement agencies around the world, the database will be configurable to allow for multiple search spaces. The Cogent COTS workflow allows for incoming transaction to be searched against any one, or any combination of all search spaces. The capability to allow individual search spaces to be combined as an SQL JOIN clause is currently available as a COTS feature of the Cogent ABIS. The workstation search result will be a combined result of each individual search space result. The logic applied is similar to database union or join. Depending on the required candidate list size, the combined
502.	AII	The data in the search space shall consist of the characteristics or features necessary to perform a print search along with a pointer/key to the remaining images and data associated with the print	D	X	result may not be able to include all the individual search space results. This issue needs additional discussion with SFPD staff during the Detail Design phase of the project. This is a COTS feature of the proposed Cogent ABIS.

503.	All		D	X		This capability is available as a Cogent Cots component, however Cogent strongly suggests the SFPD not choose this option since the option will affect the overall system accuracy, and recommends that the feasibility of this requirement be discussed by SFPD staff and Cogent technicians during the Detail Design phase of this project. As previously noted, the Cogent COTS ABIS supports 100% penetration and does so meeting SFPD's response requirements.
<mark>504.</mark>	1/2/ 3	The system shall provide the capability to allow for a Criminal search space	D	X		The Cogent COTS ABIS allows for the creation of a Criminal search space as a configurable item.
505.	1/2/ 3	The system shall provide the capability to allow the criminal search space to be composed of subsets each of which shall be a separate search space	D		X	M – Modification. In principle the Cogent COTS ABIS supports this feature, hoever, creating subsets, as defined in requirement #506, within the criminal search space will require customization to the COTS work flow as well as custom code development. The requirements as described in requirements #505 and #506 will be developed simultaneously by qualified Cogent engineers and technicians. As previously noted, this effort will require approximately 1 week for



506.	1/2/ 3	The system shall provide the capability to allow the following subsets of the criminal search space • rolled prints of each finger • flat prints of each finger • composite prints of each finger • flat palms of each hand • palm edges of each hand	D		X	completion and testing. The level of complexity for this effort is Medium . M – Modification. Although the Cogent COTS workflow currently stores rolled and flats prints of each finger together for each finger, the work flow as described in the desired requirement herein will be included in the ABIS proposed for the SFPD. Providing the capability as desried will be a moderately difficult task. Please refer to the comments provided for requirement #505 above. Cogent 's level of complexity for
						this effort is Medium .
	Unsol	ved Latent Files				
<mark>507.</mark>	1/2	The system shall provide the capability to allow for a ULF search space	D	X		The Cogent COTS ABIS provides for an "Unsolved Latent File" search space.
508.	1/2	The system shall provide the capability to allow the ULF search space to be composed of subsets each of which shall be a separate search space	D	X		The Cogent COTS ABIS Latent search space includes a search space for unsolved latents (ULF), and is configurable to allow for the creation of subset.
509.	1/2	The system shall provide the capability to allow the following subsets of the ULF search space • Quality latents • Nonquality latents	D	X		As previously noted, the Cogent COTS ABIS Latent search space is configurable and will allow for search spaces for "Quality Latents" and "Nonquality Latents".
<mark>510.</mark>	1/2	The system shall provide the capability to delimit ULF search spaces by Latent case ID	D	X		This capability is a COTS feature of the proposed Cogent ABIS.

	Civil/	Applicant						
<mark>511.</mark>	1/2	The system shall provide the capability to allow for a Civil/Applicant search space	D	X			The Cogent COTS ABIS provides for a "Civil/Applicant" search space.	
512.	1/2	The system shall provide the capability to allow the Civil/Applicant search space to be composed of subsets each of which shall be a separate search space	D	X			The Cogent COTS ABIS provides the capability to allow Civil/Applicant search spaces with subsets as defined in the requriement.	
513.	1/2	The system shall provide the capability to allow the following subsets of the Civil/Applicant search space • rolled prints of each finger • flat prints of each finger	D		X		M – Modification. Although the Cogent COTS workflow currently stores rolled and flats prints of each finger together for each finger, the work flow as described in the desired requirement will be included in the ABIS proposed for the SFPD. Providing the capability will be a moderately difficult task and will be completed by a qualified Cogent Techncian. Please refer to the comments provided for requirement #505 above. Cogent's level of complexity for this effort is Medium.	
		entication						
	Authentication typically deals with comparing a search print against a known print to determine if they are the same subject in a lights out scenario. In a small search space, it may just ask to compare the print against all the subjects in the space and determine if it is an ident in a lights out mode. This is often done to authenticate a user for logon, allow access to a building etc.							
514.	1/2	The system shall provide the capability to allow for multiple Authentication search spaces	M	X			Multiple Authentication Search Spaces are included in the Cogent COTS ABIS. As a provider of biometric access control devices through its "Smart Gate" product line, Cogent System has	



515.	1/2	The system shall provide the capability for the User to be able to specify a maximum of 50 Authentication search spaces	D	X	considerable experience with "Authentication Search" spaces. Smart Gate technology provides 1:1 and 1:N single and multiple finger identity verification. The number of "Authentication Search Spaces" available is a configurable number and can easily be limited to a maximum of 50 spaces.
<mark>516.</mark>	<mark>1/2</mark>	The system shall provide the capability for each Authentication search space to be composed of 1-n flat/rolled prints	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>517.</mark>	<mark>1/2</mark>	The default value for n is configurable	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>518.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to specify n	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>519.</mark>	<mark>1/2</mark>	The system shall provide the capability to prevent non Permitted Users from specifying n	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>520.</mark>	<mark>1/2</mark>	The default specification of which finger/fingers to allow for an Authentication search space is configurable	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>521.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to specify which finger/fingers are to be allowed for an Authentication search space	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>522.</mark>	<mark>1/2</mark>	The system shall provide the capability to prevent non Permitted Users from specifying which finger/fingers are to be allowed for an Authentication search space	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>523.</mark>	1/2	The system shall provide the capability to allow each Authentication search Space that is not included in existing criminal or civil search spaces to contain a maximum of 1000 subjects' prints.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>524.</mark>	1/2	The system shall provide the capability for AFIS Administrator/Permitted Users to display a list of the Authentication search spaces	D	X	The search spaces which make up the Cogent ABIS database are available for display to permitted users as requested.
<mark>525.</mark>	1/2	The system shall provide the capability for AFIS Administrator/Permitted Users to display a list of the ID/subject name, DOB of all subjects prints in a search space	D	X	The information requested for display is available in the log files



<mark>526.</mark>	1/2	The system shall provide the capability to prevent the addition of duplicate sets of prints for a subject with the same ID/subject name, DOB	D	X	maintained by the Cogent COTS ABIS and therefore capable of beind displayed to Permitted Users. This is a standard requirement for biometric access control devices. Cogent's "Smart Gate" biometric fingerprint technology provides the capability desired as a COTS component.
527.	1/2	The workstation shall include a Livescan device/devices that has the capability to collect one or more rolled/flat fingerprints	D	X	Rolled or flats fingerprints used to enroll a person in the "Authentication Search Space" may be captured on any one of Cogent's single or multi-finger scanners like the CSD 200, CSD330,CSD 450 or CSD 500e in conjunction with the COTS ABIS Workstations. In addition, llivescan devices like the CLS1 or CSL1 Lite-X may be used to enroll a person into the "Authentication Search Space".
<mark>528.</mark>	<mark>1/2/</mark> 8	The Livescan device shall collect images at a minimum of 500dpi	D	X	All devices listed in the response to requirement #527, above, have a minmum rsolution of 500dpi.
<mark>529.</mark>	1/2/ 8	The workstation shall provide the capability to operate in an enrollment mode and an authentication mode	D	X	Cogent's Smart Gate technology provides for this capability through the use of the Cogent finger scnner devices.
<mark>530.</mark>	1/2	The default mode of a workstation shall be configurable	D	X	The default mode for a workstation with a finger scanning device may be set to either capture or authentication mode.



531.	1/2	The workstation shall provide the capability to allow Permitted Users to set the mode of the workstation The workstation shall provide the capability to perform enrollment when in	D D	X		The default mode for a workstation with a finger scanning device may be set to either capture or authentication mode. This configurable feature is a COTS
<mark>532.</mark>	,	enrollment mode				feature of the proposed Cogent ABIS.
533.	<u>1/2</u>	The workstation shall provide the capability to automatically add prints to a specific search space in enrollment mode	D	X		The Cogent ABIS Workstation COTS capability provides for "Authentication" prints to be enrolled automatically once they have passed the system Quality Check.
<mark>534.</mark>	1/2	The workstation default search space shall be configurable	D	X		Cogent COTS ABIS Workstations have multi-use capability. The same workstation used for Tenprint processing is used for Latent and Palm print processing as well as Authentication enrollment.
<mark>535.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to perform automatic authentication when in authentication mode	D	X		This capability is a COTS feature of the proposed Cogent ABIS.
<mark>536.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to automatically search a specified search space when in authenticate mode	D	X		This capability is a COTS feature of the proposed Cogent ABIS.
<mark>537.</mark>	1/2	The workstation shall provide the capability to automatically include the priority with the search print	D	X		This configurable feature is a COTS feature of the proposed Cogent ABIS.
<mark>538.</mark>	1/2	The workstation shall provide the capability to include the stored search priority if user does not provide a priority	D	X		Cogent ABIS COTS Workstations can be configured so that searches are performed at a default priority if a specific priority is not associated with the search
<mark>539.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to store the search priority locally	D	X		The capability to store search priorities is stored and displayed on the Cogent ABIS Workstations.



<mark>540.</mark>	1/2	The workstation shall provide the capability to allow Permitted Users to specify priority for a specific print	D	X	This is configurable feature is a component of the Cogent COTS ABIS
541.	1/2	The workstation shall provide the capability to display priorities available to the Permitted User	D	X	Search priorities available to Permitted users are displayed in an on-screen window on the Cogent COTS workstation.
<mark>542.</mark>	<u>1/2</u>	The default search priority of a workstation shall be configurable	D	X	Search priorities are generally associated with specific transactions, however, a work station can be configured so that all transactions processed on that workstation have a default priority.
<mark>543.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted Users to specify a search space	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>544.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to allow Permitted Users to add prints to a search space	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>545.</mark>	<mark>1/2</mark>	The workstation shall provide the capability to prevent the addition of prints unless in enrollment mode or requested by a Permitted User	D	X	This is a COTS feature of the proposed Cogent ABIS.
546.	<mark>1/2</mark>	The system shall provide the capability to set workstation to "authenticate only" mode	D	X	The ability to set a Cogent ABIS Workstation to "authenticate only" mode is a COTS capability similar to "Verification" mode.
547.	<mark>1/2</mark>	"Authenticate only" mode shall be a configurable item	D	X	Funtionality associated with a Cogent ABIS workstation is configurable.
<mark>548.</mark>	<mark>1/2</mark>	The system shall provide the capability to notify the workstation whether a print is authenticated or not at the conclusion of the authentication search	D	X	All search results are displayed on the Cogent ABIS workstation in the Job Status Queue.
	Specia	al Search Spaces			
<mark>549.</mark>	All	The system shall provide the capability to allow for multiple Special search spaces	D	X	The Cogent COTS ABIS provides for the capability of creating "Special Search Spaces" within the ABIS database.



<u>550.</u>	All	The system shall provide the capability for the User to be able to specify a maximum of 50 Special search spaces	D	X	The Cogent Cots ABIS provides for the creation of a configurable number of search spaces.
<mark>551.</mark>	<mark>1/2</mark>	Each Special search space shall be composed of 1-n flat/rolled prints	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>552.</mark>	1/2	The default value for n shall be configurable	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>553.</mark>	1/2	The system shall provide the capability to allow Permitted Users to specify n	D	X	This is a COTS feature of the proposed Cogent ABIS.
<u>554.</u>	1/2	The system shall provide the capability to prevent non Permitted Users from specifying n	D	X	As with other permissions enabled through the use of Cogent's COTS Account Manager, this capability will be a component of the ABIS being proposed for the SFPD.
<mark>555.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to add prints to Special search spaces	D	X	This is a COTS feature of the proposed Cogent ABIS.
556.	1/2	The system shall provide the capability to prevent Users without proper privilege from adding prints to Special search spaces	D	X	Certain system capabilities can be set as permissive by default, and others restrictive by default as limited or granted by the Cogent COTS Account Manager.
<u>557.</u>	1/2	The system shall provide the capability to allow permission for access to Special search spaces to be granted on individual Special search spaces	D	X	Certain system capabilities can be set as permissive by default, and others restrictive by default as limited or granted by the Cogent COTS Account Manager.
<mark>558.</mark>	1/2	The system shall provide the capability to allow each Special search Space that is not included in existing criminal or civil search spaces to contain a maximum of 10000 subjects' prints.	D	X	This is a configurable COTS feature of the proposed Cogent ABIS.
559.	-	The system shall provide the capability for AFIS Administrator/Permitted Users to display a list of the Special search spaces	D	X	Special Search Spaces are defined for logging purposes and can therefore be displayed as a list to authorized users.
Train					
<mark>560.</mark>	All	The system shall provide the capability to allow for a tenprint training	D	X	This is a configurable COTS feature



		search space			of the proposed Cogent ABIS.
<mark>561.</mark>	All	The system shall provide the capability to allow for a latent training search	D	X	This is a configurable COTS feature
		<mark>space</mark>			of the proposed Cogent ABIS.
<mark>562.</mark>	All	The system shall provide the capability to allow for a image quality training	D	X	This is a configurable COTS feature
		search space			of the proposed Cogent ABIS.
<mark>563.</mark>	All	Each tenprint search space shall be composed of 1-n flat/rolled prints	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>564.</mark>	All	The default value for n is configurable	D	X	During the search process within
					Cogent's COTS ABIS, we can
					filter by various fields such as
					gender, pattern, finger number,
					etc., using the search parameters
					box.
<mark>565.</mark>	<mark>All</mark>	The system shall provide the capability to allow Permitted Users to specify	D	X	The User/Group Manager within
		n e e e e e e e e e e e e e e e e e e e			Cogent's COTS ABIS solution is
					used by system administrators to
					assign specific permissions to
					Permitted Users. From the search
					parameters window, the ability to
					specify "n" will be enabled for
5 66	A 11		<u> </u>	X 7	Permitted Users.
<mark>566.</mark>	All	The system shall provide the capability to prevent non Permitted Users	D	X	The User/Group Manager within
		from specifying n			Cogent's COTS ABIS solution is
					used by system administrators to
					assign specific permissions to Permitted Users. From the search
					parameters window, the ability to
					specify "n" will be disabled for
					non-Permitted Users.
567 .	All	The system shall provide the capability to allow Permitted Users to	D	X	The User/Group Manager within
307.	-Cit	add/delete prints to training search spaces	<mark>U</mark>		Cogent's COTS ABIS solution is
		add/delete prints to training search spaces			used by system administrators to
					assign specific permissions to
					Permitted Users, such as using the
					ABIS to add/delete prints to
			<u> </u>		ADIS to add/defete prints to

568.	All	The system shall provide the capability to prevent Users without proper privilege from adding/deleting prints to training search spaces	D	X		training search spaces. The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to grant specific permissions to Permitted Users and prevent system capabilities for non-Permitted Users. The specific functionalities allotted to each system user will be determined
569.	AII	The system shall provide the capability to allow each Training search Space to contain a maximum of 10000 subjects' prints	D		X	according to SFPD business rules. G – Configuration. Cogent's ABIS database can be partitioned to include a tenprint training search space, sized according to SFPD requirements. This is a minor effort which can be accomplished within by a qualified Cogent Technician. This does not require modification to the Cogent source code. The level of complexity for
570.	AII	The system shall provide capability to prevent the addition of training prints to non training search spaces	D	X		this effort is Low . During system training, upon individual user login, all transactions created will automatically be flagged with a training indicator, based on the user account. Once the transaction has been processed throughout the entire workflow and is ready for enrollment into the database, the ABIS will check the transaction's training indicator, stored within the NIST packet, to determine the proper destination for the record.



generate unique IDs for multiple instances of same subjects prints proposed Cogent ABIS. As long the prints belong to the sa subject and result in a match, system will assign a unique ID the transaction and link multi records per subject through prefix of the subject ID. The pre may be 123, while the suffix n be a single character that advan incrementally with each instan of the same subject's print Cogent delivered the first natio ABIS with the capability to sumultiple records per enrol subject to the RCMP. 573. All The system shall provide the capability to allow Permitted Users to generate same IDs for multiple subjects prints C - Customization. Although this not a current Cogent CO functionality, this requirem would simply entail the addition a new field to a database table a can be accomplished in less the one (1) hour by a qualiff Cogent Technician. This does require modification to the Cog source code. The level complexity for this effort is Low	571. All	The system shall provide the capability to allow Permitted Users to generate IDs and demographics to be associated with a subjects prints	D	X			This is a COTS feature of the proposed Cogent ABIS. Every new transaction will generate a unique ID and entry fields will be available for Permitted Users to enter demographics associated with a subject's prints.
The system shall provide the capability to allow Permitted Users to generate same IDs for multiple subjects prints The system shall provide the capability to allow Permitted Users to generate same IDs for multiple subjects prints The system shall provide the capability to allow Permitted Users to not a current Cogent CO functionality, this requirem would simply entail the addition a new field to a database table a can be accomplished in less the not of the cogent Cogent Technician. This does not complexity for this effort is Low	572. All		D	X			This is a COTS feature of the proposed Cogent ABIS. As long as the prints belong to the same subject and result in a match, the system will assign a unique ID to the transaction and link multiple records per subject through the prefix of the subject ID. The prefix may be 123, while the suffix may be a single character that advances incrementally with each instance of the same subject's prints. Cogent delivered the first national ABIS with the capability to store multiple records per enrolled subject to the RCMP.
15/4 All The vendor shall provide all maintenance enhancement and training of 11 XI 1 1 1 Cogent will provide	573. All			X	2	<u>(</u>	C – Customization. Although this is not a current Cogent COTS functionality, this requirement would simply entail the addition of a new field to a database table and can be accomplished in less than one (1) hour by a qualified Cogent Technician. This does not require modification to the Cogent



575.	AII	SFPD staff for 2 years after SFPD accepts system The system shall provide the capability of allowing training from any workstation	D	X	maintenance, enhancement and training of SFPD staff per the mutually agreed upon provisions of the final contract. This is a COTS feature of the proposed Cogent ABIS. All installed workstations will be capable of performing all system functions. Users will access the appropriate workflow based upon the login information they provide.
576.	AII	The system shall provide the capability to determine that an operator is a trainee by User ID at logon	D	X	This is a COTS feature of the proposed Cogent ABIS. Users will access the appropriate workflow based upon the login information they provide. The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to define operators as trainees.
577.		The system shall provide the capability of providing trainees the full functionality of the workstation class they are privileged to work on	D	X	This is a COTS feature of the proposed Cogent ABIS. All installed workstations will be capable of performing all system functions. Users will access the appropriate workflow based upon the login information they provide. The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to define operators as trainees.
<mark>578.</mark>	All	The system shall provide the capability of limiting access of trainee processing to training search spaces and training prints only	D	X	The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to grant and prevent specific

F70	A11					permissions for trainees. The specific functionalities allotted to each system user will be determined according to SFPD business rules. From the Cogent ABIS query window, the trainee can select the trainee search space from the expandable "tree view" folder structure. This trainee search space would not be visible or accessible for non-trainees.
579.	All	The system shall provide the capability of controlling workflow to ensure that training prints are routed to trainees for a designated process	D	X		The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to grant and prevent specific permissions for trainees. The specific functionalities allotted to each system user will be determined according to SFPD business rules. Users will access the appropriate workflow based upon the login information they provide. In addition, the ABIS transaction processing queue window can be filtered so that only the transactions associated with the trainee are displayed in the queue.
<u>580.</u>		The system shall provide the capability of controlling workflow to stop processing a training print at any process step	D	X		This is a COTS feature of the proposed Cogent ABIS. The system can allow users to stop processing a training print at any process step.
<mark>581.</mark>	All	The system shall provide the capability to allow Permitted Users to specify processing steps allowed for a print	D	X		The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to



					assign specific permissions to Permitted Users, such as specifying the processing steps allowed for a print.
582.	AII	The system shall provide the capability of controlling workflow to ensure that non training prints are prevented from being routed to trainees	D	X	The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to grant and prevent specific permissions for trainees. Users will access the appropriate workflow based upon the login information they provide. When the trainee is logged into the system, the ABIS transaction processing queue window can be filtered so that non-training transactions will not be displayed in the queue. If the trainee attempts to access a non-training print, the system will prevent the trainee from opening the print.
583.	AII	The system shall provide the capability of controlling workflow to allow training prints to search training search spaces	D	X	Cogent's COTS ABIS is capable of distinguishing training prints from non-training prints. During system training, upon individual user login, all transactions created will automatically be flagged with a training indicator, based on the user account. When the training indicator is present, on a training print, the training print will only search the training search space.
584.	All	The system shall provide the capability of controlling workflow to ensure that training prints never search non training search spaces	D	X	Cogent's COTS ABIS is capable of distinguishing training prints from non-training prints. During



						system training, upon individual user login, all transactions created will automatically be flagged with a training indicator, based on the user account. When the training indicator is present, on a training print, the training print will not search the non-training search space.
585.	AII	The system shall provide the capability of controlling workflow to prevent non training prints from searching training search spaces	D	X		Cogent's COTS ABIS is capable of distinguishing training prints from non-training prints. During system training, upon individual user login, all transactions created will automatically be flagged with a training indicator, based on the user account. When the training indicator is not present, on a non-training print, the non-training print will not search the training search space.
586.	AII	The system shall provide the capability to allow Permitted Users to submit training prints as submission prints	D	X		The User/Group Manager within Cogent's COTS ABIS solution is used by system administrators to assign specific permissions to Permitted Users, such as submitting training prints as submission prints.
587.	AII	The vendor shall provide special training on techniques and strategies for entering minutia and any other user input characteristic	D	X		This is part of Cogent's system training, which will be performed by highly qualified trainers with extensive fingerprint experience. Please see Appendix F Draft Training Plan for detailed information on coursework and

					training timelines
	Confi	guration management			
588.		The system shall provide CM for Hardware and software System Environment	D	X	Cogent uses SourceSafe for configuration management control. SourceSafe provides life cycle management and control of software development assets. With integrated version control, automated workspace management, parallel development support, baseline management, and build and release management, SourceSafe provides the capabilities needed to create, update, build, deliver, reuse, and maintain business-critical assets. SourceSafe helps increase productivity through parallel development, reduced build/release cycle times, and increased software reuse.
589.	All	The system shall limit the AFIS Administrators to be the only users capable of setting configurable items	D	X	The ability to limit the setting of any and/or all configurable items to certain designated users is a capability provided by the Cogent COTS ABIS Account Manager. SFPD ABIS Administrators will, by default, be the only users capable of setting configurable items in the ABIS proposed for the SFPD. The Cogent COTS Account Manager, in conjunction with the system log on, uses permissions which are assigned to

		Ilaneous The system shall be capable of processing any type of print search 7 days each	D	X	specific users, so that when they log on to the system, the users are automatically given permission to perform certain tasks, or to be prevented from performing certain other tasks. This is a COTS feature of the
590. 591.	AII AII	week 24 hours per day. The system shall provide the capability to allow Permitted users to select and retrieve the data saved from individual workstations along with date, time, and operator who created data	D	X	proposed Cogent ABIS. A Cogent ABIS Workstation COTS capability allows permitted users to retrieve transaction images and data, including the data defined in the requirement, from individual workstations.
592.	AII	The system shall provide the capability to perform all fingerprint related database operations and searches without error when cardprint images are missing particular prints such as amputations etc.	M	X	This capability is a COTS feature of the proposed Cogent ABIS. However, at least two fingers must be present for a Tenprint system search.
593.	All	The system shall provide the capability to decompress compressed images	M	X	The Cogent COTS ABIS has the capability to decompress images received in a compressed format as long as the compression algorithm and compression ratio comply with industry standards.
<mark>594.</mark>	AII	The system shall provide the capability to request a print that has already been searched to be searched again without reentering data	D	X	This capability is a COTS feature of the proposed Cogent ABIS. Once a user saves changes made to the original transaction, the transaction can be searched again without the need to re-enter any of the demographic data originally entered and saved.



595.	8	The system shall provide the capability to allow Permitted Users to determine/set how many fingers must pass the image quality test before requesting a rescan of the prints at a Livescan device for image quality checking	D	X	This configurable capability is a COTS feature of the proposed Cogent ABIS
<mark>596.</mark>	All	The default value for the number of fingers is configurable	D	X	This configurable capability is a COTS feature of the proposed Cogent ABIS
597.	8	The system shall provide the capability to allow Permitted Users to determine/set which specific fingers must pass the image quality test before requesting a rescan of the prints at a Livescan device for image quality checking	D	X	This configurable capability is a COTS feature of the proposed Cogent ABIS
<mark>598.</mark>	All	The default value for which fingers is configurable	D	X	This configurable capability is a COTS feature of the proposed Cogent ABIS
<mark>599.</mark>	All	The system shall convert and store images in compliance with FBI and NIST image quality standards	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>600.</mark>	All	The system shall assign a unique identifier to each print entering the system	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>601.</mark>	All	The system shall provide the capability to store unknown deceased prints	D	X	This is a COTS feature of the proposed Cogent ABIS.
602.	All	The system shall provide the capability to identify unknown deceased prints as such	D	X	Identifying persons associated with Tenprint transactions is a configurable capability in the Cogent COTS ABIS.
<mark>603.</mark>	All	The system shall provide the capability to group any set of searches into batches that can be tracked as an entity	D	X	This is a COTS feature of the proposed Cogent ABIS, and is used primarily in latent processing.
604.	All	The system shall provide the capability to send a notification to the submitter when one of the prints in a batch has begun search processing.	D	X	System users are notified of the status of individual and batch transactions in the "Print Processing Window" once they have been submitted for ABIS processing. As prints are processed, the Cogent COTS ABIS assigns a job status to the transaction indicating the transaction's current state in the



						workflow.
		The system shall provide the capability to send a notification to the submitter	D	X		This is provided in the status
<mark>605.</mark>	All	when all the prints in a batch have completed search processing				portion of the "Print Processing
						Window", as noted in the
						aforementioned response to
						requirement #604.
		The system shall provide the capability to allow threshold values for each	\mathbf{D}		X	G – Configuration. The reponse to
<mark>606.</mark>	All	operators work queue				this requirement and the following
						requirements #607 through 612 are
						written in the context that the term
						"threshold values" as used within
						these requirements is referring to
						the job queue assigned for each
						operator or workstation, and not
						system thresholds as they refer to
						autohits/identification values.
						The Cogent COTS workflow
						currently displays transactions
						needing operator intervention on system workstations where any
						operator, with permission, can
						view and/or work on the
						transaction. The capability to set
						threshold values for specific
						individual operators work queues
						is not currently available but can
						be provided. Cogent recommends
						that discussions involving the
						SFPD staff and Cogent technicians
						be completed before decisions to
						proceed with work flow changes
						needed to provide for this
						requirement are initiated. This
						will ensure that the functionality as
						desired by the SFPD is fully



						th the control of the	Inderstood prior to development. Providing for this requirement and the following associated equirements as defined in #607 through #612, has a Low level of complexity which can be eccomplished by a Cogent Pechnician and will require proximately 20 hours to complete.
607.	All	The system shall provide the capability to allow Permitted Users to set the threshold values	D	X			Threshold values as they pertain to ach operators work queue are onfigurable and can be set by dermitted Users as desired.
608.	All	The default value for the threshold values is configurable	D	X		p c P	Threshold default values as they ertain to the work queue are onfigurable and can be set by Permitted Users.
609.	AII	The system shall provide the capability to notify AFIS administrators when an operator work queue reaches its threshold.	D		X	n C C d d th tr	otification will require minor hanges to the Cogent ABIS COTS notification mechanism. Cogent recommends that this esired requirement be discussed uring the detail design phase of his project. These changes will be completed by a Cogent Cochnician as the associated equirements #606, #609 through 612 are configured. The level of complexity for this effort is Low .
610.	All	The system shall provide the capability to retain work destined for work queues that have reached their threshold	D		X	n ci	G – Configuration. Providing this otification will require minor hanges to the Cogent ABIS COTS notification mechanism.



					Work queues are retained on the server side of the Cogent COTS ABIS. The only limitation to the queue is the size of the disk storage. The changes needed to provide this desired requirement will be completed by a Cogent Technician as the associated requirements for items #606, #609 through #612 are configured. The level of complexity for this effort is Low .
611.	AII	The AFIS Administrator shall be provided the capability to determine where to retain work destined for work queues that have reached their threshold	D	X	G – Configuration. Providing this capability will require minor changes to the Cogent COTS work flow. Work queues are retained on the server side of the COTS ABIS As previously noted; currently the only limitation to the queue size is the disk storage. These changes will be completed by a Cogent Technician as the associated requirements for items #606, #609 through #612 are configured. The level of complexity for this effort is Low.
612.	All	The AFIS Administrator shall be provided the capability to redistribute retained work destined for work queues that have reached their threshold	D	X	G – Configuration. Providing this notification will require minor changes to the Cogent COTS work flow. These changes will be completed by a Cogent Technician as the associated requirements for items #606, #609 through #612 are configured. The level of complexity for this effort

						is Low.
<mark>613.</mark>	All	The system shall provide the capability to retain search results until submitter acknowledges they have completed current activities	D	X		Cogent ABIS search results are retained at the server level until such time when the transaction is closed, at which time the necessary system and database
<mark>614.</mark>	AII	The system shall provide the capability to archive search results	D	X		updates are automatically made. Search results are automatically archived to Archive Systems designated by the user agency as a COTS capability.
<mark>615.</mark>	<mark>All</mark>	The system shall provide the capability to allow Permitted Users to generate any allowable text for any demographic field of any subjects prints	D	X		Permitted users are able to generate allowable text from pull down windows as well as appending notes to the transaction by use of the "Print Processing" window.
	Misce	llaneous Search Space Requirements				
<mark>616.</mark>	1/2	The system shall provide the capability to limit which search spaces are selectable by which permitted user	D		2	G – Configuration. This is a configurable capability which will require minor modifications to Cogent COTS ABIS tables and the COTS Account Manager. Modifications needed will be completed by a Cogent Technician. It is done as part of the configuration for the SFPD system. The level of complexity for this effort is Low.
<mark>617.</mark>	1/2	The system shall provide the capability to automatically add criminal and civil/applicant correctly to either the criminal or civil/applicant search space	D	X		Providing the capability to automatically add criminal and civil/applicant files to their appropriate search space areas is a configurable feature provided by



618.	1/2	The system shall provide the capability to automatically add latents correctly to either the quality or nonquality latent search space	D	X	the Cogent COTS ABIS. The capability to automatically add quality or nonquality latent files to their appropriate search space areas is provided by the Cogent COTS ABIS.
<mark>619.</mark>	1/2	The system shall provide the capability to allow a Permitted user to specify which Authentication search space authentication prints should be added to	D	X	This configurable capability is a COTS feature of the proposed Cogent ABIS.
<mark>620.</mark>	<mark>1/2</mark>	Prints may be selected from existing search spaces for addition to or inclusion in an Authentication search space	D	X	This configurable capability is a COTS feature of the proposed Cogent ABIS.
<mark>621.</mark>	1/2	The system shall provide the capability to allow selected Livescan devices to be used for enrolling/adding prints to an Authentication search space	D	X	This configurable capability is a COTS feature of the proposed Cogent ABIS.
<mark>622.</mark>	1/2	The system shall provide the capability to include specified non-criminal search spaces or special search spaces as search space for automatic search of new criminal prints	D	X	The capability for creating special search spaces is a configurable item available in the Cogent COTS ABIS.
	Data I	ntegrity			
623.	AII	The system shall provide capability to prevent data/images from being lost including during conversion	M	X	Cogent has extensive experience in converting fingerprint databases both in digital and hard copy (paper) formats, as well as experience converting large databases such as Los Angeles County and the Royal Canadian Mounted Police. This experience will be applied when converting the SFPD database to ensure that all original data will be retained in the original format for each record converted. Paper records will be scanned and returned to the client. Bulk electronic data will be copied

					l t	o DLT or appropriate media.
						Images and data in each record
						will be accurately reproduced
						using applicable established
						ANSI-NIST standards.
		The system shall provide capability to prevent legacy data from being corrupted	M	X	l I	Relying on experience and lessons
<mark>624.</mark>	All	including during conversion				earned in previous conversion
					6	efforts, Cogent will accurately
						copy legacy data and records
					,	without altering the original
						records. As records are converted,
					8	selected records will be run against
					<mark>t</mark>	the new database to confirm the
						accuracy of the conversion. All
					<mark>ι</mark>	usuable information will be copied
					<mark>t</mark>	to a DLT or appropriate media for
						adaptation and inclusion into the
					<mark>r</mark>	new NIST compliant SFPD ABIS
						<mark>database.</mark>
		The system shall provide capability to ensure legacy converted data correctly	${f M}$	X		Cogent will demonstrate accurate
<mark>625.</mark>	All	represents the original data				conversion of legacy data for the
						nitial conversion, in addition to
						any supplemental database entry
						and/or entries. All data will be
						subject to incremental quality
						control review, in addition to tests
						and/quality control functions
						specified in Technical
						Specifications Section 4.1.5,
						4.1.6.4, 4.2.4.1.6. , 4.2.6, 4.2.6.1,
						4.3.4.1.5, 4.3.4.1.6, and 4.3.6, and
						4.3.6.1. Incremental quality
					_ I _ I	control tests will be further refined
						<mark>during detail design.</mark>
	Recov	ery				



	G 1				itself (i.e., data in the Oracle database, NIST record, ABIS binaries, and configuration), all of which enable the Cogent COTS ABIS to automatically restart transactions which were in process at the time of failure.
	Syste	m Administration	<u></u>	T 7	
629.	AII	AFIS administrator can perform software upgrades to workstations from central site	D	X	Cogent's software feature for this request is called 'rsync'. Rsync is a configurable option for Version 5.5 proposed. A synchronization client on each machine will download and sync from a centralized repository. The administrator/support engineer would place the patch or changes into the repository, the synchronization would then be automatic.
630.	AII	Vendor shall provide on site support during development and maintenance	D	X	Cogent will comply with this requirement. Support and Maintenance Cogent's maintenance support for the SFPD-FSD AFIS hardware and software will exceed the elements of the SFPD-FSD Support and Maintenance requirements. Cogent's comprehensive maintenance and support program provides for the support of the AFIS system equipment and software components throughout the system's full lifecycle. A highly trained AFIS technician will be stationed on-site to ensure



	are wo inc pre that con opt pre em pot ear bef	the tall components of the AFIS maintained and in good orking order. The Cogent plan cludes regularly scheduled eventive maintenance to ensure the AFIS components of the AFIS components of the AFIS components of the the AFIS components of the the theoretical problems are identified or the problems are identified or the potential problems are taken fore potential problems cause of interruption to the operations.
	par par the def Forma to sof sys	maximize system uptime, spare ets kits, containing all critical ets, are strategically positioned ereby facilitating expedited fective component replacements. It is mailined system configuration magement processes are utilized maintain system change control, etware version management and stem recovery backup and tore procedures.
	Coproced pull Presconnet con per	gent's preventive maintenance ogram adheres to the original nipment manufacturers' blished specifications. Eventive maintenance of the ntral identification system and tworked workstation mponents is scheduled and formed on a regular basis. Igent focuses on the care and vicing of the AFIS components highly trained and experienced



professional personnel for purpose of maintaining the equipment and software in satisfactory operating condition. This is accomplished by providing systematic inspection, detection, and correction of incipient failures either before they occur or before they develop into major defects. Preventive Maintenance (PM), including tests, measurements, adjustments, and parts replacement, is performed specifically to prevent faults from occurring.

A primary goal of PM is to avoid or mitigate the consequences of equipment failure. This may be done by preventing the failure before it actually occurs, which regularly scheduled PM and condition-based maintenance will help to achieve. The Cogent PM approach is designed to preserve and restore equipment reliability by replacing worn components before they actually fail. PM activities include partial or complete overhauls at specified periods, regular partial and full system backups and regular updating of virus signature files. In addition, analysis and reporting will be performed against the results of the backup activities and the antivirus procedures to allow for resolution of any underlying issues and to keep management fully informed of all findings.



	Electronic logs, which personnel are required to complete upon conclusion of the required maintenance activities, are established. Cogent also provides support services to accomplish the tasks necessary to keep its AFIS in good operating condition with minimal downtime. These tasks include, but are not limited to cleaning, lubrication, adjustment, calibration, minor repairs, and replacement of components.
	Repair/Replacement of Defective Components Cogent will be responsible for repair or replacement of any defective components that have failed completely or have required remedial attention more than three times in any 30-day period. Cogent provides a warranty for the system for 12 months and accepts full responsibility for all components of the system. Cogent will secure warranty repairs and replacements for any applicable manufacturer's warranty programs and will deliver maintenance services in accordance with to
	applicable external manufacturer's warranties. Software Maintenance Cogent will support all software



		installed within the AFIS – its own software as well as commercial off-the-shelf (COTS) software – for the duration of the initial and extended warranty periods. SFPD-FSD will be consulted and must consent prior to the correction, update, or upgrade of any software by Cogent.
		1. Cogent will provide software maintenance that addresses the modification of the software product after delivery to correct faults, to improve performance or other attributes, or to adapt the product to a modified environment.
		The on-site technician will assist in the determination of the necessity of applying critical and routine software updates. Our formal change management process will ensure proper scheduling is in place and that all SFPD-FSD approvals have been obtained before any software modifications take place.
Stand All A	ards IS components shall be designed to meet the following public standards	



<mark>631.</mark>	AII	FBI WSQ Gray-Scale Image Compression Specification (IAFIS-IC-001v2, February 16, 1993).	M	X		Cogent's ABIS proposed solution stores records in 100% NIST-compliant formats to ensure that SFPD has full access to its records without restriction resulting from proprietary compression or encoding schemes. Please refer to Appendix B for the certification.
<mark>632.</mark>	All	ANSI Standard, Data Format for the Interchange of Fingerprint, Facial, and Scar-Mark-and-Tattoo (SMT) Information (ANSI/NIST-ITL 1-2007).	M	X		Cogent complies. Please refer to Appendix A for the certification.
633.	AII	The fingerprint, Palmprint, latent features shall be in the ANSI/NIST CDEFFS open standard format and accessible by SFPD	M	X		Cogent complies. While the ANSI/NIST CDEFFS is a standard that is still in development within the ABIS community what Cogent uses is already part of this standard. Cognet will have full support when the ANSI/NIST CDEFFS standard has been finalized.
<mark>634.</mark>	All	FBI Electronic Fingerprint Transmission Specification (EBTS) (IAFIS-DOC-01078-8.002 APRIL 1, 2008), including Appendix F image quality specifications.	M	X		Cogent complies. Please refer to Appendix A for the certification.
<mark>635.</mark>	All	FBI NCIC CJIS WAN Protocol Specification and IAFIS telecommunications standards that specify use of TCP/IP, availability of FTP, and X.25 capability	M	X		Cogent complies. Please refer to Appendix A for the certification.
<mark>636.</mark>	All	All data transmitted external to AFIS shall be in ANSI NIST and FBI EBTS	M	X		Cogent complies. Please refer to Appendix A for the certification.
<mark>637.</mark>	All	The system shall use latest EBTS version compatible with FBI	M	X		Cogent complies. Please refer to Appendix A for the certification.
	This	m Privileges section deals with requirements related to privileges that are available to various deals with granting permission to perform processes.			and how	
<mark>638.</mark>	All	The system shall provide capability to limit the SFPD users access rights to only the workstation functions that they are privileged to perform work on.	D	X		Consistent with the COTS Cogent ABIS, the client (SFPD) may assign one or more Systems Administrators. The Systems

						Administrator(s) will assign a user ID and password to each to the each user. The System Administrator will assign the system privileges that will be attached to each user. The systems privileges will be based on policy, rules and types (latent examiner, supervisor, exception handler, etc) and decided upon by SFPD during the configuration phase of the solution.
639.	All	Access rights shall determine the functionality of the user of the individual workstation	D	X		This is a Cogents COTS ABIS function. The functionality of the end-user will be determined by the access rights limited by the workstation.
640.	AII	The system shall provide the capability to grant access rights by privilege, proper identification and authentication	D	X		The system, as a COTS function will grant access rights by policy/rules associated by individuals or groups (please refer to first answer #638). Proper Identification will consist of user name, password and optionally fingerprint.
<mark>641.</mark>	AII	The system shall provide the capability to authenticate based upon ID and password	D	X		This capability is a COTS feature of the proposed Cogent ABIS. Please refer to answers 638-640.
<mark>642.</mark>	AII	The system shall provide the capability to authenticate based upon biometric authentication	D	X		The capability to use biometric authentication is a Cogent Cots configurable option.
<mark>643.</mark>	AII	The system shall provide the capability to provide privileged functions based upon user type(e.g. latent supervisor, latent examiner, exception handler etc) with the AFIS Administrator being the most privileged	D	X		This functionality is a COTS feature of the proposed Cogent ABIS. Rules, policies and types will be determined during the

								configuration phase of the project.
		The system shall provide the capability to limit search submissions to "Designated	D	X				This functionality is a COTS feature
<mark>644.</mark>	All	Users"	_					of the proposed Cogent ABIS.
								Rules, policies and types will
								determine the limitations of the
								designated users. This will be
								determined during the
								configuration phase of the project.
		The system shall provide the capability to accept search submissions from	D	X				This functionality is a COTS feature
<mark>645.</mark>	<mark>All</mark>	"Designated Users"						of the proposed Cogent ABIS.
		Designated Users shall be a configurable item	D	\mathbf{X}				This functionality is a COTS feature
<mark>646.</mark>	<mark>All</mark>							of the proposed Cogent ABIS.
		The system shall provide the capability for Permitted Users to set Designated	D	X				This functionality is a COTS feature
<mark>647.</mark>	<mark>All</mark>	User for a particular search.						of the proposed Cogent ABIS.
640		The system shall provide the capability to distinguish Designated Users by ID and	D	X				This functionality is a COTS feature
<mark>648.</mark>	All	Authentication						of the proposed Cogent ABIS.
<mark>649.</mark>	All	The system shall provide the capability to limit Designated Users to be SFPD	D	X				This functionality is a COTS feature
049.	All	designated personnel or SFPD designated external agencies						of the proposed Cogent ABIS.
	Throu	ghput Performance						
	This s	ection deals with the speed at which processes can be performed. Speed is very de	pende	ent i	upon	wc	orklo	ad. Due to lack of workload details over
		time periods, the requirements are based upon average weekly workloads.	•		•			
	workl	oads specified in the workload section. The requirements also specify the frequency	of hig	hact	t nrio	rity	, nrin	its to be no more often than one highest
		ty print every 6 minutes.	OI IIIgi	11631	t prio	rity	, рі іі	its to be no more often than one nighest
	Work	load Restrictions						
	For al	I throughput performance measurements and calculations only the following workloa	ad res	trict	tions	apı	ply:	
		highest priority prints shall not constitute more than 10% of the workload	D	X				This is a COTS feature of the proposed
<mark>650.</mark>	<mark>1/2</mark>							Cogent ABIS.
		highest priority prints shall not occur more frequently than every 6 minutes	D	X				Cogent's ABIS solution fulfills this
<mark>651.</mark>	<mark>1/2</mark>							requirement with no modification.
								The speed and flexibility of the
								Cogent COTS Programmable
								Matching Accelerator (PMA)

652. 1 /	<mark>/2</mark>	Each identity search requirement shall be tested in independent tests. That is, for example, highest priority will occur only on tenprints during one test and only on latents in another independent test	D	X		provides for processing speeds which will accommodate processing of "High Priority" prints at a rate faster than the desired requirement. Cogent's understands the SFPD requirement for testing. The ABIS solution proposed complies with
		Ad hoc image requests shall not constitute more than 5% of the total image	D	X		this requirement without modification. This is a COTS feature of the proposed
	/2	requests Ad hoc image requests shall not occur more frequently than every 5 minutes	D	X		Cogent ABIS. This is a COTS feature of the proposed
654. 1,		Search times shall be measured from the time that a search enters the AFIS portion of the system until the results are returned out of the AFIS portion of the system	D	X		Cogent ABIS. This is a COTS feature of the proposed Cogent ABIS.
656. 1,	<mark>/2</mark>	Image retrieval time shall be measured from the time the user requests an image until the image is displayed on the users screen	D	X		This is a COTS feature of the proposed Cogent ABIS.
657. 1 <i>)</i>	<mark>/2</mark>	Tenprint-Tenprint - The system shall complete the search of a tenprint or palm print that has the highest priority set in less than 10 minutes 95% of the time averaged over an average one week workload specified in this document on a database of 500,000 subjects.	D	X		This is a COTS feature of the proposed Cogent ABIS. Search response times for all Tenprint-Tenprint searches of the ABIS proposed for SFPD will be less than 4 minutes. High priority Tenprint-Tenprint search response times will be significantly faster, depending on the number of High Priority searches submitted to the ABIS in a particular time period.
658. _{1,}	<mark>/2</mark>	Latent finger The system shall complete the search of a latent print that has the highest priority set in less than 2 hours 95% of the time averaged over an average one week workload on a database of 500,000 subjects	D	X		Cogent's COTS ABIS solution will exceed this requirement without modification.

659. 1 660. 1		Latent flat Palm The system shall complete the search of a latent print that has the highest priority set in less than 2 hours 95% of the time averaged over an average one week workload on a databaseof10,000 subjects Authentication The system shall complete the search of a print for authentication in less than 13 second 95% of the time averaged over one week workload on a database of 500 subjects	D D	X		Cogent's COTS ABIS solution will exceed this requirement without modification. This is a COTS feature of the proposed Cogent ABIS.
661. 1		 Image Retrieval The system shall complete the display of a match candidate image in less than 1 second of requesting image averaged over an average one week workload on a database of 600,000 subjects The system shall complete the display of an image associated with an ad hoc image request in less than 1 minute after requesting the image averaged over 1000 ad hoc requests against a database of 600,000 subjects The system shall complete the display of a match candidate image from digitized microfilm in less than 1 second of requesting image averaged over 1000 images requested on a database of 500,000 subjects. 	D	X		This is a COTS feature of the proposed Cogent ABIS.
		rmance Monitoring	Б		3 7	
662.	AII	The system shall provide the capability for providing statistics on Users and the system. Statistics shall include: number of verifications search time number of latents searched number of latents encoded number of criminal searches number of civil/applicant searches number of prints added to search space response time quality of print images court documents prepared number of prints allocated to a particular priority percentage of correct matches size of search spaces	D		X	C – Customization. The Cogent COTS ABIS proposed for SFPD includes audit and reporting capabilities that already provide many of the listed statisitics. However, providing all of the statistics desired will require changes to current tables and modification of the COTS work flow as it pertains to audit and reporting capabilities. This is a minor effort and will be provided by a Cogent Technician. The time effort is estimated to be less than 20 hours. The level of complexity for this effort is Low.

	I	The state of the s			1		1	T
		• demographics of hits						
		 network performance System Administration 						
		 processor performance System Administration 						
		 storage performance System Administration 						
		 unauthorized access attempts 						
		 time spent in queues 						
<mark>663.</mark>	All	The system shall provide the capability for providing these statistics in terms of	D			X		C – Customization. This will be
		average, minimum, and maximum						provided when the customization
								needed for compliance with
								aforenoted requirement #662 are
								completed. The level of
								complexity for this effort is Low .
<mark>664.</mark>	All	The system shall provide the capability for providing these statistics over specified	D	X		\top		This is a COTS feature of the proposed
00 11		time period	_					Cogent ABIS.
<mark>665.</mark>	All	The system shall provide the capability for providing these statistics over specified	D	X				This is a COTS feature of the proposed
		search spaces		2				Cogent ABIS.
<mark>666.</mark>	All	The system shall provide the capability for providing these statistics over specified	D	X				This is a COTS feature of the proposed
	<u> </u>	fingers or palms		2 3				Cogent ABIS.
<mark>667.</mark>	All	The system shall provide the capability for providing these statistics for a	D	X				This is a COTS feature of the proposed
		specified user or class of user						Cogent ABIS.
<mark>668.</mark>	All	The system shall provide the capability for providing these statistics over specified	D	X				This is a COTS feature of the proposed
		demographics						Cogent ABIS.
<mark>669.</mark>	All	The system shall provide the capability for providing the above statistics for the	D	X				This is a COTS feature of the proposed
		following specified search types						Cogent ABIS.
		• tenprint(1-n fingers)						
		• latent						
		• latent palm						
		• FPID (Fixed Post identification)						
		• authentication						
			1					
	Searc	ch ch						
	This s	section deals with requirements related to the actual search process where a print is co	ompa	red t	o otl	ner į	orint	ts in a search space to determine if it is a
		date or an ident. That is, does it match or not and with what confidence	1			1		1
<mark>670.</mark>	All	System shall provide the capability to maintain selected non-criminal prints that	D	X				This is a COTS feature of the proposed
		comprise a separate search space.						Cogent ABIS.
								·



<mark>671.</mark>	All	The system shall provide the capability to allow Permitted Users to select non criminal prints or types of prints to be maintained	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>672.</mark>	All	The system shall provide the capability to prevent the selection of non criminal prints or types of prints to be maintained by non Permitted Users	D	X		This is a COTS feature of the proposed Cogent ABIS.
673.	AII	The system shall provide the capability to allow the Permitted Users to specify the search space sequence. e.g. M/F, 1 print then 2 print then 8 prints etc	D			This capability is a COTS feature of the proposed Cogent ABIS. Providing the capability as a manual option allowing Permitted Users the ability to specify the sequence as defined will require modification to the Cogent COTS work flow. This will be a minor effort which will be completed by a Cogent Technician and will require less than 20 hours to complete. The level of complexity for this effort is Low.
674.	All	The system shall provide the capability to maintain selected prints in search spaces called "special". Typical user would be latent examiner or authentication search spaces such as DOC for holds or other user authentication, deceased, expunged etc.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>675.</mark>	All	The system shall provide the capability to prevent non Permitted Users to searches on the non-criminal search space	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>676.</mark>	AII	The system shall provide the capability to accept search space delimiters when a print is submitted for a Search to AFIS.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>677.</mark>	AII	If delimiters are not set by search request, the system shall provide the capability to set the search space delimiters to default values when a print is submitted for a Search to AFIS.	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>678.</mark>	All	The default value of the delimiter shall be configurable (A typical default value would be the full criminal search space)	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>679.</mark>	<mark>1/2</mark>	The system shall provide the capability to search rolled prints	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>680.</mark>	<mark>1/2</mark>	The system shall provide the capability to search flat prints	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>681.</mark>	1/2	The system shall provide the capability to search palm prints	M	X		This is a COTS feature of the proposed



						Cogent ABIS.
<mark>682.</mark>	1/2	The system shall provide the capability to search latent prints	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>683.</mark>	1/2	The system shall provide the capability to add all prints from each arrests to criminal search space	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>684.</mark>	1/2	The system shall provide the capability to link prints to a particular arrest	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>685.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to identify as deleted or delete prints from the search space	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>686.</mark>		The system shall provide the capability to prevent users who are not Permitted Users to identify as deleted or delete prints from the search space	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>687.</mark>	<mark>1/2</mark>	System shall provide the capability to retain prints but identify them as deleted	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>688.</mark>	<mark>1/2</mark>	System shall provide the capability for Permitted Users to delete prints	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>689.</mark>	<mark>1/2</mark>	The system shall provide the capability to specify what valid subsets of the search space shall be searched against	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>690.</mark>	<mark>1/2</mark>	The system shall provide the capability to identify a "training" fingerprint and not enter it into any non training search space	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>691.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to add prints as training prints to training search spaces	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>692.</mark>	<mark>1/2</mark>	The system shall provide the capability to store prints in a non-searchable database	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>693.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to designate particular Livescan devices for Authentication searches	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>694.</mark>	<mark>1/2</mark>	The system shall provide the capability to automatically perform an authentication search from Livescan workstations designated as Authentication workstations	D	X		This is a COTS feature of the proposed Cogent ABIS.
695.	8	The system shall provide the capability to allow Permitted Users to designate particular Livescan devices for identification searches	D	X		This is a COTS feature of the proposed Cogent ABIS.
696.		The system shall provide the capability to automatically perform an identification search from Livescan workstations designated as submission workstations	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>697.</mark>	AII	The system shall provide the capability to index/key/point from the characteristics of a print to the images, text, and other data associated with a subjects prints	D	X		This is a COTS feature of the proposed Cogent ABIS.



	Secur	ity			
<mark>698.</mark>	All	Authentication security shall be provided by a password-based logon access control system.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>699.</mark>	<mark>AII</mark>	The system shall provide the capability to maintain an audit trail including user ID, date, terminal, and time of all logons and attempted logons	M	X	The Cogent COTS ABIS proposed for SFPD includes audit and reporting capabilities for the desired data.
700.	AII	The system shall provide the capability to maintain an audit trail of all data additions, modifications, or deletions including user ID, date, and time of entry.	M	X	The Cogent COTS ABIS proposed for SFPD includes audit and reporting capabilities for the desired data.
<mark>701.</mark>	<mark>All</mark>	The system shall provide the capability to allow modification of the User's Security Files by AFIS Administrator or other Permitted users.	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>702.</mark>	<mark>All</mark>	The system shall provide the capability to prevent changes to terminal access limitations by non Permitted users	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>703.</mark>	<mark>All</mark>	The system shall provide the capability to limit access to use of its AFIS to specific designated sites/systems	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>704.</mark>	<mark>All</mark>	The site/systems access list is configurable	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>705.</mark>	<mark>All</mark>	The system shall provide the capability to allow Permitted Users to specify which designated sites/systems individuals have access to	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>706.</mark>	<mark>All</mark>	The system shall provide the capability to log users off after n minutes of inactivity,	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>707.</mark>	<mark>All</mark>	n shall be configurable	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>708.</mark>	All	The system shall provide the capability to ensure that the disposition fingerprint match process should find the same match candidates as the arrest fingerprint match process	D	X	This is a COTS feature of the proposed Cogent ABIS.
	Prepa	ration for Search			
<mark>709.</mark>	<mark>1/2/</mark> 3	The system shall provide the capability for Permitted Users to select any single print by any unique print ID number maintained by the system accompanied by finger or palm number	D	X	This is a COTS feature of the proposed Cogent ABIS.
<mark>710.</mark>	1/2/ 3	The system shall provide the capability for Permitted Users to select any set of prints by any unique print ID number maintained by the system	D	X	This is a COTS feature of the proposed Cogent ABIS.



	<mark>1/2/</mark> 3	The system shall provide the capability for a Permitted User to enhance images and manipulate images	D	X		This is a COTS feature of the proposed Cogent ABIS.
	<mark>1/2/</mark> 3	The system shall provide the capability for a Permitted User to enter minutia and any other manually entered characteristics required or allowed by vendor	D	X		This is a COTS feature of the proposed Cogent ABIS.
	<mark>1/2/</mark> 3	The system shall provide the capability for a Permitted User to enter minutia quality	D	X		This is a COTS feature of the proposed Cogent ABIS.
	1/2/ 3	The system shall provide the capability for potential match candidates that result from a latent search to be sent to each submitters queue	D	X		This is a COTS feature of the proposed Cogent ABIS.
	1/2/ 3	The system shall provide the capability for potential match candidates that result from a latent search to be retained in the system	D	X		The Cogent COTS ABIS retains potential match candidate information resulting from latent searches in work queues. The information is also retained by the ABIS in audit and reporting files.
	<mark>1/2/</mark> 3	The system shall provide the capability for potential match candidates that result from a latent search to be associated with the latent case ID	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>717.</mark>	<mark>1/2/</mark> <mark>3</mark>	The system shall provide the capability for potential match candidates that result from a latent search to be to be deleted when the latent case is closed	D	X		This is a COTS feature of the proposed Cogent ABIS.
	<mark>1/2/</mark> 3	The system shall provide the capability to prevent the potential match candidates that result from a latent search to be to be deleted until the latent case is closed	D	X		The Cogent ABIS COTS latent work flow is configurable. The desired requirement will be included in the SFPD as described.
	<mark>1/2/</mark> <mark>3</mark>	The system shall provide the capability to display the potential match candidates on personal submitter queues	D	X		This is a COTS feature of the proposed Cogent ABIS.
	<mark>1/2/</mark> 3	The system shall provide the capability to display original submitted print and a potential match print simultaneously on a split screen	D	X		This is a COTS feature of the proposed Cogent ABIS.
	<mark>1/2/</mark> 3	The system shall provide the capability to allow a Permitted User to indicate that a potential matching print is an ident	D	X		This is a COTS feature of the proposed Cogent ABIS.
	1/2/ 3	The system shall provide the capability to allow a Permitted User to delete a potential matching print from their list of potential matching prints on the personal submitter queue	D	X		This is a COTS feature of the proposed Cogent ABIS.
	1/2	The system shall provide the capability to automatically search idents against ULF(called a reverse search)	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>724.</mark>	<mark>1/2/</mark> 3	The system shall provide the capability to automatically return candidates and associated information that exceed threshold for a reverse search to the	M	X		This is a COTS feature of the proposed Cogent ABIS.



		submitters candidate queues/contributing agencies candidate queues			
<mark>725.</mark>	<mark>1/2/</mark>	The system shall provide the capability to automatically notify	M	X	This is a COTS feature of the proposed
	<mark>3</mark>	submitters/contributing agencies when a candidate is found for a latent during a			Cogent ABIS.
		<mark>reverse search</mark>			
<mark>726.</mark>	<mark>1/2/</mark>	The system shall provide the capability to prevent a non Permitted User to view	D	X	This is a COTS feature of the proposed
	<mark>3</mark>	<mark>personal queues</mark>			Cogent ABIS.
<mark>727.</mark>	<mark>1/2/</mark>	The system shall provide the capability to allow Permitted Users to display results	D	X	This is a COTS feature of the proposed
	<mark>3</mark>	of searches by requesting specific results by any search print ID maintained by the			Cogent ABIS.
		<mark>system</mark>			
<mark>728.</mark>	<mark>1/2/</mark>	The system shall provide the capability to allow Permitted Users to display results	D	X	This is a COTS feature of the proposed
	3	of searches by scrolling on a personal queue and clicking on the desired print			Cogent ABIS.
<mark>729.</mark>	1/2/	The system shall allow Permitted Users to display the results of searches on	D	X	This is a COTS feature of the proposed
700	3	personal submitter queues by requesting the next print on the queue	3.4	- 7	Cogent ABIS.
<mark>730.</mark>	1/2/	The system shall provide the capability for Permitted Users to display any single	M	X	This is a COTS feature of the proposed
	<mark>3</mark>	print by any unique print ID number maintained in the system accompanied by finger number or palm type			Cogent ABIS.
731.	1/2/	The system shall provide the capability for Permitted Users to display any set of	M	X	This is a COTS feature of the proposed
/31.	1/ 2/ 2	prints by any unique print ID number maintained by the system	IVI	Λ	Cogent ABIS.
732.	1/2/	The system shall provide the capability to allow Permitted Users to display images	M	X	This is a COTS feature of the proposed
732.	3	associated with a latent case by requesting any Latent ID maintained by the	141		Cogent ABIS.
	_	system			
733 .	<mark>1/2/</mark>	The system shall provide the capability to allow Permitted Users to display the	M	X	This is a COTS feature of the proposed
	3	image of a latent submission and the print of the associated potential matches.			Cogent ABIS.
<mark>734.</mark>	<mark>1/2/</mark>	The system shall provide the capability to allow Permitted Users to display	M	X	This is a COTS feature of the proposed
	<mark>3</mark>	associated images by requesting latent case			Cogent ABIS.
<mark>735.</mark>	<mark>1/2/</mark>	The system shall provide the capability to allow Permitted Users to indicate which	M	X	This is a COTS feature of the proposed
	3	latent prints have been eliminated from consideration as belonging to suspects			Cogent ABIS.
<mark>736.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to indicate which	D	X	This is a COTS feature of the proposed
		latent prints belong to suspects			Cogent ABIS.
<mark>737.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow for the creation of an unsolved	M	X	This is a COTS feature of the proposed
		latent file (ULF). This file contains the prints and characteristics/features of latent			Cogent ABIS.
	1 /0	prints (with connections to associated information).	3.6		THE COMPANY OF THE CO
<mark>738.</mark>	<mark>1/2</mark>	The system shall provide the capability to automatically add prints belonging to	M	X	This is a COTS feature of the proposed
720	4 /2	suspects to the appropriate ULF	7.4	T 7	Cogent ABIS.
<mark>739.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to select prints	M	X	This is a COTS feature of the proposed

		for addition to ULF or special search spaces.				Cogent ABIS.
<mark>740.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow the person or agency that	D	X		This is a COTS feature of the proposed
		contributed a print to the ULF to delete that print.				Cogent ABIS.
<mark>741.</mark>	<mark>1/2</mark>	The system shall provide the capability to automatically remove a latent print	\mathbf{M}	X		This is a COTS feature of the proposed
		from the ULF when a positive identification has been made with that print.				Cogent ABIS.
<mark>742.</mark>	<mark>1/2</mark>	The system shall provide the capability to fuse the results of separately	D		X	G – Configuration. This desired
		entered/stored latent characteristics and minutia into a composite of these				requirement "fusing separately
		characteristics and minutia				entered and/or stored latent
						characteristics into a composite of
						characteristics" is not clearly
						understood, therefore, Cogent is not
						able to determine whether or not
						this is a COTS feature. Cogent
						recommends that this requirement
						be the subject of additional discussion during the detail design
						phase of this project. It appears to
						be a work flow issue and Cogent is
						confident that only minor work
						flow modifications, if any, will be
						needed to provide this requirement
						to the SFPD. If correctly
						understood, the work flow
						modifications required to provide
						this feature for the SFPD will
						require less then 20 hours of work
						performed by a Cogent Technician.
						The level of complexity for this
						effort is Low .
<mark>743.</mark>	<mark>1/2</mark>	The system shall provide the capability to retain the fused set of characteristics	D		X	G – Configuration. Providing this
		identified as fused				desired functionality will
						necessitate some minor work flow
						changes which will be completed
						by a Cogent Technician when
						completing the work needed for



						requirement #742. The level of complexity for this effort is Low .
744.	1/2	The system shall provide the capability to identify the source characteristics from which the fused set was derived	D		X	G – Configuration. Providing this desired functionality will necessitate some minor work flow changes which will be completed by a Cogent Technician when completing the work needed for requirement #742 and 743, above. The level of complexity for this effort is Low .
<mark>745.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Permitted Users to cancel i.e. delete from the queue, searches that are in the search request queue	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>746.</mark>	<mark>1/2</mark>	The system shall allow the operator to change any search parameters and submit or resubmit the search without reentering print characteristics	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>747.</mark>	All	The system shall provide the capability to allow Permitted Users to recall permitted latent prints and edit the characteristics of the print or associated data	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>748.</mark>	All	The system shall provide the capability to periodically save users work	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>749.</mark>	All	The periodicity shall be a configurable item measured in minutes	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>750.</mark>	<mark>1/2</mark>	The system shall provide the capability to submit latent prints to the FBI for an FBI latent search via the appropriate SFPD protocol	M	X		This is a COTS feature of the proposed Cogent ABIS.
751.	1/2	The system shall provide the capability to store prints intended to be submitted to the FBI for latent searching in an FBI latent queue	D		X	G – Configuration. The current Cogent COTS work flow for latents to be submitted to the FBI for searching provides for launching the search as soon as the ULW transaction has been completed. Changing this work flow to allow for a FBI latent queue as desired by the SFPD will be a minor effort to be completed by a Cogent Technician. It is estimated that this effort will require less than 20

						hours . The level of complexity for this effort is Low .
752.	1/2	The system shall provide the capability to automatically sort the FBI latent queue in priority order	D		X	G – Configuration. Providing this capability will require minor changes to the Cogent COTS work flow which will be included when the work flow modification needed to comply with requirement #751 are completed. Cogent's level of complexity for this effort is Low.
753.	1/2	The system shall provide the capability to submit the highest priority n prints from the FBI Latent Queue on a daily basis.	D		X	G – Configuration. Providing this capability will require minor changes to the Cogent COTS work flow which will be included when the work flow modification needed to comply with requirements #751 and #752 are completed. Cogent 's level of complexity for this effort is Low .
<mark>754.</mark>	1/2	The daily number of prints, n, sent to the FBI shall be configurable .	D	X		This is a COTS feature of the proposed Cogent ABIS.
755.	1/2	The system shall provide the capability to submit the latents to the FBI at a specified time of day	D		X	G – Configuration. The current Cogent COTS work flow for latents to be submitted to the FBI for searching provides for launching the search as soon as the ULW transaction has been completed. Changing this work flow to comply with this capability will require minor changes to the Cogent COTS work flow which will be included when the work flow modification needed to comply with requirements #751-#753 are completed. Cogent's level of



						complexity for this effort is Low .
756.	1/2	The default time of submission of latents to the FBI shall be configurable	D		X	G – Configuration. Providing this capability will require minor changes to the Cogent COTS work flow which will be included when the work flow modification needed to comply with requirements #751, #752, #753 and #755 are completed. Cogent 's level of complexity for this effort is Low .
757.	1/2	The system shall provide the capability to allow Permitted Users to specify time of day for submission to the FBI	D		X	G – Configuration. Providing this capability will require minor changes to the Cogent COTS work flow which will be included when the work flow modification needed to comply with requirements #751, #752, #753, #755 and #756 are completed. Cogent's level of complexity for this effort is Low.
758.	1/2	The system shall provide the capability to allow Permitted Users to delete permitted prints from the FBI Queue	D		X	G – Configuration. Providing this capability will require minor changes to the Cogent COTS work flow which will be included when the work flow modification needed to comply with requirements #751, #752, #753, #755, #756 and #757 are completed. Cogent 's level of complexity for this effort is Low .
<mark>759.</mark>	1/2	The system shall provide the capability to receive latent submission results from the FBI	D	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>760.</mark>		The system shall provide the capability to automatically notify submitters and contributing agencies when the FBI returns an ident	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>761.</mark>	<mark>1/2</mark>	The system shall provide the capability to automatically return FBI ident information to submitters and contributing agencies when the FBI returns an ident	M	X		This is a COTS feature of the proposed Cogent ABIS.



<mark>762.</mark>	1/2	The system shall provide the capability to automatically assign Latent Ids to latent prints	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>763.</mark>		The system shall provide the capability to allow Permitted Users to assign a unique personal identifier to a latent print	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>764.</mark>		The system shall provide the capability to notify the Submitter when a latent search is completed	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>765.</mark>	<mark>1/2</mark>	The system shall provide the capability to notify the contributing agency when a latent search is completed	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>766.</mark>	<mark>1/2</mark>	The value of any "quality" indicator shall not prevent the addition of a print to a search space	M	X		This is a COTS feature of the proposed Cogent ABIS. Prints may be added to a search space regardless of the image quality indicator.
<mark>767.</mark>	<mark>1/2</mark>	The system shall provide the capability to allow Submitters and other Permitted Users to indicate that a print is an ident for particular search print	M	X		This is a COTS feature of the proposed Cogent ABIS.
<mark>768.</mark>	<mark>1/2</mark>	The system shall return non contributor made Idents to the contributor's Queue	D	X		This configurable capability is a COTS feature of the proposed Cogent ABIS.
	Image	e Storage(Primary Persistent image storage)				
<mark>769.</mark>	AII	Persistent Image Storage should be on a separate server and should be stored in an Oracle Database to be compatible with SFPD data architecture	M	X		Cogent's ABIS solution uses the Oracle Database and fulfills this requirement with no modification.
<mark>770.</mark>	All	The system shall provide the capability to store digitized images from normal tenprint card sources i.e. Hard copy or Livescan called normal image storage	M	X		This is a COTS feature of the proposed Cogent ABIS.
771.	AII	Palm and tenprint card source images scanned at 500 DPI shall be stored in image storage and shall only be stored at the system configurable compression ratio and with WSQ compression	M	X		This is a COTS feature of the proposed Cogent ABIS.
772.	AII	Palm and tenprint card sources images scanned at 1000 DPI stored in image storage shall only be stored at the system configurable compression ratio and with JPEG 2000 compression	M	X		Cogent's COTS ABIS solution for compressing palm print and tenprint images complies with current industry standards and fulfills this requirement with no modification. Additionally, Cogent guarantees that it will comply with future modifications to compression ratios if and/or when approved by the FBI and NIST.



<mark>773.</mark>	All	Iris and Latent fingerprints and latent Palms shall be stored in the image storage but in an uncompressed bmp/gif/png format	M	X			This is a COTS feature of the proposed Cogent ABIS.
<mark>774.</mark>	All	All monotone images shall be store in 8 bit grayscale	M	X			This is a COTS feature of the proposed Cogent ABIS.
<mark>775.</mark>	All	All color images shall be store in 24 bit color bitmap	M	X			This is a COTS feature of the proposed Cogent ABIS.
<mark>776.</mark>	All	The system shall provide the capability to allow Permitted Users to request images on an ad hoc basis	M	X			This is a COTS feature of the proposed Cogent ABIS.
<mark>777.</mark>	All	The system shall provide the capability to add images to normal image storage	M	X			This is a COTS feature of the proposed Cogent ABIS.
<mark>778.</mark>	AII	The system shall provide the capability to delete or mark as deleted images from normal image storage		X			This is a COTS feature of the proposed Cogent ABIS. This feature is typically reserved for users with specific permissions to delete images or mark them as deleted, and is a Cogent COTS capability.
<mark>779.</mark>	<mark>All</mark>	The system shall provide the capability to link the unique subject system ID, subjects and associated demographic data with all of the subjects print images	M	X			This is a COTS feature of the proposed Cogent ABIS.
780.	All	The system shall provide the capability to store the best composite record and up to three most recent bookings images of prints from each arrest for a subject	M	X			This is a COTS feature of the proposed Cogent ABIS. This is a configurable feature of the Cogent COTS solution, which can be configured for up to an unlimited number of "most recent bookings".
	_	r Conversion			_	_	
		section deals with requirements that deal with dealing with search requests that			harc	l copy	
<mark>781.</mark>	·	The system shall provide the capability to process search requests received as hard copy	M	X			Each Cogent workstation accommodates cardscan features and functionality for both tenprint and latent searches as a COTS function.
<mark>782.</mark>	<mark>1/2</mark>	Non Latent search requests on hard copy shall be sent to the paper conversion work station for digitizing of all hardcopy information	M	X			Each Cogent workstation accommodates tenprint cardscan features as a COTS function. A dedicated workstation is may be



					utilized by SFPD to facilitate business practices.
<mark>783.</mark>	<mark>1/2</mark>	The system shall provide the capability to process search requests as part of a batch	M	X	Cogent incorporates the COTS IQS certified Epson Automatic Document Feeder to accommodate batch processing.
784.	1/2	Latent search requests on hard copy shall be sent to Latent section for processing	M	X	Each Cogent Latent workstation may accommodate latent inquiries as a COTS feature, however most clients designate Latent workstations to facilitate business practices, as is SFPD's intention. This practice allows for the suite of tools, including latent specific software and hardware to be used to full advantage.
<mark>785.</mark>	1/2	The system shall provide the capability to time stamp documents received	M	X	When digitized, input records are timestamped as a COTS function, in addition to identifying the workstation utilized. The original hardcopy document may also be timestamped by the operator.
<mark>786.</mark>	1/2	The system shall provide the capability to process documents in time received order	M	X	The COTS Cogent ABIS includes a flexible suite of tools to facilitate record processing and searching, including time received order.
	<u>1/2</u>	The system shall provide the capability to ensure no received document is lost at any point in the paper conversion process	M	X	Cogent insures document inventory is controlled during processing by assigning barcode labels to track each document.
<mark>788.</mark>	<mark>1/2</mark>	The system shall provide the capability to ensure that any processing does not affect the integrity or usability of the data on the document	M	X	The Cogent processing, both for initial conversion and subsequent operational scanning does not affect the integrity or usability of



<mark>789.</mark>	All	The system shall provide the capability to allow Permitted Users to enter text data	M	X			data on the document, including tenprint, palmprint or latent image cards. Permitted users may enter text data to converted and operationally digitally scanned images. This is a
							COTS function.
<mark>790.</mark>	All	The system shall provide the capability to archive documents received	M	X			The documents are archived in NIST format with search and retrieval functionality as a COTS function.
791.	AII	The system shall provide the capability to return documents to submitter	M	X			All documents, submitted for original conversion and subsequent operational scanning/digitization are returned to the submitter. Comprehensive conversion barcoding and control ensure tracking and control of all documents.
		version of old prints		a = = =			
702		section deals with extracting the characteristics of the prints that already exist in			'D sy	stem.	
792.	AII	All existing prints maintained as digital images compatible with NIST standards shall be converted to allow searches with the new system	M	X			Electronic records incorporated in the conversion, in addition to records added subsequent to when the system is operational, will be converted and maintained as digital images compatible with NIST standards to allow searches with the ABIS.
793.	AII	The scanned images shall be decompressed at 15:1 using a certified WSQ compression algorithm	M	X			Scanned images shall be decompressed at 15:1 using Cogent's certified WSQ compression algorithm as a COTS function.



<mark>794.</mark>	All	The decompressed images shall have the AFIS characteristics extracted.	M	X	Decompressed images shall have the ABIS characteristics extracted as a COTS function.
<mark>795.</mark>	AII	The characteristics extracted during conversion shall be entered into the appropriate search space	M	X	The extracted characteristics from conversion, in addition to records entered subsequent to conversion, during ABIS operations, shall be entered into the appropriate search space as a COTS function.
796.	AII	During conversion, each subjects print images shall be compared against all others currently in the database to determine if there is a match	M	X	Each subject's print images from the conversion process shall be compared against all others currently in the database to determine if there is a match the images shall be incorporated into a compilation record if warranted by quality.
797.	AII	The match threshold during conversion shall be set to that of an autoident for matching	D	X	The matching threshold for these electronic records processed during conversion shall be set to that of an autoident for matching. This feature threshold may be scaled, consistent to SFPD's business practice. Additionally, if desired, records in a "gray" area of lower confidence may be referred for examiner's review, consistent with "best practices".
798.	All	All matching subjects discovered during conversion shall be considered an Ident and consolidated.	D	X	All matching subjects discovered during the conversion shall be considered an identification and consolidated. The matching threshold may be scaled consistent with SFPD's business practice. Latent image matches will be

Response to SFPD-FSD ABIS RFP	COGENT 🤝 SYSTEMS

			documented and referred to SFPD
			for further law enforcement
			processing.



Appendices - Introduction

\sim	4 1	1	. 1	1 1	. 1	C 11	•		pendices	•	.1 .		1	
	OGANT	hac	1100	DADII	tha	tall	OWING	/\ n	nandicac	111	thic	nror	വരവ	
	OSCHI	1145	HILLI	шиси	LIIC	10711	OWITE	\neg	Dendices		111115	171 (71	JUSA1	

Appendix Title	Begins on Page
A System Compliance and NIST Reports Summary Table	
B Certifications	B-1
C SEI Self Assessment Documentation	C-1
D Quality Assurance Policy	D-1
E Product Datasheets	E-1
F Training Plan (Draft)	F-1



This page was intentionally left blank.



A System Compliance and NIST Reports Summary Table

1.1 System Compliance

Cogent has been a proponent of interoperability and communications between criminal justice entities and integration of information systems through established and developing standards to achieve local, regional and national law enforcement goals. To that end, Cogent fully embraces the strategic plans, programs and related standards and guidelines as iterated in Cal DOJ Vision 2015, CLETS 2008 Strategic Plan, Cal DOJ Latent Print Section Strategic Planning, FBI Next Generation Identification (NGI), FBI Information and Technology Strategic Planning, FBI Laboratory Services Strategic Planning and NIST/NIJ Latent Interoperability and Information Sharing Mandate.

In addition, our proposed design reflects our firm commmitment to adherence to U.S. and international standards relating to biometric identification. (See Figure 2-8.) No ABIS vendor has demonstrated the intense commitment to standards compliance that we have demonstrated since our founding. While other vendors continue to use a proprietary format for records stored on their systems, Cogent has <u>always</u> stored records in all delivered systems in native ANSI/NIST-ITL format. All of our systems can exchange biometric data with any ABIS that uses ANSI/NIST-ITL record formats. Furthermore, all systems can accept transactions from any

Industry Groups in Which Cogent Participates

- American Association of Airport Executives (AAAE)
- ASIS International (ASIS)
- BioAPI Consortium
- Biometric Consortium
- European Biometrics Forum
- INCITS B10.9 / M1 Biometric Standards Committees
- International Association of Identification (IAI) AFIS committee
- International Biometric Industry Association (IBIA) (President/CEO is board member)
- ISO SC17 Biometric Standards Committee
- Security Industry Association (SIA)

authorized agency equipped with a ULW-enabled workstation. To enable this capability, the ORI and email address of the submitting agency is used to identify authorized ULW workstations and the same rules that the FBI IAFIS applies to verify the submitting agencies are applied by the system.

Compliance with industry standards is only one aspect of our overall approach to interoperability. A second key aspect is our use of a service-oriented architecture that uses loosely coupled components and interfaces based on open standards such as GJXDM compliant XML payloads, SOAP messaging, and HTTP transport. This reduces the cost and complexity of establishing interfaces to legacy systems and reduces vendor dependence.

The proposed solution incorporates software, hardware and professional services that have certification or are in compliance with leading biometrics and other related government or industrial standards. Below is a list of standards (including best practice recommendations) that are applicable (maybe partially) to and are supported (maybe partially, depending to the extent to which the standard is applicable) by one or more components of the proposed solution. The related certifications are also included.



1. ANSI/NIST-ITL 1-2007 "Data Format for the Interchange of Fingerprint, Facial, & Other Biometric Information"

Related certification:

- GSA approved PIV fingerprint templates (ANSI 378 templates) generation software
- GSA approved PIV fingerprint template (ANSI 378 templates) matcher software.
- 2. FBI CIJS "Electronic Fingerprint Transmission Specification (EFTS) Version 7.1" / "ELECTRONIC BIOMETRIC TRANSMISSION SPECIFICATION (EBTS) v8.0", including "APPENDIX F IAFIS IMAGE QUALITY SPECIFICATIONS "

Related certifications:

- FBI IAFIS IQS (Image Quality Specifications) Certification for Epson Perfection v700 Fingerprint Scanner with Cogent's CAFIS Scan Software
- FBI IAFIS IQS (Image Quality Specifications) Certification for CS500e roll/plain and Identification Flats LiveScan Fingerprint Device
- FBI IAFIS IQS (Image Quality Specifications) Certification for Epson 10000XL Series Fingerprint Card / Latent Print Scanner with Cogent's CAFIS Scan Software
- FBI IAFIS IQS (Image Quality Specifications) Certification for Improvision IS510-1K Batch Fingerprint Card Scan System
- FBI IAFIS IQS (Image Quality Specifications) Certification for LScan-1000P Fingerprint and Palmprint Device
- FBI PIV Single Finger Capture Device Certification for Cogent's CSD450 Single finger LiveScan capture device
- FBI PIV Single Finger Capture Device Certification for Cogent's CSD200 Single finger LiveScan capture device
- GSA Approved Product Listing (APL) for Cogent's CSD450 Single finger LiveScan capture device
- GSA Approved Product Listing (APL) for Cogent's CSD220 Single finger LiveScan capture device
- GSA Approved Product Listing (APL) for Cogent's CS500e LiveScan Fingerprint Device as part of the PIV fingerprint image Capture Station
- 3. IAFIS-IC-0110 WSQ Grayscale Fingerprint Image Compression Specification,

Related Certification:

- FBI certification for Cogent's WSQ software implementation
- 4. ANSI INCITS 378-2004, Finger Minutiae Format for Data Interchange

Related Certification:

- GSA approved PIV fingerprint templates (ANSI 378 templates) generation software
- GSA approved PIV fingerprint template (ANSI 378 templates) matcher software
- 5. ANSI 381-2004, "Fingerprint Image Data Format"

Related Certification:

- GSA Approved Product Listing (APL) for FpCapture Express Software as part of the PIV fingerprint image capture station
- 6. Mobile ID Device Best Practice Recommendation (draft)
- 7. NIST Fingerprint Image Quality (NFIQ), NISTIR 7151
- 8. ISO/IEC International Standard 10918-1, Information Technology Digital Compression and Coding of Continuous-Tone Still Images Part 1: Requirements and Guidelines.



- 9. ISO/IEC International Standard 15444-1, JPEG 2000, Information Technology Digital Compression and Coding of Continuous-Tone Still Images Part 1: Requirements and Guidelines 10. MTR 04B0000022 (Mitre Technical Report), Margaret Lepley, Profile for 1000ppi Fingerprint Compression, Version 1.1, April 2004.7
- 11. W3C XML and XML Schema, World Wide Web Consortium, Extensible Markup Language
- 12. BEST PRACTICE RECOMMENDATION FOR THE CAPTURE OF MUGSHOTS Version 2.0 (Appendix H of ANSI/NIST-ITL-1 2007)
- 13. ANSI INCITS 398-2005, the Common Biometric Exchange Formats Framework (CBEFF)
- 14. Federal Communications Commission EMC Requirements
- 15. European Union CE Marking

V FBI & Department of Justice Standards

- Test Procedures for Verifying IAFIS Scanner Image Quality Requirements, CJIS-TD-0110, Federal Bureau of Investigation, March 1995
- GJXDM (V3), 2003, A data reference model for the exchange of information within the justice and public safety communities
- JXDD (V3.02), 2003, Justice XML Data Dictionary
- FBI's CJIS SECURITY POLICY 4.1, March 2005

ANSI & NIST Standards

• CBEFF compliance requirements provided to the Transportation Security Administration's (TSA's) TWIC program.

ISO Standards

- Hardware-enabled to meet the International Organization for Standardization (ISO) 9241, Part 3
- ISO/IEC 19794-2: Information technology Biometric data interchange formats Part 2: Finger minutiae data
- ISO/IEC 19794-4: Information technology Biometric data interchange formats Part 4: Finger image data
- ISO/IEC 19794-5: Information technology Biometric data interchange formats Part 5: Face image data

1.2 NIST Reports Summary Table

The superiority of the Cogent matching solution has been demonstrated in customer-run benchmark tests during the competitive procurement process and in studies conducted by NIST. The studies reported above demonstrate that there is no risk to SFPD-FSD in selecting the Cogent solution. These independent results and studies support the accuracy data that has been provided by Cogent.

Report No.	Title	Relevant Findings			
NISTIR 7119	Studies of One-to-One	Comparison of the 1:1 matching algorithm used by the US-VISIT Program (a			
	Fingerprint Matching with	Cogent algorithm) to those of eight other vendors. The Cogent algorithm was the			
	Vendor SDK Matchers	most accurate of any tested for matching flat fingerprints.			
	(2003)	http://fingerprint.nist.gov/SDK/ir_7119.pdf			



NISTIR 7123	Fingerprint Vendor	Evaluated the commercial automated fingerprint identification systems of 18
	Technology Evaluation	companies in terms of the accuracy of their one-to-many matching algorithms.
	2003: Summary of	Three systems, including Cogent's, were found to be substantially more accurate
	Results and Analysis	than all other systems tested and to be comparable to each other. These systems
	Report	were also found to have consistently low error rates across a variety of large-
		scale system data sets. http://fpvte.nist.gov/index.html
NISTIR 7110	Matching Performance	In this study, the authors concluded that the proprietary system Cogent uses to
	for the US-VISIT IDENT	measure fingerprint quality is "the best-general-purpose finger image quality
	System Using Flat	metric currently available" and that it is equivalent to, if not superior to, the NIST
	Fingerprints Report (May	Fingerprint Image Quality (NFIQ) scale.
	2004)	http://sequoyah.nist.gov/pub/nist_internal_reports/ir_7110.pdf
NISITIR 7112	Studies of Plain-to-Rolled	Determined that image quality directly impacts biometric matching accuracy. The
	Fingerprint	study revealed that Cogent's image quality metrics map closely to NIST and
	Matching Using the NIST	Cogent's fingerprint matching algorithms are more robust when searching poor
	Algorithmic Test Bed	quality search prints or poor quality file prints. At every Quality Level, Cogent's
	(ATB; April 2004)	results are superior, and the gap grows as the quality level decreases.
		ftp://sequoyah.nist.gov/pub/nist_internal_reports/ir_7112.pdf
NISTIR 7151	Fingerprint Image Quality	Evaluated image quality in terms of True Acceptance Rate (TAR) and False
	(August 2004)	Acceptance Rate (FAR). For fingerprints ranked at Quality Level 1 (excellent) on
		NIST's quality ranking scale, Cogent was the top-ranked vendor with the highest
		TAR and the lowest FAR.
		ftp://sequoyah.nist.gov/pub/nist_internal_reports/ir_7151/ir_7151.pdf
NISTIR 7209	SlapSeg04 (Slap	Assessed the accuracy of algorithms used to segment slap fingerprint images
	Fingerprint Segmentation	into individual fingerprint images. Cogent's segmentation algorithm was one of
	Evaluation 2004)	the most accurate algorithms tested.
		http://fingerprint.nist.gov/slapseg04/index.html
NISTIR 7221	Studies of One-to-One	Evaluated the accuracy of commercially available Software Development Kits
	Fingerprint Matching with	(SDKs) from 12 vendors for 1:1 fingerprint matching. The study compared the
	Vendor SDK Matchers	accuracy of the SDKs using one finger for authentication. Several Cogent SDKs
	(2005)	were tested and were among the top-performing SDKs.
		http://fingerprint.nist.gov/SDK/ir_7221.pdf
NISTIR 7249	Two Finger Matching	Evaluated vendor SDK accuracy using two fingers for authentication and
	with Vendor SDK	combined the scores. Several Cogent SDKs were tested and were among the
	Matchers (July 2005)	top-performing SDKs.
		http://fingerprint.nist.gov/SDK/ir_7249.pdf
NISTIR 7296	Minutiae Exchange	Sought to determine whether the new INCITS 378 fingerprint template standard
	Interoperability Test	provides accuracy comparable with proprietary (image-based) implementations,



	(MINEX, March 2006)	and whether template data could be generated and matched by different vendors
		without attendant increase in error rates. This study had 14 participants, including
		all major AFIS vendors, and Cogent's algorithms are ranked within the top three
		(first, second, and third positions) in all major tests.
		http://fingerprint.nist.gov/minex04/minex_report.pdf
NIST ELFT07	ELFT Phase I -	Evaluated automated one-to-many latent fingerprint search technology with a
	Evaluation of Latent	focus on lights-out latent identification capabilities. Cogent achieved a score of
	Fingerprint Technology,	83% compared to an average score of 64% for all 15 vendor SDKs evaluated. In
	Phase I (October 2007)	all but one of the matches made by our system, the correct candidate was in the
		top position. http://fingerprint.nist.gov/latent/elft07/
NIST MBGC	Multiple Biometric Grand	In recognition of many government agencies moving toward multimodal biometric
	Challenge (MBGC;	technologies for increased security, this study sought to investigate, test, and
	December 2008)	improve performance of emerging face and iris recognition technology. In the
		MBGC Second Workshop preliminary test results, Cogent's facial recognition
		technology fared best within the vendor community.
		http://face.nist.gov/mbgc/mbgc_presentations.htm ("MBGC Still Face Challenge
		Problem Version 1 Preliminary Results")
NISTIR 7553	SlapSegII (January	Evaluated current state of the art slap segmentation algorithms, accommodating
	2009)	new technology developed since the SlapSeg04 study. The major AFIS vendors,
		Cogent, NEC and Sagem, all participated in this test, among others. The
		algorithms were tested on operational data from both 2-inch and 3-inch platen
		LiveScan devices. Cogent's algorithms achieved the best overall performance in
		both and ranked #1 in almost all categories reported, and Cogent is the top
		ranked participant in this test.
		http://fingerprint.nist.gov/slapsegII/SlapSegII_NISTIR_7553.pdf
NISTIR 7577	ELFT Phase II - An	Evaluated eight vendor SDKs for searching latents using automatic feature
	Evaluation of Automated	extraction and matching (AFEM). Each vendor submitted a latent and tenprint
	Latent Fingerprint	minutiae extraction algorithm, and a 1-to-many match algorithm that returns a
	Identification	candidate list report. The test dataset contained 835 latent fingerprints, the
	Technologies (April	associated tenprint fingerprint records containing the mates to the latent
	2009)	fingerprints, and two separate galleries of tenprint records, 5,000 records (50,000
		fingerprints) and 10,000 records (100,000 fingerprints), respectively. Cogent's
		SDK was one of the two top-performing SDKs.
		http://fingerprint.nist.gov/latent/NISTIR_7577_ELFT_PhaseII.pdf

End of document



B Certifications

The following documents include hardware and software certifications for Cogent's proposed solution.

1

U.S. Department of Justice



Federal Bureau of Investigation

Clarksburg, WV 26306

February 11, 2003

Mr. Jim Wang Cogent Systems, Inc. 209 Fair Oaks Ave. South Pasadena, CA 91030

Dear Mr. Wang:

The FBI's Criminal Justice Information Services Division has completed a review of the testing information submitted by Cogent Systems, Inc., for certification of the configuration of the Improvision IS510-1K Batch Fingerprint Card Scan System at 500 and 1000 ppi. The review was conducted by representatives of the FBI and Mitre Corporation.

Based on the results of the review, the FBI certifies that the configuration is in compliance with the IAFIS Image Quality Standards (IQS), 500 and 1000 ppi, Appendix F Scanner Specifications created by the FBI. The automated document feeder (or batch card feeder component of this scanner) is certified to handle standard ten-print cards. It should be noted, however, that the feeder component of this scanner may not have the capability to correctly handle all card variants, such as cards with staples, tape, tears, pasteups, or laminations.

The FBI does not endorse any product. Certification only demonstrates that this product meets the FBI standards. Continued acceptance and retention of the images created by an installed system is contingent on the ability of the product to meet the FBI's IQS Specifications over time. As equipment can degrade over time, the FBI recommends that your company assist its customers in the establishment of quality assurance programs and appropriate maintenance schedules.

Please direct any questions regarding certification to Thomas E. Hopper at (202) 324-3506.

Sincerely yours,

John S. Hooks, Jr

Deputy Assistant Director Policy, Administrative and

Liaison Branch

Criminal Justice Information

Services Division



U.S.Department of Justice

Federal Bureau of Investigation

Washington D.C 20537

February 24, 1997

Mr. Ming Hsieh Cogent Systems, Incorporated 3001-A West Missions Alhambra, California 91803

Dear Mr. Hsieh:

The FBI and the National Institute of Standards and Technology (NIST) have completed a review of the testing information submitted by the Cogent Systems, Incorporated. NIST performed a complete analysis of the test results and has indicated that the WSQ, HP/UX B.10.10; HP/UX C Complier 10.0 complies with FBI WSQ Gray-Scale requirements.

Based on the results of the NIST review, the FBI certifles that the Cogent Systems, Incorporated WSQ implementation tested and identified above meet the accuracy requirements in the WSQ Gray-Scale Fingerprint Image Compression Specification. Please note that the software implementation value (Sf), within the frame header of the compressed image, will be recorded as 57938. The certification process is not intended to endorse one product over a competitor's product, but merely to certify that the product meets FBI standards, and that between two products which meet FBI standards, the FBI does not recommend one over the other.

Please feel free to direct any questions on the certification to Ms. Martha Lane, Chief, Quality Assurance Unit, on telephone number (202) 324-8844.

Sincerely,

Douglas J. Domin Program Manager

IAFIS Program Office

CJIS Division



C SEI Self –Assessment Documentation

The following documents include Cogent's SEI Self Assessment Documentation.



This page was intentionally left blank.



Software Engineering Institute Self Assessment

This document contains commercial information and trade secrets which are confidential and proprietary in nature and are subject to protection under law. The supply of this information is for the purpose of acceptance of the SEI Self Assessment document only.

Access to the information contained herein, howsoever acquired and of whatsoever nature, will not entitle the accessor thereof to acquire any right thereto. The data subject to this restriction are contained in all sheets in the SEI Self Assessment. The SEI Self Assessment contains commercial or trade secrets of Cogent Systems, Inc. Disclosure of any such information or trade secrets shall not be made without the prior written permission of Cogent Systems, Inc.

©2008 Cogent Systems, Inc. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Cogent Systems, Incorporated.

The information in this document is subject to change without notice. The software mentioned in this document is furnished under license and may only be used or copied in accordance with the terms of such license. Contact software manufacturers directly for terms of software licenses for any software mentioned in this document not originating from Cogent Systems, Incorporated.

All brand or product names are the trademarks or registered trademarks of their respective holders.

Cogent Document #IG-EXT-DD-410-0.00 (1)



D Quality Assurance Policy

The following document describes Cogent's Quality Assurance Policy.

Cogent Inc.'s Quality Assurance Policy/Program

The subsections below address, respectively, Cogent's quality assurance program and the resources we have available for research/studies relating to AFIS solutions.

Quality Assurance Program

Cogent's quality assurance program uses the process management approach that is central to ISO's quality management methodology. The program can be best described in terms of (1) our quality assurance organization, (2) the mechanisms we use to maintain consistent product/service quality, (3) the quality measures we apply to our products/systems, and (4) the mechanisms we use to ensure continuous product/system improvement. (See Figure 1.) Each of these program elements is briefly addressed in the subsections below.



Figure 1. Elements of Cogent's Quality Assurance Program

it s	Development and Support of Commercial Products for Fingerprint/Palm Print Identification													
Functional Business Units Responsible for roduct/System Quality	Project Manage- ment	Resea	-	Product Design				ufactui ing	Testin		cu- tation	Sales		Product Support
onal tesp /Sys		Implem	entation	n and Sup	port	of Turnk	ey Fi	ngerp	rint/Palm	Print Ide	ntificatio	on Syster	ns	
Functional Bus Units Responsi Product/System	Proposal Develop ment	Project Manag e-ment	Syster Desig			Inte	item gra- on	Data Conver- sion	Testing	Train- ing	Docum tatio		System Support	
		Pe	rsonnel I	Managemei	nt				St	tandard O _l	perating I	Procedure	es	
tices	Well-def	ined quali	fications f	for all position	ons				lse of indi	ustry stan	dard met	thods/proto	ocols	wherever
Prac	Well-defined job responsibilities								ossible	aduraa la r	ologo to o	maura that	nroo	aaaaa that
Quality Practices	Stringent pre-hire screening process								Written procedures in place to ensure that processes that affect quality are performed in a consistent manner					
Oua	Compensation linked to performance								Internal reviews/sign-offs at critical points in the					
	Effective strategies for retention								product/system lifecycle					
S	ISO 9126 Characteristics and													
Quality Measures	Functionality. Are the required functions available in the product/system? Reliability. Is the product/system reliable? Reliability. Is the product/system easy to use?							Efficiency. Is the product/system efficient? Maintainability. Is the product/system easy to maintain? Portability. Is product/system adaptable?						
	Acquire/Apply Feedback on Product/System Quality						ty	Customer-Focused Product Improvement Policies						
ŧ	Acquire, analyze and apply customer feedback							Timely updates to:						
mer	Acquire, analyze and apply user feedback							o Address deficiencies/defects identified by customers						
rove	Acquire, analyze and apply results of benchmarks acformed during competitive acquirements.							o Add new features/capabilities requested by customers						
ldw	performed during competitive procurements Participate in product/technology evaluations sponsored						ored	 Ensure that products/systems remain compliant with applicable industry standards 						
sno	by national and international organizations.					orcu	Address advances in the state of the art							
Continuous Improvement								Maintain backwards compatibility to previous product versions						
S							Use ISO 9126 characteristics/subcharacteristics to identify areas where product performance can and should be improved.							

Quality Organization

Our quality assurance organization consists of an internal committee chaired by Cogent's Vice President for System Integration and the managers/supervisors of each of the functional business units involved in the development and support of the products/systems we sell. Figure 1 identifies these functional business units. The Quality Assurance Committee is responsible for implementing policies and procedures aimed at ensuring the quality of delivered products/systems, monitoring product/system quality, implementing corrective action plans, and promoting continuous process improvement.



Quality Practices

It is now widely accepted that quality must be "built in" to a product or system by controlling who produces it and how. Controlling who produces a product/system requires a personnel management approach that ensures that the employee assigned to perform a given task affecting a product/system has the necessary knowledge, skills and ability to perform the task. It also requires effective strategies for influencing employee behavior to increase the likelihood that the employee will perform all assigned tasks correctly and will report any problem that he or she might observe. Figure 1 identifies aspects of personnel management that contribute to product/system quality.

To control *how* tasks are performed (i.e., process control), Cogent makes maximum use of industry/standard methods and protocols and uses internally developed standard operating procedures to guide all product/system development processes. (See Figure 1.)

Quality Measures

Cogent uses ISO 9126 as a guide when designing products/system and when assessing product/system quality. Although ISO 9126 was developed to provide a framework for evaluating software quality, we have found that the six quality characteristics defined in standard (See Figure 1) are relevant to both our hardware and software products and to the turnkey systems we deliver.

Continuous Quality Improvement


As Figure 1 suggests, we have mechanisms in place to acquire information that can be used to identify opportunities for product/system improvement and procedures for analyzing this information and using it to guide our product improvement efforts. Data sources used include records of calls to our Help Desk, feedback obtained from users via our user group website and/or in user events sponsored by Cogent, suggestions from trainers based on their interactions with users, and suggestions from maintenance personnel. We also analyze and apply information gained from our participation in benchmarks performed as part of competitive procurements and from our participation in technology evaluations sponsored by organizations such as the U.S. National Institute of Standards and Technology (NIST). We also have procedures in place to ensure that our products are brought in line when new industry standards applicable to AFIS products are released or updates to existing industry standards are issued. In developing upgrades for software products or fingerprint matching servers, the upgrades are designed to provide backwards compatibility with previous product versions.

Research/Study Resources

As reflected in Figure 2, Cogent devotes a significant portion of our resources to independent research and development. Our research staff consists of computer scientists and engineers with expertise in fuzzy mathematics, morphology, neural networks, security, encryption, communications, and image compression, matching algorithms, image enhancement, data mining and data fusion. In large part, our research is directed at these objectives: (1) improving fingerprint/palm print matching speed, (2) improving matching accuracy, (3) improving access to identification services, and (4) improving ease of use. To improve access, we continually expand and improve the front-end devices that allow users to send requests to, and receive requests from, a central AFIS.



Figure 2. Human Resources Devoted to Research and Development and Research Areas



Cogent makes direct investments in:

- Algorithm development
- Product/hardware development
- Communications
- Software engineering
- Systems integration
- Technology integration
- Industry standards compliance
- Enhancement of user productivity
- Improved matching performance
- Heightened matching speed

Research Areas

- Image Processing
 - ❖ Image Enhancement
 - ❖ Feature Extraction
 - Descriptive Function Modelling
- Neural Networks
 - New network architecture design
 - ❖ Training algorithm
 - ❖ Pattern classification
- □ Matching Algorithms
 ❖ Statistical Pattern Recognition
 ❖ Structural Pattern Recognition

 - * Random Process Modeling
 - Error and Distortion Modeling
- □ Pipeline Data Flow Computing❖ Data Flow Algorithm Design

 - ❖ Hardware Implementation
 - **❖** Fault Tolerance Implementation

 - CompressionWavelet Compression
 - Coding Design
- ❖ JPEG/MPEG
 ➡ Encryption/Coding
 ❖ Encryption

 - Digital Signature
 - PKI
- ☐ Scaleable Architecture
 - Database
 - Networking
 - Operating Systems



E Product Datasheets

The following documents include Cogent's Product Datasheets for our SFPD-FSD ABIS proposed solution.

About Cogent, Inc.

Cogent has delivered the fastest, most accurate, and most sophisticated yet simple-to-use biometric identification solutions in the world. Cogent has grown at a steady rate since commercializing our first product in 1993, and is publicly traded on the NASDAQ stock market under the stock symbol COGT. As a world leader, Cogent provides first class Automated Biometric Identification Systems and biometric access control solutions to governments, law enforcement agencies, and commercial customers worldwide. Cogent provides secure and linearly scalable identification systems in active-active configuration, providing for Disaster Recovery capability. Cogent is committed to aligning biometric technology and services to solve our customers' business challenges.

In 2008, Cogent acquired the Security Solutions Division (SSD) of MAXIMUS, further positioning the company within the growing identity management and credentialing integration business with a wide range of established customers, expert personnel, and a steady revenue stream.

Cogent's products can be found at the heart of the largest and fastest automated identification systems in the world. One of the major reasons for Cogent's supremacy in the field of biometrics is the high accuracy of our search algorithm. With our extensive knowledge of automated identification in the field of law enforcement, we understand that good quality biometric data is not always possible to obtain. We strive to develop comparison algorithms that allow for poor quality input. Employing technology based on nearly 20 years of advanced research and development, Cogent achieves industry-leading accuracy rates while maintaining rapid response times when searching large biometric databases.

Cogent has established a reputation for successful deployment of identification system solutions that allow for realtime identification of individuals in a wide variety of applications, including: immigration, voting, asylum seekers,

citizen benefits, citizen identification, driver licenses, law enforcement, criminal investigations, and others.

Cogen	

	Cogenii Firsis
1993	PC-based AFIS with 100% database penetration for fingerprint searches
1994	Selected as the technology supplier for the first nationwide Fast-ID system
1996	Integrated Palm & Finger AFIS
1999	First AFIS vendor to demonstrate interoperability with all other AFIS vendors' systems
2000	WebCheck - First Web Based Fingerprint Identification Solution
2003	Delivered first AFIS designed to store/ use 1,000ppi images
2003	Delivered first AFIS designed to store/ search multiple identity records per subjects
2004	Delivered world's fastest real-time ID system
2004	First biometric access control device with Power-Over-Ethernet capability
2006	First template generation and matching algorithm to receive GSA Certification for FIPS 201
2006	Industry first Bluetooth-enabled portable fingerprinting scanner
2007	First AFIS to support the largest mobile identification network of 500+ mobile units

First multi-modal portable field device certified by Department of Defense

2008

Mobility has recently become a major business challenge and Cogent is bringing mobility to the biometric identification process. Cogent's mobile product solution provides for real-time identification results for officers in the field. Our mobile solution, combined with our high-speed biometric matching solution, promotes officer safety and increases officer productivity. Cogent's mobile solution is an end-to-end solution from the multi-modal mobile handheld devices that can capture fingerprints, latent prints, facial photos, and iris images, to the backend standard mobile identification server that can interface with any NIST-compliant biometric identification system.

Cogent delivers cost-effective commercial solutions, including solutions for biometric access control and handheld portable biometric devices. For the OEM market, Cogent's state-of-the-art ASIC chip can be integrated to perform all of the biometric operations. Cogent licenses its patented image reconstruction algorithm for linear fingerprint sensors and its field-proven biometric matching engine that can be ported into new or existing products requiring higher security.

Global Biometric Solutions Provider

Product & Solution Overview



Cogent Automated Palm and Fingerprint Identification System (CAPFIS)

CAPFIS is a total system solution for large-scale, distributed fingerprint and palm print identification/processing systems. Customizable workflows allow easy integration with LiveScan, MobileID Solutions, photo capture, criminal history, and other identification system components.



Cogent's Mugshot System provides a Web-based, service-oriented, modular mugshot photo investigative tool for law enforcement agencies. With its user friendly navigation, users can easily create and edit lineups, mug books, and booking records.





LiveScan Product Line

Cogent has a full line of FBI-certified LiveScan devices. This product line ranges from portable Applicant LiveScan solutions to full LiveScan Cabinet workstations.

Programmable Matching Accelerator (PMA)

Cogent's PMA is world's fastest and most accurate fingerprint and palm print matcher. It is used in some of the largest and fastest fingerprint/palm print identification systems in the world. It can be used in parallel with matching speeds of six million matches per second.





Cogent's mobile handheld devices create unimodal or multimodal biometric records (fingerprint, facial and/or iris images) and transmit them wirelessly to a central AFIS. Each device can also process fingerprint-based identity checks against an onboard target database.

WebCheck

Cogent's WebCheck is a web server application used for processing fingerprint-based criminal history background checks.



BioGate Product Line

Cogent's BioGate product line consists of biometric access control devices that support 1:1,200 searching and 1:1 verification through a combination of fingerprint, smart card, magnetic stripe, and pin technology to meet the varying needs of industrial sites, corporate offices, and government facilities.

FIPS 201 Certified Products

Under Homeland Security Presidential Directive 12, all U.S. government agencies are in the process of introducing smart identification cards and biometric access control systems that comply with the FIPS 201 standard. Cogent is one of a small group of companies whose algorithms for biometric software and hardware have been certified for FIPS 201.












CAFIS™/CAPFIS™

Automated Fingerprint/Palm Print Identification System

CAFIS™ is a multifactor, scalable, and customizable software package that allows you to perform a wide range of tasks for processing, editing, searching, retrieving, and storing fingerprint images and subject records. It includes a variety of automated identification solutions - from a desktop AFIS (CAFIS Prime™) to distributed networked solutions for local, regional, and national systems. As one of the most accurate systems in the world, CAFIS ensures service resiliency while providing information safety through the use of built-in safeguards such as fault tolerant architecture, disk mirroring, automated database backups, and disaster recovery options.







Features

Superior searching capability: 100% penetration for tenprint, latent, and palm print searches. Performs searches in a variety of ways: tenprint to tenprint, tenprint to unsolved latent, latent to tenprint, latent to unsolved latent, palm to unsolved palm latent, palm latent to palm, and palm latent to unsolved palm latent.

Ease of integration/versatility: CAFIS can be integrated with external AFIS systems, computerized criminal history systems, LiveScans, handheld wireless devices, web-based Internet solutions, and other information systems.

Scalability: Modular and expandable architectural elements that can be scaled to meet any agency's database size, throughput, and integration requirements.

Handles a wide range of database sizes: Meets the needs of agencies with record collections of a few thousand to several million.

Fast: Using the power of Cogent's Programmable Matching Accelerator (PMA) servers, CAFIS provides rapid response time; CAFIS supports search speeds from 15,000 to 500,000 matches per second. Multiple PMA servers can be rackmounted to linearly increase matching throughput to up to 6,000,000 matches per second.

Easy to Use: Provides you with a wide assortment of special image processing tools to enhance the viewing quality of an image before saving it in the database, to mark minutiae, to initiate database searches, and to verify matches.

High Performance Solution

CAFIS[™]/CAPFIS[™]

For law enforcement agencies with finger and palm print record collections ranging from a few thousand to millions, Cogent provides automated identification solutions from a desktop AFIS (CAPFIS Prime) to distributed networked solutions for local, regional, and national systems (CAPFIS). Cogent is unique among AFIS vendors in that we use non-proprietary NIST record formats for our AFIS database records. As a result, the system can be integrated with external AFIS systems, computerized criminal history systems, LiveScan, handheld wireless devices, secure web-based Internet solutions, as well as other information systems.

Featuring a 100% database search for tenprint, latent, and palm print identification, CAPFIS has proven itself to be one of the most accurate systems in the world. CAPFIS can be configured with a number of built-in safeguards that ensure service resiliency while providing safety of information (via fault tolerant architecture, disk mirroring, automated database backups, and disaster recovery options). CAPFIS features modular and expandable architectural elements that can be scaled to meet any agency's database size, throughput, and integration requirements.

For agencies with modest throughput requirements, systems can be configured using an NT- or UNIX-based transaction server hosting the Image Flow, Data Flow, and Information Fusion software. Any number of modular elements can be configured, including workstations for tenprint, latent, and palm print processing; LiveScan for tenprint and palm print capture; and wireless handheld computers.

CAFIS/CAPFIS provides the solution for agencies that:

- Require fingerprint/palm print matching systems with databases of up to tens of millions of records
- Need rapid response times
- Must support a few users to thousands of users
- Want to include LiveScans and wireless biometric input devices
- Require integration of existing information systems
- Need to provide secure web-based identification services

For agencies with databases containing tens of thousands to millions of records and requiring real-time identification results, Cogent's Programmable Matching Accelerator (PMA) servers can be used. Multiple PMA servers can be rack mounted to linearly increase matching throughput and to support system growth and expansion. This proven technology is widely used by cities, counties, states, and national governments as a cost-effective and modular data flow computing technology to meet their needs today and well into the future.

All Cogent AFIS product improvements ensure full backwards compatibility with systems previously delivered. Our standard configuration mechanisms also enable the introduction of new features without impacting existing baselines. This ensures that no customer is left behind - our guarantee to each customer.



GOVERNMENT

PMA

Programmable Matching Accelerator

Cogent's Programmable Matching Accelerator (PMA) product line leads the industry in high-speed, high-accuracy finger and palm print matching. Based on an advanced "Super Pipeline, Super Parallel" design architecture and a new generation of field-programmable gate arrays, the PMA is quickly becoming the industry standard for AFIS matching.

Cogent's PMAs are the first commercially available fingerprint comparison servers based on advanced data flow computing. PMAs can support real-time identification – supporting applications that require searching databases of tens of millions of subjects in seconds.



The PMA product line is successfully being used by law enforcement and civilian agencies around the world. Providing 99.9% accuracy, the PMA architecture is the leader in identification accuracy. The PMA's COTS approach and modular design, combined with its "on demand" architecture, provides customers with improved reliability, increased availability, and lower total cost of ownership.

Scalability:

PMAs can be combined in modular units that are linearly scaled to handle databases of tens of millions of fingerprint records with response times of seconds. Utilizing Field Programmable Gate Arrays, the PMA subsystem can be programmed to perform a variety of matching tasks for fingerprints, palm prints, facial images, and other biometric identifiers. The linear scalability of the PMA subsystem architecture can accommodate almost any database size and response time requirement. Additional PMAs can be configured to upgrade systems that must meet evolving needs for larger databases while maintaining or increasing system throughput.

The Outstanding Matching Engine

Investment Protection

Featuring a mirrored hardware architecture, the PMA provides both data and hardware fault tolerance. With an "active-active" processor configuration, the PMA subsysdynamically optimizes throughput performance should a failure occur. A PMA subsystem can easily be upgraded with Cogent's latest biometric matching technology to support growth, expansion, new technology insertion, and ensure investment protection. From the first generation PMA operating at 15,000 matches per second to those today operating at over 1,000,000 matches per second, Cogent's PMA architecture provides investment protection for the long term as your mission critical and operational needs dictate.

Flexibility

The PMA product line also affords redundancy and flexibility. The matching technology for the PMA subsystems features a multi-level comparison-elimination with multiple matching stages that are field-proven to deliver the highest levels of accuracy in the industry, as demonstrated by independent benchmark results.

Benefits:

- Linearly scalable, capacity can be added "on demand"
- Highest performance and accuracy for real-time identification
- Super-Pipeline architecture for speed
- COTS approach for lower ongoing cost
- Configurable software can meet various matching needs
- Redundant components for greater system availability
- Lower total cost of ownership
- Field programmable logic for investment protection
- Compact system footprint



Beyond Comparison



F Training

The following documents include Cogent's Draft Training Plan for our SFPD-FSD ABIS proposed solution, as well as our point-by-point responses to the SFPD's training requirements.

i



This page was intentionally left blank.

Version 1.0

San Francisco Police Department Forensic Services Division Automated Biometric Identification System (ABIS) Draft Training Plan





©2009 Cogent, Inc. All rights reserved.

This document contains commercial information and trade secrets of Cogent, Inc. which are confidential and proprietary in nature and are subject to protection under law. Access to the information contained herein, howsoever acquired and of whatsoever nature, will not entitle the accessor thereof to acquire any right thereto. The data subject to this restriction are contained in all sheets of this document. Disclosure of any such information or trade secrets shall not be made without the prior written permission of Cogent, Inc.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Cogent, Inc.

The information in this document is subject to change without notice. The software mentioned in this document is furnished under license and may only be used or copied in accordance with the terms of such license. Contact software manufacturers directly for terms of software licenses for any software mentioned in this document not originating from Cogent, Inc.

All brand or product names are the trademarks or registered trademarks of their respective holders.

Document Revision History

Version	Date	Author	Comment
1.0	05/21/2009	Integration Group	Initial version